# Author Index, Volume 48, (1993)

c=correspondence; f=forum

BAILEY, P. W. See MYINT, Y., 684

BALDWIN, A. M. See OWEN, H., 20 BALI, I. M. See WRIGHT, D. G., 352 (c)

BAILEY, S. M. See HARRIS, D. N. F., 694

BALCHIN, J. D. Unexpected cause of tracheal cuff failure: a reply, 347 (c)

ABDELATTI, M. O. Horner's syndrome due to epidural anaesthesia presenting with a painful eye, 1019 (c) ABEYSEKERA, R. M. M. S. See VAN DER BERG, A. A., 84 (c) ABUZAID, H., PRYS-ROBERTS, C., WILKINS, D. G. & TERRY, D. M. S. The influence of diamorphine on spinal anaesthesia induced with isobaric 0.5% bupivacaine, 492 ADAMS, A. P. & MORGAN, M. Checking anaesthetic machines - checklists or visual aids?: editorial, 183 ADAMS, A. P. See O'FLAHERTY, D., 687 ADRIAENSEN, H. See VERCAUTEREN, M. P., 1002 (f) AGLAN, M. Y. & STANSBY, P. K. There is a need to modify the Sprotte needle, 534 (c) AHMED, M. I. See WEST, K. J., 826 (c) AINSWORTH, Q. P. See SIDHU, V. S., 910 (f) AITKENHEAD, A. R. See HENNESSY, N., 219 AITKENHEAD, A. R. See GRAHAM, S. G., 471 AITKENHEAD, A. R. See BAGSHAW, O. N. T., 476 AKHTAR, T. M. & BELL, M. 'Vocalaid' and surgical emphysema, 272 (c) ALEXANDER, R., HODGSON, P., LOMAX, D. & BULLEN, C. A comparison of the laryngeal mask airway and Guedel airway, bag and facemask for manual ventilation following formal training, 231 ALEXANDER, R. & MOORE, C. The laryngeal mask airway and training in nasotracheal intubation, 350 (c) ALEXANDER, R., ARROWSMITH, J. E. & FROSSARD, R. J. The laryngeal mask airway: safe in the X-ray department?, 734 (c) ALFORD, A. M., KIRTON, C. B. & PEACOCK, J. E. Evaluation of an alternative method of blood sampling from arterial cannulae, 530 (f) ALI, H. A. See SHORTEN, G. D., 524 (f) ALI, H. H. See SHORTEN, G. D., 568 ALI, S. & FISHER, G. C. The Whisperflow adjustable flow generator, 646 (c) ALI-MELKKILÄ, T. See VIRKKILÄ, M., 482 ALLAN, L. See CRABB, I. J., 445 (c) ALLAN, L., CUNDY, J. M. & DASEY, N. Pre-operative visits - the 'printy' approach, 744 (c) ALLEN, J. G. Infusion charts for inotropes, 78 (c) ALLEN, R. W., FEE, J. P. H. & MOORE, J. A preliminary assessment of epidural chloroprocaine for day procedures, 773 ALLMAN, K. G. Anaphylactoid reaction following spinal anaesthesia for Caesarean section, 545 (c) AMIN, H. M., CIGADA, M., FORDYCE, W. E. & CAMPORESI, E. M. Noninvasive monitoring of respiratory volume. Experimental evaluation of a breath monitoring device, 608 AMOORE, J. N. & SCOTT, D. H. T. Noninvasive blood pressure measurements with single and twin-hose systems - do mixtures matter?, 799 ANDREWS, P. & SOUTER, M. Why the eagerness to condemn?, 1020 (c) ANSERMINO, J. M., BURKE, M. A., UPTON, P. M., MCVITTIE, J. & BLOGG, C. E. Suxamethonium-induced muscle pains are not related to cholinesterase activity, 1097 (f) APPADURAI, I. R. & MORRIS, S. Nil by mouth after midnight, 355 (c) APPLEBY, J. N. & DAVIDSON, R. Lignocaine sprays and cross infection, 645 (c) ARMSTRONG, I. R. See WALSH, T. S., 1120 (c) ARMSTRONG, P. J., CULLEN, M. & SCOTT, D. H. T. The 'SiteRite' ultrasound machine - an aid to internal jugular vein cannulation, 319 ARMSTRONG, P. J. See MORTON, C. P. J., 333 (f) ARMSTRONG, P. J., MORTON, C. P. J. & NIMMO, A. F. Pethidine has a local anaesthetic action on peripheral nerves in vivo. Addition to prilocaine 0.25% intravenous regional anaesthesia in volunteers, 382 ARNOLD, A. See JACOBS, S., 345 (c) ARROWSMITH, J. E. See ALEXANDER, R., 734 (c) ASADA, A. See NISHIKAWA, K., 1061 ASAI, T., FUJISE, K. & UCHIDA, M. Laryngeal mask airway and tracheal stenosis, 81 (c) ASAI, T., STACEY, M. & BARCLAY, K. Stylet for reinforced laryngeal mask airway, 636 (c) ASAI, T., LATTO, I. P. & VAUGHAN, R. S. The distance between the grille of the laryngeal mask airway and the vocal cords. Is conventional intubation through the laryngeal mask safe?, 667 ASATO, F., NAKATANI, K., MATAYOSHI, Y., KATEKAWA, Y. & CHINEN, K. Development of a subdural motor blockade, 46 ASBURY, A. J. See JELICIC, M., 766 ASHBY, M. W. See HOWELL, S. J., 1083 AUN, C. S. T. See HOUGHTON, I. T., 377 васн, а. See вöhrer, н., 647 (с) BAER, G. A. Prevention of barotrauma during intratracheal jet ventilation, 544 (c) BAGSHAW, O. N. T., SINGH, P. & AITKENHEAD, A. R. Alfentanil in daycase anaesthesia. Assessment of a single dose on the quality of anaesthesia and recovery, 476 BAILEY, A. R. See HETT, D. A., 733 (c) BAILEY, C. R., RUGGIER, R. & CASHMAN, J. N. Anaesthesia: cheap at twice the price? Staff awareness, cost comparisons and recommendations for economic savings, 906 (f) BAILEY, P. M. See WILLIAMS, P. J., 733 (c)

BAN BAN BAR

BAR

BAR BAR BAR BAR

BAR

BAR

BAR

BAR

BAR

BAR

BAR

BAR

BAR

BAR

BAR

BASI

BAT

BALL

BAX

BEA

BEA

BEA

BEC

BELI

REN

BEN

BEN

BEN

BEN

BEN-

BEN

BER

BER

BER

BERI

BERI

BER

BER

BERI

BER

BERI

BERI

BERI

BERI

BERI

BEX

BHA

BHA

BHA

BHA

BHA

BIAN

BICE

# Author Index, Volume 48, (1993)

c=correspondence; f=forum

BAILEY, P. W. See MYINT, Y., 684

BALDWIN, A. M. See OWEN, H., 20 BALI, I. M. See WRIGHT, D. G., 352 (c)

BAILEY, S. M. See HARRIS, D. N. F., 694

BALCHIN, J. D. Unexpected cause of tracheal cuff failure: a reply, 347 (c)

ABDELATTI, M. O. Horner's syndrome due to epidural anaesthesia presenting with a painful eye, 1019 (c) ABEYSEKERA, R. M. M. S. See VAN DER BERG, A. A., 84 (c) ABUZAID, H., PRYS-ROBERTS, C., WILKINS, D. G. & TERRY, D. M. S. The influence of diamorphine on spinal anaesthesia induced with isobaric 0.5% bupivacaine, 492 ADAMS, A. P. & MORGAN, M. Checking anaesthetic machines - checklists or visual aids?: editorial, 183 ADAMS, A. P. See O'FLAHERTY, D., 687 ADRIAENSEN, H. See VERCAUTEREN, M. P., 1002 (f) AGLAN, M. Y. & STANSBY, P. K. There is a need to modify the Sprotte needle, 534 (c) AHMED, M. I. See WEST, K. J., 826 (c) AINSWORTH, Q. P. See SIDHU, V. S., 910 (f) AITKENHEAD, A. R. See HENNESSY, N., 219 AITKENHEAD, A. R. See GRAHAM, S. G., 471 AITKENHEAD, A. R. See BAGSHAW, O. N. T., 476 AKHTAR, T. M. & BELL, M. 'Vocalaid' and surgical emphysema, 272 (c) ALEXANDER, R., HODGSON, P., LOMAX, D. & BULLEN, C. A comparison of the laryngeal mask airway and Guedel airway, bag and facemask for manual ventilation following formal training, 231 ALEXANDER, R. & MOORE, C. The laryngeal mask airway and training in nasotracheal intubation, 350 (c) ALEXANDER, R., ARROWSMITH, J. E. & FROSSARD, R. J. The laryngeal mask airway: safe in the X-ray department?, 734 (c) ALFORD, A. M., KIRTON, C. B. & PEACOCK, J. E. Evaluation of an alternative method of blood sampling from arterial cannulae, 530 (f) ALI, H. A. See SHORTEN, G. D., 524 (f) ALI, H. H. See SHORTEN, G. D., 568 ALI, S. & FISHER, G. C. The Whisperflow adjustable flow generator, 646 (c) ALI-MELKKILÄ, T. See VIRKKILÄ, M., 482 ALLAN, L. See CRABB, I. J., 445 (c) ALLAN, L., CUNDY, J. M. & DASEY, N. Pre-operative visits - the 'printy' approach, 744 (c) ALLEN, J. G. Infusion charts for inotropes, 78 (c) ALLEN, R. W., FEE, J. P. H. & MOORE, J. A preliminary assessment of epidural chloroprocaine for day procedures, 773 ALLMAN, K. G. Anaphylactoid reaction following spinal anaesthesia for Caesarean section, 545 (c) AMIN, H. M., CIGADA, M., FORDYCE, W. E. & CAMPORESI, E. M. Noninvasive monitoring of respiratory volume. Experimental evaluation of a breath monitoring device, 608 AMOORE, J. N. & SCOTT, D. H. T. Noninvasive blood pressure measurements with single and twin-hose systems - do mixtures matter?, 799 ANDREWS, P. & SOUTER, M. Why the eagerness to condemn?, 1020 (c) ANSERMINO, J. M., BURKE, M. A., UPTON, P. M., MCVITTIE, J. & BLOGG, C. E. Suxamethonium-induced muscle pains are not related to cholinesterase activity, 1097 (f) APPADURAI, I. R. & MORRIS, S. Nil by mouth after midnight, 355 (c) APPLEBY, J. N. & DAVIDSON, R. Lignocaine sprays and cross infection, 645 (c) ARMSTRONG, I. R. See WALSH, T. S., 1120 (c) ARMSTRONG, P. J., CULLEN, M. & SCOTT, D. H. T. The 'SiteRite' ultrasound machine - an aid to internal jugular vein cannulation, 319 ARMSTRONG, P. J. See MORTON, C. P. J., 333 (f) ARMSTRONG, P. J., MORTON, C. P. J. & NIMMO, A. F. Pethidine has a local anaesthetic action on peripheral nerves in vivo. Addition to prilocaine 0.25% intravenous regional anaesthesia in volunteers, 382 ARNOLD, A. See JACOBS, S., 345 (c) ARROWSMITH, J. E. See ALEXANDER, R., 734 (c) ASADA, A. See NISHIKAWA, K., 1061 ASAI, T., FUJISE, K. & UCHIDA, M. Laryngeal mask airway and tracheal stenosis, 81 (c) ASAI, T., STACEY, M. & BARCLAY, K. Stylet for reinforced laryngeal mask airway, 636 (c) ASAI, T., LATTO, I. P. & VAUGHAN, R. S. The distance between the grille of the laryngeal mask airway and the vocal cords. Is conventional intubation through the laryngeal mask safe?, 667 ASATO, F., NAKATANI, K., MATAYOSHI, Y., KATEKAWA, Y. & CHINEN, K. Development of a subdural motor blockade, 46 ASBURY, A. J. See JELICIC, M., 766 ASHBY, M. W. See HOWELL, S. J., 1083 AUN, C. S. T. See HOUGHTON, I. T., 377 васн, а. See вöhrer, н., 647 (с) BAER, G. A. Prevention of barotrauma during intratracheal jet ventilation, 544 (c) BAGSHAW, O. N. T., SINGH, P. & AITKENHEAD, A. R. Alfentanil in daycase anaesthesia. Assessment of a single dose on the quality of anaesthesia and recovery, 476 BAILEY, A. R. See HETT, D. A., 733 (c) BAILEY, C. R., RUGGIER, R. & CASHMAN, J. N. Anaesthesia: cheap at twice the price? Staff awareness, cost comparisons and recommendations for economic savings, 906 (f) BAILEY, P. M. See WILLIAMS, P. J., 733 (c)

BAN BAN BAR

BAR

BAR BAR BAR BAR

BAR

BAR

BAR

BAR

BAR

BAR

BAR

BAR

BAR

BAR

BAR

BASI

BAT

BALL

BAX

BEA

BEA

BEA

BEC

BELI

REN

BEN

BEN

BEN

BEN

BEN-

BEN

BER

BER

BER

BERI

BERI

BER

BER

BERI

BER

BERI

BERI

BERI

BERI

BERI

BEX

BHA

BHA

BHA

BHA

BHA

BIAN

BICE

```
BAMBER, M. J. & WENSTONE, R. Too many sharps, 344 (c)
BAMBER, M. J. Unusual defect in a Tuohy needle, 743 (c)
BARAKA, A. The oesophageal detector device in the asthmatic patient, 275 (c)
BARAKA, A., TAHA, S., YAZBECK, V. & RIZKALLAH, P. Vecuronium block in the myasthenic patient. Influence of anticholinesterase therapy,
    588
BARAKA, A., BAROODY, M. & YAZBECK, V. Repeated doses of suxamethonium in the myasthenic patient, 782
BARAKA, A. & MUALLEM, M. Scavenging by the double T-piece circuit, 1116 (c)
BARANOWSKI, A. P. & NANDI, P. R. A faulty epidural catheter, 1015 (c)
BAR-AV, E. See BEN-SHLOMO, I., 111
BARBER, K. See SWEENEY, E. J., 336 (f)
BARCLAY, K. See ASAI, T., 636 (c)
BARCLAY, K. See MORRIS, S., 1115 (c)
BARDOCZKY, G. I., ENGELMAN, E., LEVARLET, M. & SIMON, P. Ventilatory effects of pneumoperitoneum monitored with continuous
    spirometry, 309
BARKER, G. R. Problems with a new spray: a reply, 180 (c)
BARKER, I. See ROMAN, D. E. M., 338 (f)
BARKER, I. See BOURNE, T. M., 839 (c)
BARKER, J. P., VAFIDIS, G. C., ROBINSON, P. N., BURRIN, J. M. & HALL, G. M. The metabolic and hormonal response to cataract surgery. A
    comparison between retrobulbar and peribulbar blockade, 488
BARKER, P. See THOMPSON, J. P., 1105 (c)
BARMAN, D. See GREENHALGH, D. L., 972
BAROODY, M. See BARAKA, A., 782
BARREIRO, J. L. See FRANCO, A., 648 (c)
BARRETT, P. J. 'Ecstasy' misuse—overdose or normal dose?, 83 (c)
 BARRIE, J. R. & BEATTY, P. C. W. Rebreathing and semiclosed anaesthetic breathing systems, 86 (c)
BARRIE, J. R. See LITTLE, D. C., 90 (c)
 BARTON, A. Functionally crossed pipelines, 167 (c)
 BARTON, F. L. See FIELD, L. M., 593
 BASKETT, P. J. F. See FINFER, S. R., 439 (c)
 BATES, S. See THIAGARAJAN, J., 132
 BAUMGARTNER, H., SPARR, H., LADNER, E. & HAISJACKL, M. Catecholamine response to laryngoscopy and intubation: on the importance of
     sampling site, 359 (c)
 BAXENDALE, B. R., VATER, M. & LAVERY, K. M. Dexamethasone reduces pain and swelling following extraction of third molar teeth, 961
 BAYLIS, R. J. H. See NOTT, M. R., 275 (c)
 BEARDS, S. C. Misuse of a Bodok seal, 175 (c)
 BEARDS, S. C., FREEBAIRN, R. C. & LIPMAN, J. Successful use of continuous veno-venous haemofiltration to treat profound fluid retention in
     severe peripartum cardiomyopathy, 1065
 BEARDS, S. C., JACKSON, A., HOLLAND, J. & HORSMAN, E. L. Does a bloody tap prevent postdural puncture headache?, 1111 (c)
 BEATTY, P. C. W. See BARRIE, J. R., 86 (c)
 BECK, G. N. See HIGHAM, H., 536 (c)
 BECK, G. N., MASTERSON, G. R., RICHARDS, J. & BUNTING, P. Comparison of intubation following propofol and alfentanil with intubation
     following thiopentone and suxamethonium, 876
 BELL, M. See AKHTAR, T. M., 272 (c)
 BENNETT, D. See PETROS, A. J., 985
 BENNETT, E. D. See MILLANE, T. A., 267 (c)
 BENNETT, E. D. See MURDOCH, L. J., 845
 BENNETT, J. R. See BERRIDGE, J. C., 439 (c)
 BENNETT, N. R. See O'MEARA, M. E., 235
 BEN-SHLOMO, I., FINGER, J., BAR-AV, E., PERL, A. Z., ETCHIN, A. & TVERSKOY, M. Propofol and fentanyl act additively for induction of
     anaesthesia, 111
 BENSON, J. P. See PATLA, V. R., 828 (c)
 BENUMOF, J. See PEDERSON, L., 67 (f)
  BERG, P. See CORBEY, M. P., 776
  BERG, S. See HIGGINS, D., 448 (c)
  BERNTMAN, L. See LUTTROPP, H. H., 520
  BERRIDGE, J. See WILSON, R., 955
  BERRIDGE, J. C., BODENHAM, A. R. & BENNETT, J. R. Advanced Trauma Life Support: a reply, 439 (c)
  BERRY, A. & BRIMACOMBE, J. Laryngeal mask airway and recovery room pollution, 541 (c)
  BERRY, A. See BRIMACOMBE, J., 79 (c)
  BERRY, A. See BRIMACOMBE, J., 347 (c)
  BERRY, A. See BRIMACOMBE, J., 351 (c)
  BERRY, A. See BRIMACOMBE, J., 636 (c)
  BERRY, A. See BRIMACOMBE, J., 637 (c)
  BERRY, A. See BRIMACOMBE, J., 638 (c)
  BERRY, A. See BRIMACOMBE, J., 670
  BERRY, A. See BRIMACOMBE, J., 827 (c)
  BERRY, A. See BRIMACOMBE, J., 1105 (c)
  BERRY, C. B., GILLESPIE, T., HOOD, J. & SCOTT, N. B. Growth of micro-organisms in solutions of intravenous anaesthetic agents, 30
  BEXTON, M. D. R. See RAPHAEL, J. H., 596
  BHANUMURTHY, S. See MCCAUGHEY, W., 1104 (c)
  BHANUMURTHY, S., MCCAUGHEY, W. & GRAHAM, J. L. Deflated tracheal tube cuff with inflated pilot balloon, 1109 (c)
  BHATT, S. B. See O'MEARA, M. E., 235
  внатт, s. в. See он, т. е., 731 (с)
  BHATTACHARYA, A. See KUMAR, A., 648 (c)
  BHATTACHARYA, S. T. & HAYWARD, A. W. CS gas - implications for the anaesthetist, 896
  BIANCHI, T. See MAURELLI, M., 543 (c)
  BICKFORD-SMITH, P. J. See RICHARDSON, J., 541 (c)
   BICKFORD-SMITH, P. J. Rubber oropharyngeal airways, 1119 (c)
```

ric

ask

of a

799

ional

```
BIGGAM, M. See RIDLEY, S., 14
BIHARI, D. J. & CHANG, R. W. S. The Riyadh Intensive Care Programme, 345 (c)
BILL, K. M. See ORR, D. A., 114
BIRKENSHAW, K. Where now? The anaesthetists development in management, 1101 (c)
BISSETT, W. I. K. See MACKENZIE, A. F., 202
BLOCH, E. C. Anaesthetic death of a child with a cold, 171 (c)
BLOGG, C. E. See HOWELL, S. J., 1083
BLOGG, C. E. See ANSERMINO, J. M., 1097 (f)
BLYTH, A. S. See NIMMO, S. M., 892
BODENHAM, A. See COHEN, A., 106
BODENHAM, A. See TEHAN, B., 507
BODENHAM, A. R. Percutaneous dilational tracheostomy. Completing the anaesthetist's range of airway techniques: editorial, 101
BODENHAM, A. R. See BERRIDGE, J. C., 439 (c)
BÖHRER, H. See KICK, O., 271 (c)
BÖHRER, H., SCHMIDT, H. & BACH, A. Confirmation of intravascular catheter placement by pulse oximetry following indocyanine green
     injection, 647 (c)
BÖHRER, H. & SCHMIDT, H. Anaesthesia for the porphyric patient, 929 (c)
BONEBAKKER, A. E., BONKE, B., KLEIN, J., WOLTERS, G. & HOP, W. C. J. Implicit memory during balanced anaesthesia. Lack of evidence, 657
BONEBAKKER, A. E. See BONKE, B., 820 (c)
BONEBAKKER, A. E. See BONKE, B., 1122
BONKE, B. See BONEBAKKER, A. E., 657
BONKE, B. See JELICIC, M., 766
BONKE, B., JELICIC, M., BONEBAKKER, A. E., DE ROODE, A. & BOVILL, J. G. Information processing under anaesthesia, 820 (c)
BONKE, B., JELICIC, M., BONEBAKKER, A. E., DE ROODE, A. & BOVILL, J. G. Information processing under anaesthesia (Erratum), 1122
BONNEY, G. See HOPKINS, P. M., 645 (c)
BOOM, S. J. See SIMON, E. J., 807
BOTZ, G. See BROCK-UTNE, J. G., 543 (c)
BOURNE, T. M. & BARKER, I. External diameters of paediatric tracheal tubes, 839 (c)
BOVILL, J. G. See BONKE, B., 820 (c)
 BOVILL, J. G. See BONKE, B., 1122
 BOYD, O. F. See MURDOCH, L. J., 845
 BRANSON, R. D. Faulty ventilator and functionally crossed pipelines, 270 (c)
 BRANTHWAITE, M. A. See ELLIOTT, M. W., 8
 BREEN, D. See O'MEARA, M. E., 235
 BREEN, D. P. See HARRISON, D. A., 902
 BREMNER, W. G. M. Hypertensive response to passage of a nasogastric tube, 353 (c)
 BREMNER, W. G. M. Fixing the laryngeal mask airway during eye surgery, 542 (c)
 BREMNER, W. G. M. Position of fine-bore nasogastric tubes, 928 (c)
 BRENNAN, J. J. Dräger Narkomed 4: machine fault: a reply, 921 (c)
 BRESLIN, D. A. C. Problems with a new spray, 180 (c)
 BRETT, I. I. & JACK, W. A. Deaths associated with dentistry, 1102 (c)
 BRIGHOUSE, D. See ISMAIL, F., 1109 (c)
 BRIMACOMBE, J. Assessing the risk of airway obstruction following laryngeal mask insertion, 79 (c)
 BRIMACOMBE, J. & BERRY, A. Mallampati classifications and laryngeal mask airway insertion, 347 (c)
 BRIMACOMBE, J. & BERRY, A. Placement of a Cook airway exchange catheter via the laryngeal mask airway, 351 (c)
 BRIMACOMBE, J. & MACFIE, A. G. Peri-operative nightmares in surgical patients, 527 (f)
 BRIMACOMBE, J. See BERRY, A., 541 (c)
 BRIMACOMBE, J. & BERRY, A. Stylet for reinforced laryngeal mask airway, 636 (c)
 BRIMACOMBE, J. & BERRY, A. Pattern of usage of the laryngeal mask airway, 637 (c)
 BRIMACOMBE, J. & BERRY, A. Alternative techniques for laryngeal mask airway insertion, 638 (c)
 BRIMACOMBE, J. The split laryngeal mask airway, 639 (c)
 BRIMACOMBE, J. & BERRY, A. Laryngeal mask airway insertion. A comparison of the standard versus neutral position in normal patients
      with a view to its use in cervical spine instability, 670
 BRIMACOMBE, J. & BERRY, A. The laryngeal mask airway and intra-ocular surgery, 827 (c)
  BRIMACOMBE, J., SHER, M. & BERRY, A. The reinforced laryngeal mask airway for laser pharyngoplasty, 1105 (c)
  BRIMACOMBE, J. & TUCKER, P. Extradural air as a cause of paraplegia, 1106 (c)
  BRISTOW, A. See MENDEL, P., 263 (f)
  BROCK-UTNE, J. G. See ENNIS, M., 317
  BROCK-UTNE, J. G. & BOTZ, G. Are electrocardiographic changes the first sign of impending peri-operative pneumothorax?, 543 (c)
  BROOK, J. Training anaesthetists - the use of 'floaters', 343 (c)
  BROOME, I. J., MILLS, G. H., SPIERS, P. & REILLY, C. S. An evaluation of the effect of vasodilatation on oxygen saturations measured by
      pulse oximetry and venous blood gas analysis, 415
  BROOME, I. J., SHERRY, K. M. & REILLY, C. S. A combined chest drain and intrapleural catheter for post-thoracotomy pain relief, 724 (f)
  BROWN, R., WRIGHT, G. & ROYSTON, D. A comparison of two systems for assessing cerebral venous oxyhaemoglobin saturation during
      cardiopulmonary bypass in humans, 697
  BRYDEN, F. M. M. Vecuronium and rocuronium: a reply, 349 (c)
  BUCKLEY, T. A. See O'MEARA, M., 181 (c)
  BULLEN, C. See ALEXANDER, R., 231
  BULLOCK, R. E. See PENNEFATHER, S. H., 1034
  BUNTING, H. See MORROW, B. C., 585
  BUNTING, P. See BECK, G. N., 876
  BURKE, M. A. See ANSERMINO, J. M., 1097 (f)
  BURMEISTER-ROTHER, R., STREATFEILD, K. A. & YOO, M. C. Convulsions following ketamine and atropine, 82 (c)
  BURNS, A. M., HUE, D. P., WRAIGHT, E. P. & PARK, G. R. Creatinine and 51Cr-EDTA clearance after liver transplantation, 763
```

BURNSTEIN, R. M. & DENNY, N. Mivacurium in electroconvulsive therapy, 1116 (c)

BURRIN, J. M. See BARKER, J. P., 488

BURTON, G. W. See SHERRY, E., 396

BUSSE

BYRN

CAIN

CALD

CALL

CALN

CAME

CAME

CAMI

CAMI

CAMI

CAME

CAMI

CAMI

CAMI

CANT

CARL

CARR

CARR

CARE

CARE

CARE

CARE

CART

CASH

CERL

CHAI

CHAI

CHAI

CHA!

CHA!

CHAI

CHA!

CHAI

CHEC

CHES

CHH

CHIH

CHIN

CHU

CHUI

CHU

CIGA

CINO

CLAF

CLA

CLAF

CLAI

CLEC

CLYI

COCI

COE.

COH

COH

COLI

COLI

COL

COL

COL

CON

CON

CON

CON

CON

CON

BUSSE, M. W., ZISOWSKY, S., HENSCHEN, S., PANNING, B. & PIEPENBROCK, S. Plasma volume estimation using indocyanine green. A single intravenous injection method, 41 BYRNES, D. P. A time to die?: editorial, 1025 CAIN, M. J. & HOWELL, R. S. C. Prevention of possible accidental facial injuries caused by tracheal tube connectors, 361 (c) CALDER, I. See SIDHU, V. S., 910 (f) CALLEJA, M. A. See LITTLE, D. C., 90 (c) CALNE, R. Y. See LACHMANN, R. H., 914 (c) CAMPBELL, A. See CROFTS, S., 643 (c) CAMPBELL, D. N. C., LIM, M., KERR MUIR, M., O'SULLIVAN, G., FALCON, M., FISON, P. & WOODS, R. A prospective randomised study of local versus general anaesthesia for cataract surgery, 422 (f) CAMPKIN, N. T. See GOPINATH, S., 870 CAMPKIN, N. T. A. & DAVIES, U. M. Treatment of 'ecstasy' overdose with dantrolene, 82 (c) CAMPKIN, N. T. A., HOOD, J. R. & FELDMAN, S. A. A modified bonded strain gauge for adductor pollicis mechanomyography, 85 (c) CAMPKIN, N. T. A., OOI, R. G. & SONI, N. C. The rebreathing characteristics of the Hudson oxygen mask, 239 CAMPKIN, N. T. A., HOOD, J. R., FAUVEL, N. J. & FELDMAN, S. A. The effect of residual receptor occupancy on sensitivity to repeated vecuronium, 572 CAMPKIN, N. T. A. See HOOD, J. R., 1113 (c) CAMPORESI, E. M. See AMIN, H. M., 608 CANTELO, R. A. & WALSH, G. R. Aspiration of cerebrospinal fluid — not always a dural tap, 452 (c) CARLON, G. C. See VESELIS, R. A., 463 CARR, C. See EWAH, B., 260 (f) CARRIE, L. E. S. Modification to the Sprotte spinal needle, 92 (c) CARRIE, L. E. S. *See* WESTBROOK, J. L., 172 (c) CARRIE, L. E. S. *See* UNCLES, D. R., 641 (c) CARRIE, L. E. S. See WESTBROOK, J. L., 836 (c) CARROLL, D. See MCQUAY, H. J., 281 CARTER, J. A. See MOORE, W. J., 634 (c) CARTWRIGHT, D. P. Cerebrospinal fluid flashback in spinal needles, 830 (c) CASHMAN, J. N. See BAILEY, C. R., 906 (f) CAUNT, J. A. See THOMAS, A. D., 50 CERIANA, P. See MAURELLI, M., 543 (c) CHAKRABARTI, M. K. See LOCKWOOD, G. G., 564 CHAKRABARTI, M. K. See LOCKWOOD, G. G., 690 CHAKRABARTI, M. K. See LOCKWOOD, G. G., 748 CHALMERS, E., MCLELLAN, I., NAYLOR, A. & SHAW, T. Where now? The anaesthetist's development in management: editorial, 279 CHAMBERS, F. A. Delayed profound respiratory depression after premedication with trimeprazine: a reply, 169 (c) CHAN, A. & RAMACHANDRA, V. Comparing the analgesic effect of nonsteroidal anti-inflammatory agents, 1117 (c) CHAN, M. S. H. & KONG, A. S. T-piece scavenging - the double-bag system, 647 (c) CHANG, R. W. S. See BIHARI, D. J., 345 (c) CHARI, P. See GUPTA, S., 1108 (c) CHAY, S. See ROYLE, P., 921 (c) CHECKETTS, M. R. & WHITE, R. J. Avoidance of intermittent positive pressure ventilation in tetanus with dantrolene therapy, 969 CHESTNUT, R. J. See SWANN, D. G., 431 (f) CHHABRA, B. See SINGH, B., 832 (c) CHIHARA, E. See HAYASHI, K., 499 CHINEN, K. See ASATO, F., 46 CHISAKUTA, A. M. Nurse-call button on a patient-controlled analgesia pump?, 90 (c) CHUI, P. T., GIN, T. & CHUNG, S. C. S. Subcutaneous emphysema, pneumomediastinum and pneumothorax complicating laparoscopic vagotomy. Report of two cases, 978 CHUNG, D. C. & ROWBOTTOM, S. J. A very small dose of suxamethonium relieves laryngospasm, 229 CHUNG, S. C. S. See CHUI, P. T., 978 CIGADA, M. See AMIN, H. M., 608 CINO, P. J. & WEBSTER, A. C. Laryngeal mask insertion - a useful tip, 1012 (c) CLARK, G. P. M. Nurses and pre-operative visiting, 539 (c) CLARK, V. A., WARDALL, G. J. & MCGRADY, E. M. Blood ordering practices in obstetric units in the United Kingdom, 998 (f) CLARKE, F. L. See WILLIAMS, O. A., 881 CLARKE, R. S. J. See MADDINENI, V. R., 940 CLEGG, K. D. Unusual defect in a Tuohy needle: a reply, 743 (c) CLYBURN, P. A. See JACOBS, S., 345 (c) COAKLEY, J. H. See WATSON, J. D., 1057 COCKROFT, S. & WITHINGTON, P. S. The measurement of right ventricular ejection fraction by thermodilution. A comparison of values obtained using different injectate ports, 312 COE, A. J. Prolonged anaesthesia and carpal tunnel syndrome, 833 (c) COHEN, A., BODENHAM, A. & WEBSTER, N. A review of 2000 consecutive ICU admissions. 106 COHEN, A. T. Use of alfentanil in association with intracranial disease, 922 (c) COLE, J. R. See EDWARDS, N. D., 124 COLLIER, C. B. & GATT, S. P. A new epidural catheter. Closer eyes for safety?, 803 COLLINS, P. D. & TAYLOR, M. B. Training in chronic pain management, 269 (c) COLVIN, J. R. See MACKENZIE, A. F., 202 COLVIN, J. R. See SKIPSEY, 1. G., 210 COLVIN, J. R. See SKIPSEY, I. G., 823 (c) CONACHER, I. D. A method of fixing of laryngeal mask airways, 638 (c) CONACHER, I. D., DOIG, J. C., RIVAS, L. & PRIDIE, A. K. Intercostal neuralgia associated with internal mammary artery grafting, 1070 CONE, A. Postoperative hoarseness, 357 (c) CONE, A. M. See HOUGH, M. B., 445 (c) CONNOR, J. See CONNOR, T., 647 (c) CONNOR, T., CONNOR, J. & WITTMANN, F. W. The 'non-empty' bottle, 647 (c)

657

nts

(f)

```
CONSEILLER, C. See DUPEYRON, J. P., 214
COOK, L. B. See POTPARIC, O., 929 (c)
COOK, L. B., LOCKWOOD, G. G., MOORE, C. M. & WHITWAM, J. G. True patient-controlled sedation, 1039
COOK, T. M. Nursing staff and airway management, 535 (c)
COOK, T. M. Percutaneous dilational tracheostomy, 735 (c)
COONEY, J. A. & JONES, R. M. Sinus arrest during cholecystectomy, 744 (c)
COOPER, A. See STODDART, P. A., 1086 (f)
COOPER, A. R. See MADDINENI, V. R., 626 (f)
COOPER, G. M. See STRIDE, P. C., 247
COOPER, G. M. See KHAN, K. J., 455 (c)
COOPER, G. M. See KHAN, K. J., 628 (f)
COOPER, G. M. See STRIDE, P. C., 822 (c)
COOPER, R. A., MIRAKHUR, R. K. & MADDINENI, V. R. Neuromuscular effects of rocuronium bromide (Org 9426) during fentanyl and
     halothane anaesthesia, 103
COPLANS, M. P. & CURSON, I. Deaths associated with dentistry and dental disease 1980-1989, 435 (f)
COPLANS, M. P. & CURSON, I. Deaths associated with dentistry and dental disease 1980-1989 (Erratum), 654
COPMANS, M. P. & CURSON, I. Deaths associated with dentistry: a reply, 1102 (c)
CORBEY, M. P., BERG, P. & QUAYNOR, H. Classification and severity of postdural puncture headache. Comparison of 26-gauge and 27-gauge
     Quincke needle for spinal anaesthesia in day-care surgery in patients under 45 years, 776
CORTÉS, J. See FRANCO, A., 648 (c)
COSTA, P. See VISETTI, E., 887
COSTIGAN, S. N. & SNOWDON, S. L. Breathing system filters can affect the performance of anaesthetic monitors, 1015 (c)
COSTIGAN, S. N. Pressure effects of syringes, 1016 (c)
CRABB, I. J. & ALLAN, L. Opisthotonus and hysteria, 445 (c)
CRERAR-GILBERT, A. Advanced Trauma Life Support, 439 (c)
CROFTS, S. & CAMPBELL, A. A source of artefact during general anaesthesia for magnetic resonance imaging, 643 (c)
CROSS, M. H. Catecholamines and the carcinoid syndrome, 81 (c)
CROSS, M. H. The anaesthetist and HIV, 727 (c)
CULLEN, M. See ARMSTRONG, P. J., 319
CULLEN, P. M. See PURDIE, J. A. M., 192
CUNDY, J. M. See ALLAN, L., 744 (c)
 CURSON, I. See COPLANS, M. P., 435 (f)
 CURSON, I. See COPLANS, M. P., 654
 CURSON, I. See COPMANS, M. P., 1102 (c)
 CYNA, A. M. See MARTIN, P. D., 33
 D'ARCY, J. T. See DARLING, J. R., 79 (c)
 DARK, J. H. See PENNEFATHER, S. H., 1034
 DARLING, J. R., D'ARCY, J. T. & MURRAY, J. M. Split laryngeal mask airway as an aid to fibreoptic intubation, 79 (c)
 DARLING, J. R., KEOHANE, M. & MURRAY, J. M. A split laryngeal mask as an aid to training in fibreoptic tracheal intubation. A comparison
     with the Berman II intubating airway, 1079
 DASEY, N. See ALLAN, L., 744 (c)
 DAVIDSON, J. A. H., DRYDEN, C. M. & SMITH, D. D. Laboratory assessment of the Baxter disposable patient-controlled analgesia system, 243
 DAVIDSON, J. A. H. See SIMON, E. J., 807
 DAVIDSON, R. See APPLEBY, J. N., 645 (c)
 DAVIES, A. O. See GUTOWSKI, N. J., 44
 DAVIES, D. D. Hoarseness after tracheal intubation, 168 (c)
 DAVIES, J. M. Medicolegal and nursing practice in the private sector, 452 (c)
 DAVIES, M. W., HARRISON, J. C. & RYAN, T. D. R. Current practice of epidural analgesia during normal labour. A survey of maternity units
      in the United Kingdom, 63 (f)
 DAVIES, R. More problems with the Selectatec system: a reply, 635 (c)
 DAVIES, R., VAUGHAN, R. S. & RICHARDS, J. Epidural catheters. Breaking and extraction forces, 900
 DAVIES, U. M. See CAMPKIN, N. T. A., 82 (c)
 DAVIS, A. See LAWES, E. G., 446 (c)
 DAVIS, L., HARGREAVES, C. & ROBINSON, P. N. Postpartum meningitis, 788
  DAY, C. Difficult removal of an epidural catheter, 448 (c)
 DAYKIN, A. P. A new use of a 'Minitrach' introducer, 538 (c)
 D'COSTA, F. See HANNA, M. H., 675
  DE COURCY, J. G. & NICHOLLS, B. J. Neurogenic pain associated with diclofenac injection, 455 (c)
  DE LANGE, J. J. See SCHEFFER, G. J., 849
  DE ROODE, A. See BONKE, B., 820 (c)
  DE ROODE, A. See BONKE, B., 1122
  DEACOCK, S. J. DE C. Local anaesthesia and venous cannulation, 350 (c)
  DEAN, Y. See WHITEHEAD, E. M., 53 (f)
  DELILKAN, A. E. & VIJAYAN, R. Epidural tramadol for postoperative pain relief, 328 (f)
  DELL, R. G. & ORLIKOWSKI, C. E. P. Unexpectedly high spinal anaesthesia following failed extradural anaesthesia for Caesarean section,
      641 (c)
  DENHOLM, S. W. & SANDERSON, R. J. Percutaneous dilational tracheostomy, 735 (c)
  DENNY, N. See BURNSTEIN, R. M., 1116 (c)
  DESAI, P. M. See MUNDAY, I. T., 816 (f)
  DEWACHTER, P., MOUTON, C., MASSON, C., GUÉANT, J.-L. & HABERER, J.-P. Anaphylactic reaction to aprotinin during cardiac surgery, 1110
  DICKSON, J. See MOSCOVICI, R., 537 (c)
  DIEBOLD, M. Combined spinal/epidural anaesthesia for Caesarean section, 535 (c)
  DIMITRIOU, V., HENNESSY, N. A. & MAHAJAN, R. P. Accelerating CSF flashback in 29 gauge needles, 86 (c)
  DINGLEY, J. Delivery of excess volatile agent due to a vaporizer fault, 349 (c)
  DOGRA, S. See RINALDI, P. A., 358 (c)
   DOIG, J. C. See CONACHER, I. D., 1070
```

DONA

DOUG

DOW

DOW

DOYL

DRES

DRISO

DRUE

DRYE

DUNG

DUN

DUPE

DUPE

FDGF

EDW/

EDW

EINTE

ELDO

ELDO

ELLIC

ELLIC

ELLIS

ENGE

ENNI

ENRIG

ESKIL

ESPA!

EVAN

EWAI

FAIRI FALC

FALC

FAUV

FAUV

FAWO

FAWO

FEAR

FEE.

FEE,

FEE.

FELD

FELD

FELD

FELD

FELD

FELD

FELD

FENN

FERG

FERG

FIELD

FIELD

FIND

FIND

FING

FISHE

FISON

FLETO FLETO

FOG,

FOGA

FORE

DONALDSON, K. F. See SMITH, D. C., 511 DOUGALL, J. R. See NIMMO, S. M., 892 DOW, A. A. C. See NOLAN, J. P., 736 (c) DOWDLE, J. R. See JAYAMAHA, J. E. L., 889 DOYLE, E., FREEMAN, J., IM, N. T. & MORTON, N. S. An evaluation of a new self-adhesive patch preparation of amethocaine for topical anaesthesia prior to venous cannulation in children, 1050 DRESNER, M. See WOOD, P. R., 182 (c) DRISCOLL, P. See GWINNUTT, C. L., 439 (c) DRURY, R. Paediatric epidural catheters: a reply, 924 (c) DRYDEN, C. M. See DAVIDSON, J. A. H., 243 DUNCAN, J. A. T. Where now? The anaesthetists development in management, 1101 (c) DUNN, S. R. See GOULDING, S. T., 543 (c) DUPEYRON, J. P., CONSEILLER, C., LEVARLET, M., HEMMINGSEN, C., SCHOEFFLER, P., PEDERSEN, F. M., GRIBOMONT, B. & KAPLAN, L. A. The effect of oral ondansetron in the prevention of postoperative nausea and vomiting after major gynaecological surgery performed under general anaesthesia, 214 DUPEYRON, J. P. Ondansetron and the prevention of postoperative nausea and vomiting: a reply, 919 (c) EDGE, G. & MORGAN, M. The Genius infrared tympanic thermometer. An evaluation for clinical use, 604 EDMONDSON, L. Pre-emptive analgesia, 922 (c) EDWARDS, N. D., FLETCHER, A., COLE, J. R. & PEACOCK, J. E. Combined infusions of morphine and ketamine for postoperative pain in elderly patients, 124 EDWARDS, S. A. See SWANN, D. G., 431 (f) EINTREI, C. See JENSEN, A. G., 1094 (f) ELDOR, J. Eldor combined spinal/epidural needle, 173 (c) ELDOR, J. Combined spinal-epidural anaesthesia through the Portex set, 836 (c) ELLIOT, J. M. Isoflurane in labour, 918 (c) ELLIOTT, M. W., MULVEY, D. A., MOXHAM, J., GREEN, M. & BRANTHWAITE, M. A. Inspiratory muscle effort during nasal intermittent positive pressure ventilation in patients with chronic obstructive airways disease, 8 ELLIOTT, P. See PHILLIPS, A. S., 661 ELLIS, F. R. See PATEL, N., 74 (f) ENGELMAN, E. See BARDOCZKY, G. 1., 309 ENNIS, M. & BROCK-UTNE, J. G. Delayed cutaneous fluid leak from the puncture hole after removal of an epidural catheter, 317 ENRIQUEZ, N. See PRYLE, B. J., 120 ESKILSSON, J. See LUTTROPP, H. H., 1045 ESPANTMAN, S. Torsades de pointes and long QT syndrome following major blood transusion, 93 (c) ETCHIN, A. See BEN-SHLOMO, I., 111 EVANS, D. E. N. See MANGAT, P. S., 866 EWAH, B. & CARR, C. A comparison of propofol and methohexitone for dental chair anaesthesia in children, 260 (f) FAIRFIELD, M. C. Increased propofol requirements in a child with Duchenne muscular dystrophy, 1013 (c) FALCON, M. See CAMPBELL, D. N. C., 422 (f) FALCONER, R. J. See LATTO, I. P., 834 (c) FAUVEL, N. J. See FAWCETT, W. J., 200 FAUVEL, N. J. See CAMPKIN, N. T. A., 572 FAWCETT, W. J., FAUVEL, N. J. & FELDMAN, S. A. Comparison of recovery index of rocuronium or vecuronium with simultaneously administered pancuronium in the isolated forearm, 200 FAWCETT, W. J. See SONI, N., 704 FEARNLEY, S.-J. & MANNERS, J. M. Pulse oximetry artifact in a patient with a right ventricular myxoma, 87 (c) FEE, J. P. H. Getting back to normal: editorial, 745 FEE, J. P. H. See ALLEN, R. W., 773 FEE, J. P. H. See MADDINENI, V. R., 940 FELDMAN, S. Second thoughts on the train-of-four: editorial, 1 FELDMAN, S. Peripheral opiate receptors, 171 (c) FELDMAN, S. A. See CAMPKIN, N. T. A., 85 (c) FELDMAN, S. A. See FAWCETT, W. J., 200 FELDMAN, S. A. See CAMPKIN, N. T. A., 572 FELDMAN, S. A. See GOPINATH, S., 870 FELDMAN, S. A. See HOOD, J. R., 1113 (c) FENNER, S. G. See SMITH, J. E., 1016 (c) FERGUSON, C. See WATSON, J. D., 1057 FERGUSON, s. s. Anaesthetists, nurses and pre-operative visiting, 89 (c) FIELD, L. M. & BARTON, F. L. The management of anaesthesia for Caesarean section in a patient with paroxysmal ventricular tachycardia, FIELDEN, J. M., WILSON, M. E. & HUGHES, J. J. Routine pre-oxygenation, 645 (c) FINDLEY, I. See WILLIAMS, H. D., 331 (f) FINDLEY, I. See WILLIAMS, H. W., 915 (c) FINFER, S. R., RILEY, B. & BASKETT, P. J. F. Advanced Trauma Life Support, 439 (c) FINGER, J. See BEN-SHLOMO, I., 111 FISHER, G. C. See ALI, S., 646 (c) FISON, P. See CAMPBELL, D. N. C., 422 (f) FITCH, W. See THORP, J. M., 946 FLETCHER, A. See EDWARDS, N. D., 124 FLETCHER, R. & NORDSTRÖM, L. Inhalational agents and the Servo ventilator, 268 (c) FOG, J. See SUNDBERG, A., 534 (c) FOGARTY, D. J. See ORR, D. A., 114 FOGARTY, D. J. & HOWE, J. P. Changes in blood flow and vascular resistance in the arm and leg during spinal anaesthesia and vasopressor

311

43

its

10

therapy with methoxamine, 387 FORD, P. See SMURTHWAITE, G. J., 147 FORDYCE, W. E. See AMIN, H. M., 608 FOZARD, J. R. Pre-anaesthetic counselling, 1119 (c) FRANCIS, J. G. 'And where does the time go during operating lists?', 456 (c) FRANCO, A., CORTÉS, J., VIDAL, M. L., BARREIRO, J. L. & RABANAL, S. Early textbooks on anaesthesia, 648 (c) FRANSSON, S.-G. See JENSEN, A. G., 1094 (f) FREDRIKSON, S. See LUTTROPP, H. H., 1045 FREEBAIRN, R. C. See BEARDS, S. C., 1065 FREEMAN, J. See DOYLE, E., 1050 FRONSKO, R. R. L. See OWEN, H., 20 FROSSARD, R. J. See ALEXANDER, R., 734 (c) FROSTELL, C. G., LÖNNQVIST, P. A., SONESSON, S. E., GUSTAFSSON, L. E., LÖHR, G. & NOACK, G. Near fatal pulmonary hypertension after surgical repair of congenital diaphragmatic hernia. Successful use of inhaled nitric oxide, 679 FUJIMORI, M. See NISHIKAWA, K., 1061 FUJISE, K. See ASAI, T., 81 (c) FUKUTOME, T., КОНЛІГО, M., SESE, A. & UENO, Y. Trans-septal left atrial catheterisation, 407 FURNESS, G. See MCCOY, E. P., 256 (f) GALLETLY, D. C. See TREUREN, B. C., 758 GAN, T. J. & WEBB, A. R. Another hazard of a triple-lumen catheter, 538 (c) GANDHI, M. N. & PANCHAL, I. D. A simple and cheap aid to blind nasal intubation, 173 (c) GANDHI, M. N. & RENWICK, M. An introducer for the flexible laryngeal mask airway, 174 (c) GANNON, K. See WILSON, M. E., 737 (c) GARCIA-SANCHEZ, M. J., POLO, A. & PERAN, F. Effects of halothane and isoflurane on beta-endorphin release in children, 38 GATT, S. P. See COLLIER, C. B., 803 GAY, S. T. C. Drug infusion calculations, 927 (c) GEERNAERT, K. See VERCAUTEREN, M. P., 1002 (f) GEORGE, A. See IP-YAM, P. C., 1115 (c) GERAGHTY, I. F. See HETT, D. A., 77 (c) GERAGHTY, I. F. The pre-operative anaesthetic visit, 266 (c) GERBER, H. See JÖHR, M., 743 (c) GERRISH, S. P. See HARRISON, D. A., 902 GIBSON, F. M. See PHILLIPS, A. S., 661 GILDERSLEVE, C. D. See SANDERS, L. D., 286 GILL, P. & MACKINNON, J. Paediatric epidural catheters, 924 (c) GILLESPIE, T. See BERRY, C. B., 30 GILLON, K. R. W. See ORR, D. A., 114 GILSTON, A. Suxamethonium and laryngospasm, 648 (c) GILSTON, A. An eye on the costs as well, 838 (c) GIN, T. See HOUGHTON, I. T., 377 GIN, T. Postpartum gastric emptying, 821 (c) GIN, T. See CHUI, P. T., 978 GINSBERG, B. See BLOCH, E. C., 171 (c) GLYNN, C. J. See MCQUAY, H. J., 281 GOODMAN, N. W. Diathermy and failure of cardiac pacemakers, 824 (c) GOOTJES, P. See MOENS, Y. P. S., 270 (c) GOPINATH, S., HOOD, J. R., UL-HAQ, M., CAMPKIN, N. T. & FELDMAN, S. A. Effect of voluntary tetanus on recovery of vecuronium block in the isolated forearm, 870 GOSCH, M. See WERBA, A., 301 GOUDSOUZIAN, N. G. See SHORTEN, G. D., 568 GOULDING, S. T. & DUNN, S. R. A thrill in the internal jugular vein, 543 (c) GOUWS, E. See ROUT, C. C., 304 GRACE, D. & ORR, D. A. Continuous spinal anaesthesia in acute respiratory failure, 226 GRAHAM, J. L. See BHANUMURTHY, S., 1109 (c) GRAHAM, S. G. & AITKENHEAD, A. R. A comparison between propofol and desflurane anaesthesia for minor gynaecological laparoscopic surgery, 471 GRANT, I. S. See NIMMO, G. R., 731 (c) GRAY, P. A. & PARK, G. R. The haemodynamic effects of dopexamine infusion in the critically ill, 77 (c) GREEN, A. C. A sticking valve: a reply, 89 (c) GREEN, M. See ELLIOTT, M. W., 8 GREENHALGH, D. L., BARMAN, D. & HOOPER, T. L. Anaesthesia for cardiomyoplasty, 972 GREGORY, I. C. See YENTIS, S. M., 340 (f) GREGORY, I. C. See YENTIS, S. M., 557 (f) GRIBOMONT, B. See DUPEYRON, J. P., 214 GRIFFIN, R. P. & MAYOU, B. J. The anaesthetic management of patients with dystrophic epidermolysis bullosa. A review of 44 patients over a 10 year period, 810 GROUNDS, R. M. See MILLANE, T. A., 267 (c) GROUNDS, R. M. See MURDOCH, L. J., 845 GROUNDS, R. M. See QUINN, A. C., 923 (c) GUÉANT, J.-L. See DEWACHTER, P., 1110 (c) GUPTA, R. See SERPELL, M. G., 926 (c) GUPTA, S., VARMA, M. & CHARI, P. Right-sided aortic arch - diagnosis by pulse oximetry, 1108 (c) GUSTAFSSON, L. E. See FROSTELL, C. G., 679 GUTOWSKI, N. J. & DAVIES, A. O. Transverse myelitis following general anaesthesia, 44 GWINNUTT, C. L. & DRISCOLL, P. Advanced Trauma Life Support, 439 (c) HABERER, J.-P. See DEWACHTER, P., 1110 (c) HAISJACKL, M. See BAUMGARTNER, H., 359 (c) HALL, G. A. See YOUNG, P. C., 820 (c)

HA

HE

HI

HI

HI

н

HI

HI

HI

HI

H

HO

```
HALL, G. M. See BARKER, J. P., 488
HALL, T. J. Local anaesthesia and venous cannulation, 350 (c)
HALLIDAY, F. C. See SONI, N., 704
HAMILTON-DAVIES, C. Pressure effects of syringes, 545 (c)
HAMPL, K. See STAENDER, S., 451 (c)
HANDEL, J. & JELLICOE, J. Delayed diagnosis of contralateral tension pneumothorax during thoracotomy-an example of fixation error, 177
HANNA, M. H., PEAT, S. J. & D'COSTA, F. Lumbar plexus block: an anatomical study, 675
HANNINGTON-KIFF, J. G. Sumatriptan relieves and prevents peri-operative migraine attacks, 144
HARDERN, R. See TEHAN, B., 507
HARDING, J. B. A 'skid' for easier insertion of the laryngeal mask airway, 80 (c)
HARGREAVES, C. See DAVIS, L., 788
HARMER, M. See MANGAT, P. S., 866
HARMON, P. See MOORE, C., 635 (c)
HARRIS, D. N. F. & BAILEY, S. M. Near infrared spectroscopy in adults. Does the Invos 3100 really measure intracerebral oxygenation?, 694
HARRIS, N. D. See HARRISON, D. A., 902
HARRIS, R. W. See WILLIAMS, O. A., 881
HARRISON, D. A. See HENNESSY, N., 219
HARRISON, D. A., BREEN, D. P., HARRIS, N. D. & GERRISH, S. P. The performance of two intensive care humidifiers at high gas flows, 902
HARRISON, G. G., MEISSNER, P. N. & HIFT, R. J. Anaesthesia for the porphyric patient, 417
HARRISON, J. C. See DAVIES, M. W., 63 (f)
HARRISON, J. F. Safety in reverse, 356 (c)
HARTLEY, M. Cricoid pressure and potential cervical spine injuries, 1113 (c)
HASAN, M. A. See WEE, M. Y. K., 369
 HASAN, M. A. See WEE, M. Y. K., 918 (c)
 HAYASHI, K., CHIHARA, E., SAWA, T. & TANAKA, Y. Clinical features of neuroleptic malignant syndrome in basal ganglia disease.
     Spontaneous presentation in a patient with Hallervorden-Spatz disease in the absence of neuroleptic drugs, 499
 HAYWARD, A. W. See BHATTACHARYA, S. T., 896
 HEAD-RAPSON, A. G. See RALSTON, S. J., 65 (f)
 HEAD-RAPSON, A. G. See RALSTON, S. J., 641 (c)
 HEAP, M. J., MUNGLANI, R., KLINCK, J. R. & MALES, A. G. Elderly patients' preferences concerning life-support treatment, 1027
 HEATH, K. J. See O'KELLY, S. W., 1075
 HEAVNER, J. E. Extradural air as a cause of paraplegia, 1106 (c)
 HEMMINGSEN, C. See DUPEYRON, J. P., 214
 HENNESSY, N., HARRISON, D. A. & AITKENHEAD, A. R. The effect of the anaesthetist's attire on patient attitudes. The influence of dress on
     patient perception of the anaesthetist's prestige, 219
 HENNESSY, N. A. See DIMITRIOU, V., 86 (c)
 HENNIS, P. J. See VAN DEN BROEK, L., 349 (c)
 HENRY, J. See MARTIN, P. D., 33
 HENSCHEN, S. See BUSSE, M. W., 41
 HESS, F. A. See JÖHR, M., 743 (c)
 HETT, D. A., GERAGHTY, I. F. & RADFORD, R. Routine pre-oxygenation, 77 (c)
 HETT, D. A. & BAILEY, A. R. Use of the laryngeal mask airway in resuscitation, 733 (c)
 HEWITSON, H. See LOGAN, S. ST C., 1017 (c)
 HEX VENN, P. The gum elastic bougie, 274 (c)
 HIFT, R. J. See HARRISON, G. G., 417
 HIGGINS, D. & BERG, S. Post-induction removal of dentures, 448 (c)
 HIGGINS, D. J. See HOLLYWOOD, P. G., 1106 (c)
 HIGHAM, H. & BECK, G. N. Checking anaesthetic machines, 536 (c)
  HINDLE, A. T. Ondansetron and the prevention of postoperative nausea and vomiting, 919 (c)
 HINDS, C. J. See WATSON, J. D., 1057
  HIROTA, K. See ZSIGMOID, E. K., 169 (c)
  HIROTA, K. & ZSIGMOID, E. K. Target-controlled infusion systems, 176 (c)
  HIRSCH, N. P. See RUSSELL, S. H., 918 (c)
  HITCHCOCK, M. See THIAGARAJAN, J., 132
  HODGES, U. M. & LLOYD-THOMAS, A. Anaesthesia for airway obstruction in laryngo-onycho-cutaneous syndrome, 503
  HODGSON, P. See ALEXANDER, R., 231
  HOLLAND, J. See BEARDS, S. C., 1111 (c)
  HOLLAND, J. J. Cardiac arrest under anaesthesia in a child with previously undiagnosed Jervell and Lange-Nielsen syndrome, 149
  HOLLAND, J. J. Cardiac arrest and undiagnosed Jervell and Lange-Nielsen syndrome: a reply, 738 (c)
  HOLLAND, J. J. Anaesthesia and undiagnosed Jervell and Lange-Nielsen syndrome: a reply, 1117 (c)
  HOLLYWOOD, P. G., JOOSTE, C. A. & HIGGINS, D. J. Use of the Servo 900C ventilator for nasal positive pressure ventilation, 1106 (c)
  HOLT, C. See MOONEY, C., 828 (c)
  HONJOL, N. M. See VAN DEN BERG, A. A., 742 (c)
  HOOD, J. See BERRY, C. B., 30
  HOOD, J. R. See CAMPKIN, N. T. A., 85 (c)
  HOOD, J. R. See CAMPKIN, N. T. A., 572
  HOOD, J. R. See GOPINATH, S., 870
  HOOD, J. R., CAMPKIN, N. T. A. & FELDMAN, S. A. Extending a pipecurium neuromuscular block, 1113 (c)
  HOOPER, M. See SEMPLE, T. J., 539 (c)
  HOOPER, T. L. See GREENHALGH, D. L., 972
  HOP, W. C. J. See BONEBAKKER, A. E., 657
  HOPKINS, P. M. & BONNEY, G. Increasing the likelihood of success of brachial plexus block, 645 (c)
  HORN, A. See KOSCIELNIAK-NIELSEN, Z. J., 769
  HORSEY, P. J. The pre-operative anaesthetic visit, 179 (c)
   HORSMAN, E. L. See BEARDS, S. C., 1111 (c)
  HOUGH, M. & VAN HASSELT, G. Follow-up of reported awareness, 927 (c)
   HOUGH, M. B. & CONE, A. M. Capnography and awareness, 445 (c)
```

ver

KALMAN, S. H. See JENSEN, A. G., 1094 (f)

```
HOUGHTON, I. T., AUN, C. S. T., GIN, T., LAU, J. T. F. & OH, T. E. Suxamethonium myalgia: an ethnic comparison with and without
    pancuronium pretreatment, 377
HOUGHTON, I. T., LOW, J. M., LAU, J. T. F. & OH, T. E. An ethnic comparison of the sympathetic response to tracheal intubation, 965
HOWARD, R. See WILLIAMS, H. D., 331 (f)
HOWE, J. P. See FOGARTY, D. J., 387
HOWELL, R. A problem with Portex 8.5 mm tracheal connectors: a reply, 348 (c)
HOWELL, R. C. A faulty epidural catheter: a reply, 1015 (c)
HOWELL, R. S. C. See CAIN, M. J., 361 (c)
HOWELL, S. J., BLOGG, C. E. & ASHBY, M. W. A modified sensor for pulse oximetry in children, 1083
HUE, D. P. See BURNS, A. M., 763
HUGGINS, N. J. Alfentanil and intracranial pathology, 453 (c)
HUGHES, D. G. See PEUTRELL, J. M., 128
HUGHES, J. A. See YATES, D. W., 267 (c)
HUGHES, J. A. See LATTO, I. P., 834 (c)
HUGHES, J. J. See FIELDEN, J. M., 645 (c)
HUGHES, R. L. Transverse myelitis following general anaesthesia, 642 (c)
HUNTER, J. M. Histamine release and neuromuscular blocking drugs: editorial, 561
HUNTER, W. A. H. See MARTIN, P. D., 33
HUTCHINSON, S. See PHILLIPS, S., 393
HUTCHINSON, S. E. See PHILLIPS, S., 715 (f)
HUTCHISON, G. L. Convulsions following day case anaesthesia, 824 (c)
ILSLEY, A. H. See OWEN, H., 20
ILSLEY, A. H. See OWEN, H., 737 (c)
IM, N. T. See DOYLE, E., 1050
IP-YAM, P. C. & GEORGE, A. Combined high frequency ventilation, 1115 (c)
IRWIN, M. G. See JONES, R. D. M., 611
 ISMAIL, F. See STONEHAM, M. D., 730 (c)
 ISMAIL, F., BRIGHOUSE, D. & WAINWRIGHT, A. C. Peribulbar anaesthesia and aspirin, 1109 (c)
 JACK, W. A. See BRETT, I. I., 1102 (c)
 JACKSON, A. See BEARDS, S. C., 1111 (c)
 JACKSON, A. P. F. A perforated diaphragm - enough to raise anyone's blood pressure!, 270 (c)
 JACKSON, I. J. B. & WILSON, R. J. T. Association of Anaesthetist's checklist for anaesthetic machines. Problem with detection of significant
 JACOBS, S., ARNOLD, A., CLYBURN, P. A. & WILLIS, B. A. The Riyadh Intensive Care Programme: a reply, 345 (c)
 JAGO, R. H. See WINWOOD, M. A., 581
 JAIN, P. N. & SHAH, S. C. Respiratory depression following combination of epidural buprenorphine and intramuscular ketorolac, 898
 JAKOBSSON, J., ODDBY, E. & RANE, K. Patient evaluation for four different combinations of intravenous anaesthetics for short outpatient
     procedures, 1005 (f)
 JAKUBOWSKI, P. See PANDIT, J. J., 1114 (c)
 JAMES, M. F. M. Intravenous magnesium therapy in critically ill patients, 1014 (c)
 JAMES, M. R. See SELBY, 1. R., 982
 JANKOWSKI, S. See YENTIS, S. M., 340 (f)
 JANKOWSKI, S. See YENTIS, S. M., 557 (f)
 JAYAMAHA, J. E. L. & DOWDLE, J. R. Acceleration of ventricular tachycardia following propofol in a patient with heterotopic cardiac
      transplant. Cardioversion of ventricular tachycardia in the native heart, 889
 JAYRAN-NEJAD, Y. Subcutaneous emphysema in labour, 139
 JELICIC, M., ASBURY, A. J., MILLAR, K. & BONKE, B. Implicit learning during enflurance anaesthesia in spontaneously breathing patients?, 766
 JELICIC, M. See BONKE, B., 820 (c)
 JELICIC, M. See BONKE, B., 1122
 JELLICOE, J. See HANDEL, J., 177 (c)
 JENKINS, J. The laryngoscope and the laryngeal mask airway, 735 (c)
 JENSEN, A. G., KALMAN, S. H., EINTREI, C., FRANSSON, S.-G. & MORALES, O. Atelectasis and oxygenation in major surgery with either propofol
      with or without nitrous oxide or isoflurane anaesthesia, 1094 (f)
  JOHNSON, C. M. Continuous paravertebral block in children, 93 (c)
  JOHNSON, T. A sticking valve, 89 (c)
  JOHNSTON, H. M. L. See LAVERY, G. G., 439 (c)
  JOHNSTON, H. M. L. See LAVERY, G. G., 443 (c)
  JOHNSTON, I. G. See YOGANATHAN, S., 170 (c)
  JÖHR, M., HESS, F. A. & GERBER, H. The management of failed extradural anaesthesia: the role of spinal anaesthesia, 743 (c)
  JONES, A. G. Anaesthetic death of a child with a cold, 642 (c)
  JONES, D. A. See TIGHE, S. Q. M., 88 (c)
  JONES, G. N. Mapleson D coaxial breathing system integrity testing, 917 (c)
  JONES, G. W. CPAP via a minitracheostomy, 1021 (c)
  JONES, H. E., PEARCE, A. C. & MOORE, P. Fibreoptic intubation. Influence of tracheal tube tip design, 672
  JONES, R. B. See MILLS, G. H., 544 (c)
  JONES, R. D. M., KORNBERG, J. P., ROULSON, C. J., VISRAM, A. R. & IRWIN, M. G. The Finapres 2300e finger cuff. The influence of cuff
       application on the accuracy of blood pressure measurement, 611
  JONES, R. M. See COONEY, J. A., 744 (c)
  JONES, R. M. See MUNDAY, I. T., 816 (f)
  JOOSTE, C. A. See RUSHMAN, G. B., 1009 (c)
  JOOSTE, C. A. See HOLLYWOOD, P. G., 1106 (c)
  JOTHILINGAM, S. See NAY, P. G., 402
  JUDKINS, K. C. When the chips are down-the laryngeal mask in anger, 353 (c)
  JUSTINS, D. See LANIGAN, C., 829 (c)
```

KAM.

KAN

KAPI

KAR

KARI

KATE

KAW

KECI

KECI

KELL

KELL

KELL

KEN!

KEN

KEN

KEN

KEN

KEO!

KERE

KHA

KHO

KHU

KICK

KIRT

KIRT

KLEI

KLEZ

KLU

KNE

KNIC

KNO

KOH

KOK

KOL.

KON

KON

KOR

KOR

KOS

KOS

KUB

KUB

KUL

KUM

KUM

KUM

KUM

KUR

KYT

LAC

LAC

LAC

LAD

LAL

LAM

LAM

LAM

LAN

LAR

LAT

LAT

LAU

LAU

KAM, A. C., O'BRIEN, M. & KAM, P. C. A. Pleural drainage systems, 154 KAM, P. C. A. See KAM, A. C., 154 KANO, T. See SAKAMOTO, M., 390 KANTO, J. See VIRKKILÄ, M., 482 KAPLAN, L. A. See DUPEYRON, J. P., 214 KARALLIEDDE, L. Action of nondepolarising relaxants, 533 (c) KAREMAKER, J. M. See SCHEFFER, G. J., 849 KATEKAWA, Y. See ASATO, F., 46 KAWAGUCHI, M., OHSUMI, H., NAKAJIMA, T. & KURO, M. Intra-operative monitoring of cerebral haemodynamics in a patient with Takayasu's arteritis, 496 KECIK, Y., YORUKOGLU, D., SAYGIN, B. & SEKERCI, s. A case of acute posioning due to organophosphate insecticide, 141 KECIK, Y., YORUKOGLU, D., SAYGIN, B. & SEKERCI, S. Acute organophosphorous insecticide poisoning: a reply, 834 (c) KELLER, J. P. & KNICKERBOCKER, G. G. An inappropriate recommendation for minimising the risk of pacemaker failure during unipolar diathermy, 825 (c) KELLOW, N. Diathermy and failure of cardiac pacemakers: a reply, 824 (c) KELLOW, N. H. Pacemaker failure during transurethral resection of the prostate, 136 KENNEDY, B. W. See NIMMO, S. M., 892 KENNEDY, B. W. See THORP, J. M., 946 KENNY, G. N. C. See MACKENZIE, A. F., 202 KENNY, G. N. C. See SKIPSEY, I. G., 210 KENNY, G. N. C. See RUSSELL, D., 444 (c) KENNY, G. N. C. See SKIPSEY, I. G., 823 (c) KEOHANE, M. See DARLING, J. R., 1079 KERR MUIR, M. See CAMPBELL, D. N. C., 422 (f) KHAN, K. J. & COOPER, G. M. Propofol and malignant hyperthermia: a case for day-case anaesthesia?, 455 (c) KHAN, K. J., STRIDE, P. C. & COOPER, G. M. Does a bloody tap prevent postdural puncture headache?, 628 (f) KHOR, K. E. See NGAN KEE, W. D., 276 (c) KHUENL-BRADY, K. S., POMAROLI, A., PÜHRINGER, F., MITTERSCHIFFTHALER, G. & KOLLER, J. The use of rocuronium (ORG 9426) in patients with chronic renal failure, 873 кіск, о. & вöнrer, н. Unexpectedly high spinal anaesthesia following failed extradural anaesthesia for Caesarean section, 271 (c) KING, T. A. Learning fibreoptic intubation: fundamental problems, 182 (c) KIRTON, C. B. See MAY, H. A., 348 (c) KIRTON, C. B. See ALFORD, A. M., 530 (f) KLEIN, J. See BONEBAKKER, A. E., 657 KLEZL, M. See WERBA, A., 301 KLINCK, J. R. See HEAP, M. J., 1027 KLUGER, M. T. See OWEN, H., 20 KNEGT, P. See MALLIOS, C., 359 (c) KNICKERBOCKER, G. G. See KELLER, J. P., 825 (c) KNOTT, S. See KUMAR, C. M., 176 (c) KOHJIRO, M. See FUKUTOME, T., 407 KOKKINIS, K. E. See PAPAGEORGIOU, E. P., 1111 (c) KOLLER, J. See KHUENL-BRADY, K. S., 873 KONG, A. S. See CHAN, M. S. H., 647 (c) KONIECZKO, K. See MCHALE, S., 446 (c) KORNBERG, J. P. See JONES, R. D. M., 611 KORNBERGER, R. See MAIR, P., 271 (c) KOSAKA, Y. See SAKURA, S., 205 KOSCIELNIAK-NIELSEN, Z. J. & HORN, A. Intra-arterial versus intravenous regional analgesia for hand surgery, 769 кивота, н. See кивота, у., 173 (с) кивота, у., тоуода, у. & кивота, н. Foreign bodies in larynx, 173 (с) KULKARNI, P. R. Torsades de pointes and long QT syndrome following major blood transfusion: a reply, 93 (c) KUMAR, A. & BHATTACHARYA, A. The historic development of pain relief clinics, 648 (c) KUMAR, C. M., LEECH, M. & WOOD, K. Ventilator pressure alarm line adaptor for the Penlon 200 fitted with a Newton valve, 90 (c) KUMAR, C. M., LAWLER, K. & KNOTT, s. Transdermal hyoscine-timing of patch, 176 (c) KUMARASINGHE, N. H. P. See WILSON, M. E., 737 (c) KURO, M. See KAWAGUCHI, M., 496 KYTTÄ, J. See PITKÄNEN, M., 1091 (f) LACHMANN, R. H., CALNE, R. Y. & PARK, G. R. Rhabdomyolysis and bilateral diaphragmatic palsies following abdominal tamponade, 914 (c) LACK, A. Regurgitation using a laryngeal mask, 734 (c) LACK, J. A. See OOI, R., 409 LADNER, E. See BAUMGARTNER, H., 359 (c) LAKE, A. P. J. & WEBB, T. Checking anaesthetic machines, 536 (c) LALWANI, K. Acute organophosphorous insecticide poisoning, 834 (c) LAM, F. Y. Cardiac arrest and undiagnosed Jervell and Lange-Nielsen syndrome, 738 (c) LAMB, J. Reservoir requirements of the PAC portable anaesthesia system: a reply, 170 (c) LAMOND, C. T. See PETROS, A. J., 985 LANGENECKER, S. See WERBA, A., 301 LANIGAN, C. & JUSTINS, D. Sickle cell crisis and pain management, 829 (c) LARNER, A. J. Dantrolene and 'ecstasy' overdose, 179 (c) LATTO, I. P. See ASAI, T., 667 LATTO, I. P., HUGHES, J. A. & FALCONER, R. J. An alternative technique for jugular vein catheterisation: a reply, 834 (c) LAU, J. T. F. See HOUGHTON, I. T., 377 LAU, J. T. F. See HOUGHTON, I. T., 965 LAUDER, G. R. Interpleural analgesia and phrenic nerve paralysis, 315

LAUDER, G. R. & SUTTON, D. The acute pain service and GP referral practices, 454 (c)

nt

766

ofol

MACKINNON, J. See GILL, P., 924 (c)

```
LAVERY, G. G., JOHNSTON, H. M. L. & ROWLANDS, B. J. Advanced Trauma Life Support, 439 (c)
LAVERY, G. G., MCCOY, G. & JOHNSTON, H. M. L. Managing the airway in cervical spine injury, 443 (c)
LAVERY, K. M. See BAXENDALE, B. R., 961
LAVIES, N. G. Use of the laryngeal mask airway in neonatal resuscitation, 352 (c)
LAW, R. C. & WILLATTS, S. M. Lipaemia affecting automated clotting results, 1011 (c)
LAWES, E. G. & DAVIS, A. Anaphylactoid reaction to propofol, 446 (c)
LAWES, E. G. See O'KELLY, S. W., 1075
LAWLER, K. See KUMAR, C. M., 176 (c)
LAWLER, P. G. Basic life support training, 444 (c)
LAWLER, P. G. See ROTHWELL, P. M., 373
LAWLER, P. G. See MCAULEY, F. T., 735 (c)
LAWLER, P. G. P. See WOOD, P. R., 182 (c)
LAWLER, P. G. P. See WOOD, P. R., 443 (c)
LAWSON, R. & LLOYD-THOMAS, A. R. Three diagnostic conundrums solved using the laryngeal mask airway, 790
LAYCOCK, J. R. D. Where now? The anaesthetists development in management, 1101 (c)
LE POIDEVIN, R. Mounting problems: a reply, 354 (c)
LEACH, A. B. See MCGREGOR, R. R., 741 (c)
LEACH, A. B. See MCGREGOR, R. M., 1020 (c)
LEE, J. J. & RUBIN, A. P. Breast feeding and anaesthesia, 616
LEECH, M. See KUMAR, C. M., 90 (c)
 LEIGH, J. Advanced Trauma Life Support, 439 (c)
LEON-S, F. E. Intermediate-like syndrome, 835 (c)
 LEVARLET, M. See DUPEYRON, J. P., 214
LEVARLET, M. See BARDOCZKY, G. I., 309
 LEVISON, A. See PATEL, M., 822 (c)
 LEVISON, A. See PATEL, M., 834 (c)
 LEVY, D. M. & TZABAR, Y. Whiter than whiteout, 91 (c)
 LEVY, D. M. Wary of friendly rivalry, 94 (c)
 LEVY, D. M. General anaesthesia for Caesarean section - noradrenaline response, 640 (c)
 LEW, J. See SHORT, T. G., 3
 LIBAN, J. B. See VREEDE, E., 739 (c)
 LILLYWHITE, N. & WARD, P. Accuracy of a computer-based anaesthetic audit system, 885
 LIM, M. See CAMPBELL, D. N. C., 422 (f)
 LIPMAN, J. See BEARDS, S. C., 1065
 LITTLE, D. C., BARRIE, J. R., CALLEJA, M. A. & PATRICK, M. R. A problem with a 32-gauge spinal catheter, 90 (c)
 LLOYD, E. L. Pathogenesis of postimmersion collapse, 1010 (c)
 LLOYD, P. Ashley's constrictor, 361 (c)
 LLOYD-THOMAS, A. See HODGES, U. M., 503
 LLOYD-THOMAS, A. R. See WILSON, P. T. J., 718 (f)
 LLOYD-THOMAS, A. R. See LAWSON, R., 790
 LOAN, P. B. 'Oh dear!', 95 (c)
 LOCATELLI, A. See MAURELLI, M., 543 (c)
 LOCKWOOD, G. G., CHAKRABARTI, M. K. & WHITWAM, J. G. An evaluation of anaesthetic loss from a closed breathing system, 564
 LOCKWOOD, G. G., CHAKRABARTI, M. K. & WHITWAM, J. G. A computer-controlled closed anaesthetic breathing system, 690
 LOCKWOOD, G. G., CHAKRABARTI, M. K. & WHITWAM, J. G. The uptake of isoflurane during anaesthesia, 748
 LOCKWOOD, G. G. See COOK, L. B., 1039
 LOGAN, S. ST C., STICKLE, B., O'KEEFE, N. & HEWITSON, H. Survival following 'Ecstasy' ingestion with a peak temperature of 42°C, 1017 (c)
 LÖHR, G. See FROSTELL, C. G., 679
 LOKEN, R. G. See MALTBY, J. R., 273 (c)
 LOMAX, D. See ALEXANDER, R., 231
  LÖNNQVIST, P. A. See FROSTELL, C. G., 679
  LÖNNQVIST, P. A. Plasma concentrations of lignocaine after thoracic paravertebral blockade in infants and children, 958
  LORENZI, C. See PATLA, V. R., 828 (c)
  LOW, J. M. See HOUGHTON, I. T., 965
  LOW, J. S. See MALTBY, J. R., 273 (c)
  LOWE, G. D. Covert breathing system failure: a reply, 541 (c)
  LULWANI, K. Nil by mouth after midnight, 178 (c)
  LUMB, A. B. Mechanism of antiemetic effect of ginger, 1118 (c)
  LUMLEY, J. Arthur John Wells Beard: editorial, 843
  LUNN, J. N. William Woolf Mushin, CBE, DSc, FRCS, FRCA, FANZCA, FFA(SA), DA: editorial, 461
  LUNN, J. N. See MANGAT, P. S., 866
  LUTTROPP, H. H. & BERNTMAN, L. Bacterial filters protect anaesthetic equipment in a low-flow system, 520
  LUTTROPP, H. H., ROMNER, B., PERHAG, L., ESKILSSON, J., FREDRIKSON, S. & WERNER, O. Left ventricular performance and cerebral
      haemodynamics during xenon anaesthesia. A transoesophageal echocardiography and transcranial Doppler sonography study, 1045
  LYONS, G., MACDONALD, R. & MIKL, B. Combined spinal/epidural anaesthesia for Caesarean section, 172 (c)
  LYONS, G. See RUTTER, J. M., 831 (c)
  MACDONALD, R. See LYONS, G., 172 (c)
  MACFIE, A. G. See BRIMACOMBE, J., 527 (f)
  MACINTYRE, P. E. See SEMPLE, T. J., 539 (c)
  MACKAY, J. See MURDOCH, L. J., 845
   MACKENZIE, A. F., COLVIN, J. R., KENNY, G. N. C. & BISSETT, W. I. K. Closed loop control of arterial hypertension following intracranial
       surgery using sodium nitroprusside. A comparison of intra-operative halothane or isoflurane, 202
   MACKENZIE, J. W. & WOODWARD, M. Patient-controlled epidural analgesia following post-traumatic pelvic construction, 736 (c)
   MACKENZIE, N. See SKIPSEY, I. G., 210
   MACKENZIE, N. See SKIPSEY, I. G., 823 (c)
   MACKENZIE, S. J. See NIMMO, G. R., 731 (c)
```

MACLE

MADDI

MADDE

MADDI fo

MAHAJ

MAHAJ

MAHAJ

MAIR,

MALES,

MALLIC

MALTB

MANNE

MANSE

MANTE

MAPLE

MARKS MARSH

MARTI

MARTI

MARX,

MASSO

MASTE

MATAY

MATHE

MATHI

MATHI

MAURI

MAY,

MAYH

MAYH

MAYO

MCAU

MCCA

MCCA

MCCLI

MCCL'

MCCO'

MCCO

MCCO

MCCO

MCDO

MCEW

MCEW

MCGR

MCGR

MCGR

MCGU

MCHA

MCLE

MCLE

MCLE

MCML

MCOU

MCVIT MEAD MEAK

MEDIC

MEISS

MEND

MICH!

MIKA'

MILAS

MILAS

MCCO

A

MALTB

ar

MACLEAN, A. R. & RENWICK, C. Audit of pre-operative starvation, 164 (f) MADDINENI, V. R. See COOPER, R. A., 103 MADDINENI, V. R., MIRAKHUR, R. K. & COOPER, A. R. Myalgia and biochemical changes following suxamethonium after induction of anaesthesia with thiopentone or propofol, 626 (f) MADDINENI, V. R., MIRAKHUR, R. K., MCCOY, E. P., FEE, J. P. H. & CLARKE, R. S. J. Neuromuscular effects and intubating conditions following mivacurium: a comparison with suxamethonium, 940 MAHAJAN, R. P. See PATEL, N., 74 (f) MAHAJAN, R. P. See DIMITRIOU, V., 86 (c) MAHAJAN, R. P., RAMACHANDRAN, R. & SAXENA, N. Topical nitroglycerine prevents the pressor response to tracheal intubation and sternotomy in patients undergoing coronary artery bypass graft surgery, 297 MAIR, P. & KORNBERGER, R. Pathogenesis of post-immersion collapse, 271 (c) MALES, A. G. See HEAP, M. J., 1027 MALLIOS, C., SCHECK, P. A. E., MEDICI, G., ROBERS, C. & KNEGT, P. Laser surgery of the larynx using a metal insufflation catheter for ventilation of the lungs, 359 (c) MALTBY, J. R., LOKEN, R. G. & LOW, J. S. Bite guard for laryngeal mask airway, 273 (c) MALTBY, J. R. Chewing gum during the pre-operative fast, 453 (c) MALTBY, J. R. & SHEPHARD, D. A. E. Canadian Anaesthetists' Society, 456 (c) MANGAT, P. S., EVANS, D. E. N., HARMER, M. & LUNN, J. N. A comparison between mivacurium and suxamethonium in children, 866 MANNERS, J. M. See FEARNLEY, S.-J., 87 (c) MANSFIELD, M. D. & MILLER, C. D. The laryngeal mask airway and resuscitation, 637 (c) MANTHA, S. Origin of the 'Whoosh' test, 94 (c) MAPLESON, W. W. An analogue approach to audit in anaesthesia, 346 (c) MARINO, P. See VESELIS, R. A., 463 MARKS, R. The levering laryngoscope, 1008 (c) MARSHALL, C. A. See MUNDAY, I. T., 816 (f) MARTIN, L. V. H. The 'non-empty' bottle, 94 (c) MARTIN, P. D., CYNA, A. M., HUNTER, W. A. H., HENRY, J. & RAMAYYA, G. P. Training nursing staff in airway management for resuscitation. A clinical comparison of the facemask and laryngeal mask, 33 MARX, G. G. & ROSNER, I. L. Catecholamine response to laryngoscopy and intubation after thiamylal or ketamine induction of anaesthesia, 274 (c) MASSON, C. See DEWACHTER, P., 1110 (c) MASTERSON, G. R. See BECK, G. N., 876 MATAYOSHI, Y. See ASATO, F., 46 MATHER, C. 'Smelly agents', 540 (c) MATHESON, K. H. See SOAR, J., 743 (c) MATHEWS, H. See WRIGHT, D. G., 449 (c) MAURELLI, M., CERIANA, P., LOCATELLI, A. & BIANCHI, T. Use of propofol for repeated procedures, 543 (c) MAY, H. A. & KIRTON, C. B. A problem with Portex 8.5 mm tracheal connectors, 348 (c) MAYHEW, J. F. 'Smelly agents', 1021 (c) MAYHEW, J. F. Anaesthesia and undiagnosed Jervell and Lange-Nielsen syndrome, 1117 (c) MAYOU, B. J. See GRIFFIN, R. P., 810 MCAULEY, F. T. & LAWLER, P. G. Percutaneous dilational tracheostomy, 735 (c) MCCAUGHEY, W. & BHANUMURTHY, S. Laryngeal mask placement in the prone position, 1104 (c) MCCAUGHEY, W. See BHANUMURTHY, S., 1109 (c) MCCLURE, J. H. See MORTON, C. P. J., 333 (f) MCCLYMONT, W. & WILSON, E. Abreaction and midazolam, 740 (c) MCCOY, E. P., FURNESS, G. & WRIGHT, P. M. C. Patient-controlled analgesia with and without background infusion. Analgesia assessed using the demand-delivery ratio, 256 (f) MCCOY, E. P. & MIRAKHUR, R. K. The levering laryngoscope, 516 MCCOY, E. P. See MADDINENI, V. R., 940 MCCOY, E. P. & MIRAKHUR, R. K. The levering laryngoscope: a reply, 1008 (c) MCCOY, G. See LAVERY, G. G., 443 (c) MCDONALD, D. To sniff or not to sniff, 928 (c) MCEWAN, A. W. Painless venous cannulation - a childish approach, 1021 (c) MCEWAN, I. P. See MORIARTY, A. J., 792 MCGRADY, E. M. See CLARK, V. A., 998 (f) MCGREGOR, R. M. & LEACH, A. B. Intra-operative heat loss - wrapping up the problem with a space blanket, 1020 (c) MCGREGOR, R. R. & LEACH, A. B. Intra-operative heat loss - wrapping up the problem with a space blanket, 741 (c) MCGUIRK, T. A problem with a 32-gauge spinal catheter, 90 (c) MCHALE, S. & KONIECZKO, K. Anaphylactoid reaction to propofol: a reply, 446 (c) MCLELLAN, I. See CHALMERS, E., 279 MCLELLAN, I. Future of the anaesthetic room, 545 (c) MCLEOD, D. EMLA cream for postcircumcision analgesia, 925 (c) MCMURRAY, T. J. See PHILLIPS, A. S., 661 MCQUAY, H. J., CARROLL, D. & GLYNN, C. J. Dose-response for analgesic effect of amitriptyline in chronic pain, 281 MCVITTIE, J. See ANSERMINO, J. M., 1097 (f) MEADOWS, D. See SANCHEZ-CAPUCHINO, A., 428 (f) MEAKIN, G. Stimulation of the spinal accessory nerve as a method of monitoring neuromuscular transmission, 85 (c) MEDICI, G. See MALLIOS, C., 359 (c) MEISSNER, P. N. See HARRISON, G. G., 417 MENDEL, P. & BRISTOW, A. Anaesthesia for procedures on the larynx and pharynx. The use of the Bullard laryngoscope in conjunction with high frequency jet ventilation, 263 (f) MICHELS, L. See STOTT, S., 1118 (c) MIKAWA, K. See NISHINA, K., 176 (c) MIKAWA, K. See NISHINA, K., 447 (c) MIKL, B. See LYONS, G., 172 (c)

MILASKIEWICZ, R. M. & NAY, P. Extradural air as a cause of paraplegia: a reply, 1106 (c)

MILASZKIEWICZ, R. See NAY, P. G., 402

c)

NAKAJIMA, T. See KAWAGUCHI, M., 496

NAKANO, M. See SAKAMOTO, M., 390

```
MILLANE, T. A., BENNETT, E. D. & GROUNDS, R. M. Isoflurane and long-term sedation: a reply, 267 (c)
MILLAR, J. M. Analgesia for day case laparoscopy, 168 (c)
MILLAR, K. See JELICIC, M., 766
MILLAR, K. See THORP, J. M., 946
MILLER, C. D. See MANSFIELD, M. D., 637 (c)
MILLER, D. M. See PAYNE, K. A., 324
MILLIGAN, K. R. See MORROW, B. C., 585
MILLIGAN, K. R. See RAO, U., 917 (c)
MILLIGAN, K. R. See SYMINGTON, M. J., 925 (c)
MILLS, G. H. See BROOME, I. J., 415
MILLS, G. H. & WESTON, G. A. What next after the Fellowship?, 444 (c)
MILLS, G. H. & JONES, R. B. Explosion during surgery for gastric outlet obstruction, 544 (c)
MILNE, B. R. See MYINT, Y., 684
MIMPRISS, T. J. Pharmacokinetic model-controlled infusion of midazolam, 823 (c)
MIRAKHUR, R. K. See COOPER, R. A., 103
MIRAKHUR, R. K. See MCCOY, E. P., 516
MIRAKHUR, R. K. See MADDINENI, V. R., 626 (f)
MIRAKHUR, R. K. See PHILLIPS, A. S., 661
MIRAKHUR, R. K. See MADDINENI, V. R., 940
MIRAKHUR, R. K. See MCCOY, E. P., 1008 (c)
MISHIMA, M. See SAKAMOTO, M., 390
MITCHELL, J. B. & WARD, P. M. The management of tracheal rupture using bilateral bronchial intubation, 223
MITCHELL, N. S. Another hazard of a triple-lumen catheter: a reply, 538 (c)
 MITTERSCHIFFTHALER, G. See KHUENL-BRADY, K. S., 873
 MIZOGUCHI, M. See NISHIKAWA, K., 1061
 MOENS, Y. P. S. & GOOTJES, P. The influence of methane on the infrared measurement of anaesthetic vapour concentration, 270 (c)
 MONK, C. R. See SPITTAL, M. J., 354 (c)
 MOONEY, C., HOLT, C. & PASSAFARO, K. A faulty pulmonary artery flotation catheter: a reply, 828 (c)
 MOORE, C. See ALEXANDER, R., 350 (c)
 MOORE, C. & HARMON, P. More problems with the Selectatec system, 635 (c)
 MOORE, C. M. See COOK, L. B., 1039
 MOORE, J. See ORR, D. A., 114
 MOORE, J. See ALLEN, R. W., 773
 MOORE, P. See JONES, H. E., 672
 MOORE, W. J. & CARTER, J. A. Fuel cell oxygen analysers and Manley ventilators, 634 (c)
 MORALES, O. See JENSEN, A. G., 1094 (f)
 MORGAN, L. See SANCHEZ-CAPUCHINO, A., 428 (f)
 MORGAN, M. See ADAMS, A. P., 183
 MORGAN, M. See EDGE, G., 604
 MORGAN, M. See RAJAH, A., 951
 MORGAN, R. J. Postoperative bilateral diaphragmatic paralysis and subsequent anaesthesia, 975
 MORGAN-HUGHES, J. See THIAGARAJAN, J., 132
 MORIARTY, A. & RIDLEY, S. A. Rapid presentation of the Guillain-Barre syndrome, 357 (c)
 MORIARTY, A. J. & MCEWAN, I. P. Pharyngeal teratoma, 792
 MORIOKA, T. See SAKAMOTO, M., 390
 MORRIS, S. See APPADURAI, I. R., 355 (c)
 MORRIS, S. & BARCLAY, K. Oxygen flush buttons: more critical incidents, 1115 (c)
 MORROW, B. C., BUNTING, H. & MILLIGAN, K. R. A comparison of diclofenac and ketorolac for postoperative analgesia following day-case
      arthroscopy of the knee joint, 585
 MORROW, B. C. & SWAN, H. Regional techniques in the asthmatic patient, 1018 (c)
 MORTON, C. P. J., ARMSTRONG, P. J. & MCCLURE, J. H. Continuous subarachnoid infusion of local anaesthetic, 333 (f)
 MORTON, C. P. J. See ARMSTRONG, P. J., 382
 MORTON, N. S. See DOYLE, E., 1050
 MOSCOVICI, R. & PREGO, G. A trapped epidural catheter, 536 (c)
 MOSCOVICI, R. & DICKSON, J. Blocked epidural filter, 537 (c)
 MOSS, E. See WILSON, R., 955
 MOUTON, C. See DEWACHTER, P., 1110 (c)
  MOXHAM, J. See ELLIOTT, M. W., 8
  MOYSER, L. V. J. To cut or not to cut, 832 (c)
  MUALLEM, M. See BARAKA, A., 1116 (c)
  MULDER, M. Postinduction removal of dentures, 1022 (c)
  MÜLLER, C. See WERBA, A., 301
  MULVEY, D. A. See ELLIOTT, M. W., 8
  MUNDAY, I. T., DESAI, P. M., MARSHALL, C. A., JONES, R. M., PHILLIPS, M.-L. & ROSEN, M. The effectiveness of pre-operative advice to stop
      smoking: a prospective controlled trial, 816 (f)
  MUNGLANI, R. See HEAP, M. J., 1027
  MURDOCH, L. J., BOYD, O. F., MACKAY, J., BENNETT, E. D. & GROUNDS, R. M. The peri-operative management of surgical insertion and
      removal of the intravenous oxygenator device (IVOX). A report of nine cases, 845
  MURRAY, D. P. & WAIT, C. M. Whatever happened to the premedication?, 269 (c)
  MURRAY, J. M. See DARLING, J. R., 79 (c)
  MURRAY, J. M. See DARLING, J. R., 1079
  MURTHY, B. V. S. See SYMINGTON, M. J., 925 (c)
  MYINT, Y., BAILEY, P. W. & MILNE, B. R. Cardiorespiratory arrest following combined spinal epidural anaesthesia for Caesarean section,
  MYINT, Y. Detection of leaks in anaesthetic machines, 729 (c)
```

NISHIK an NISHIN NISHIN. NOACK NOLAN. bo NOLAN 73 NORDS NORMA NOTT, NOTT, NOTT, OBARA. OBARA. O'BRIE! ODDBY O'DON! O'FLAH st OH, T. OH, T. OH, T. OH, T. OH, T. OH, T. OHSUM O'KEEF O'KELL O'KELL O'MEAR O'MEAL ONG, C 001, R. OOL R. 00L R. O'REGA ORLIKO ORLIKO ORR, E ORR, E OSSEY, O'SULL O'SULL O'SULI OWEN, OWEN, OWENS PAC SC PADUA PALME PANCE PANDI PANNE

m

b

SI

NAKATA NANDI,

NAY, P.

NAY, P.

NAYLO

NEW. L NEWMA

NEWTO

NGAN I NICHOL

NICHOL NICHOL

NICOL.

NICOLI NIMMO.

NIMMO.

NIMMO.

NAKATANI, K. See ASATO, F., 46 NANDI, P. R. See BARANOWSKI, A. P., 1015 (c) NAY, P. See MILASKIEWICZ, R. M., 1106 (c) NAY, P. G., MILASZKIEWICZ, R. & JOTHILINGAM, S. Extradural air as a cause of paraplegia following lumbar analgesia, 402 NAYLOR, A. See CHALMERS, E., 279 NEW, L. C. See QUINN, A. C., 923 (c) NEWMAN, P. J. See QUINN, A. C., 923 (c) NEWTON, D. E. F. Depth of anaesthesia: editorial, 367 NGAN KEE, W. D. & KHOR, K. E. Intrathecal pethidine: a word of caution, 276 (c) NICHOLLS, B. J. See DE COURCY, J. G., 455 (c) NICHOLSON, L. A problem with a PCA pump: a reply, 829 (c) NICHOLSON, L. A problem with the Graseby 3300 PCA pump: a reply, 1013 (c) NICOL, C. D. See WILLIAMS, O. A., 61 (f) NICOLL, J. M. V. Percutaneous versus subconjunctival injection for eye blocks, 830 (c) NIMMO, A. F. See ARMSTRONG, P. J., 382 NIMMO, G. R., MACKENZIE, S. J. & GRANT, I. S. Oxygen delivery and oxygen consumption: a reply, 731 (c) NIMMO, S. M., KENNEDY, B. W., TULLETT, W. M., BLYTH, A. S. & DOUGALL, J. R. Drug-induced hyperthermia, 892 NISHIKAWA, K., MIZOGUCHI, M., YUKIOKA, H., ASADA, A. & FUJIMORI, M. Concealed Wolff-Parkinson-White syndrome detected during spinal anaesthesia, 1061 NISHINA, K., MIKAWA, K. & OBARA, H. Phaeochromocytoma without raised pre-operative catecholamine levels, 176 (c) NISHINA, K., MIKAWA, K. & OBARA, H. Blood pressure measurements and intravenous infusions, 447 (c) NOACK, G. See FROSTELL, C. G., 679 NOLAN, J. P. & WILSON, M. E. Orotracheal intubation in patients with potential cervical spine injuries. An indication for the gum elastic bougie, 630 (f) NOLAN, J. P., DOW, A. A. C. & PARR, M. J. A. Patient-controlled epidural analgesia following post-traumatic pelvic construction: a reply, 736 (c) NORDSTRÖM, L. See FLETCHER, R., 268 (c) NORMAN, J. Resistance to vecuronium, 1068 NOTT, M. R. & BAYLIS, R. J. H. Support for the Waters' canister, 275 (c) NOTT, M. R. & TANNER, V. Reversal of atracurium after low dose tubocurarine, 644 (c) NOTT, M. R. A tie for the laryngeal mask airway, 1013 (c) OBARA, H. See NISHINA, K., 176 (c) OBARA, H. See NISHINA, K., 447 (c) O'BRIEN, M. See KAM, A. C., 154 ODDBY, E. See JAKOBSSON, J., 1005 (f) O'DONNELL, N. See WILLIAMS, H. D., 331 (f) O'FLAHERTY, D., WARDILL, M. & ADAMS, A. P. Inadvertent suppression of a fixed rate ventricular pacemaker using a peripheral nerve stimulator, 687 OH, T. E. See SHORT, T. G., 3 OH, T. E. See SHORT, T. G., 187 OH, T. E. See HOUGHTON, I. T., 377 OH, T. E. & BHATT, S. B. Oxygen delivery and oxygen consumption, 731 (c) OH, T. E. See SHORT, T. G., 823 (c) OH, T. E. See HOUGHTON, I. T., 965 OHSUMI, H. See KAWAGUCHI, M., 496 O'KEEFE, N. See LOGAN, S. ST C., 1017 (c) O'KELLY, s. w. Regional techniques and low-dose aspirin, 833 (c) O'KELLY, S. W., HEATH, K. J. & LAWES, E. G. A study of laryngeal mask inflation. Pressures exerted on the pharynx, 1075 O'MEARA, M. & BUCKLEY, T. A. Tracheal intubation of children in intensive care, 181 (c) O'MEARA, M. E., BHATT, S. B., BREEN, D. & BENNETT, N. R. The minilink breathing system: resistance and suitability for spontaneous ventilation, 235 ONG, G. S. Y. See WANG, C. Y., 514 OOI, R., LACK, J. A., SONI, N., WHITTLE, J. & PATTISON, J. The parallel Lack anaesthetic breathing system, 409 001, R., PATTISON, J. & SONI, N. The additional work of breathing imposed by Mapleson A systems, 599 001, R. G. See CAMPKIN, N. T. A., 239 O'REGAN, A. See SHORT, T. G., 3 ORLIKOWSKI, C. E. P. See DELL, R. G., 641 (c) ORLIKOWSKI, C. E. P. & ROCKE, D. A. The effect of low dose aspirin on bleeding times, 915 (c) ORR, D. A., BILL, K. M., GILLON, K. R. W., WILSON, C. M., FOGARTY, D. J. & MOORE, J. Effects of omeprazole, with and without metoclopramide, in selective obstetric anaesthesia, 114 ORR, D. A. See GRACE, D., 226 OSSEY, K. See BLOCH, E. C., 171 (c) O'SULLIVAN, G. See WHITEHEAD, E. M., 53 (f) O'SULLIVAN, G. See CAMPBELL, D. N. C., 422 (f) O'SULLIVAN, G. See WHITEHEAD, E., 821 (c) OWEN, H., KLUGER, M. T., ILSLEY, A. H., BALDWIN, A. M., FRONSKO, R. R. L. & PLUMMER, J. L. The effect of fentanyl administered epidurally by patient-controlled analgesia, continuous infusion, or a combined technique on oxyhaemoglobin saturation after abdominal surgery, 20 OWEN, H., PLUMMER, J. L. & ILSLEY, A. H. Feedback by patient-controlled analgesia devices, 737 (c) OWENS, T. Infusion delays through multilumen catheters using standard syringe pumps, 643 (c) PAC SOO, C. K. & TAGGART, P. Cocaine dosage in rhinosurgery, 273 (c) PADUA, J. Mounting problems: a reply, 354 (c) PALMER, J. H. MACG. Unexpected cause of tracheal cuff failure, 347 (c) PANCHAL, I. D. See GANDHI, M. N., 173 (c) PANDIT, J. J., JAKUBOWSKI, P. & WAIT, C. M. Broken 0-ring causing hypoventilation, 1114 (c)

PANNEKOEK, B. J. M. See STIENSTRA, R., 1055

```
PANNING, B. See BUSSE, M. W., 41
PAPAGEORGIOU, E. P. & KOKKINIS, K. E. Awaiting the levering laryngoscope, 1111 (c)
PARK, G. R. See GRAY, P. A., 77 (c)
PARK, G. R. & SLAPAK, G. Bupivacaine protects against vagal bradycardias during tracheal suction, 455 (c)
PARK, G. R. See BURNS, A. M., 763
PARK, G. R. See LACHMANN, R. H., 914 (c)
PARK, G. R. See SMITH, H. L., 1103 (c)
PARKES, K. See PATLA, V. R., 828 (c)
PARMAR, N. See VAN DEN BERG, A. A., 742 (c)
PARR, M. J. A. See NOLAN, J. P., 736 (c)
PARR, M. J. A. Cocaine dosage in rhinosurgery, 739 (c)
PASSAFARO, K. See MOONEY, C., 828 (c)
PATEL, M. & LEVISON, A. Dural taps revisited, 822 (c)
PATEL, M. & LEVISON, A. An alternative technique for jugular vein catheterisation, 834 (c)
PATEL, N., MAHAJAN, R. P. & ELLIS, F. R. Estimation of the correct length of tracheal tubes in adults, 74 (f)
PATLA, V. R., LORENZI, C., BENSON, J. P. & PARKES, K. A faulty pulmonary artery flotation catheter, 828 (c)
PATRICK, J. A. See WITHINGTON, D. E., 26
PATRICK, M. R. See LITTLE, D. C., 90 (c)
PATTISON, J. See OOI, R., 409
PATTISON, J. See OOI, R., 599
PAYNE, K. A. & MILLER, D. M. The Miller tracheal cuff pressure control valve. Clinical use in controlled and spontaneous ventilation, 324
PEACOCK, J. E. See EDWARDS, N. D., 124
PEACOCK, J. E. See ALFORD, A. M., 530 (f)
PEACOCK, J. E. See WILLIAMS, O. A., 881
PEARCE, A. C. See JONES, H. E., 672
 PEAT, S. J. See HANNA, M. H., 675
 PEDEN, C. J. & PRYS-ROBERTS, C. Capnothorax: implications for the anaesthetist, 664
 PEDERSEN, F. M. See DUPEYRON, J. P., 214
 PEDERSON, L. & BENUMOF, J. Incidence and magnitude of hypoxaemia with ketamine in a rural African hospital, 67 (f)
 PENNEFATHER, S. H., DARK, J. H. & BULLOCK, R. E. Haemodynamic responses to surgery in brain-dead organ donors, 1034
 PERAN, F. See GARCIA-SANCHEZ, M. J., 38
 PERHAG, L. See LUTTROPP, H. H., 1045
 PERKS, D. Spinal needle size and hearing, 534 (c)
 PERL, A. Z. See BEN-SHLOMO, I., 111
 PETROS, A. J., LAMOND, C. T. & BENNETT, D. The Bicore pulmonary monitor. A device to assess the work of breathing while weaning from
      mechanical ventilation, 985
 PETTS, V. See RIGG, J. D., 1009 (c)
 PETTS, V. See RIGG, J., 1108 (c)
 PEUTRELL, J. M. & HUGHES, D. G. Epidural anaesthesia through caudal catheters for inguinal herniotomies in awake ex-premature babies,
     128
 PHILLIPS, A. S., MCMURRAY, T. J., MIRAKHUR, R. K., GIBSON, F. M. & ELLIOTT, P. Propofol-fentanyl anaesthesia in cardiac surgery: a
      comparison in patients with good and impaired ventricular function, 661
 PHILLIPS, M.-L. See MUNDAY, 1. T., 816 (f)
 PHILLIPS, S., HUTCHINSON, S. & RUGGIER, R. Zingiber officinale does not affect gastric emptying rate. A randomised, placebo-controlled,
     crossover trial, 393
  PHILLIPS, S., RUGGIER, R. & HUTCHINSON, S. E. Zingiber officinale (Ginger) - an antiemetic for day case surgery, 715 (f)
  PIEPENBROCK, S. See BUSSE, M. W., 41
  PINNOCK, C. A. See SCOTT, P. V., 346 (c)
  PITKÄNEN, M., KYTTÄ, J. & ROSENBERG, P. H. Comparison of 2-chloroprocaine and prilocaine for intravenous regional anaesthesia of the
      arm: a clinical study, 1091 (f)
  PLAINER, B. See WEINSTABL, C., 162 (f)
  PLATT, N. D. Unusual cause of obstructed airway, 540 (c)
  PLUMMER, J. L. See OWEN, H., 20
  PLUMMER, J. L. See OWEN, H., 737 (c)
  POLLARD, B. J. See ROBERTS, S. P., 196
  POLLOCK, C. G. A graphical method for administering volatile agents, 450 (c)
  POLO, A. See GARCIA-SANCHEZ, M. J., 38
  POMAROLI, A. See KHUENL-BRADY, K. S., 873
  POMMERENING, J. See STRIEBEL, H. W., 753
  PORGES, P. See WEINSTABL, C., 162 (f)
  POTPARIC, O. & COOK, L. B. Faulty catheter mount, 929 (c)
  POWELL, D. See WILSON, R., 955
  POWELL, H. See RAJAH, A., 951
  PREGO, G. See MOSCOVICI, R., 536 (c)
  PRIDIE, A. K. See CONACHER, I. D., 1070
  PROSSER, J. A. See SWEENEY, E. J., 336 (f)
  PRYLE, B. J., VANNER, R. G., ENRIQUEZ, N. & REYNOLDS, F. Can pre-emptive lumbar epidural blockade reduce postoperative pain following
       lower abdominal surgery?, 120
   PRYLE, B. J., VANNER, R. G., REYNOLDS, F. & TAUB, N. Pre-emptive analgesia: a reply, 922 (c)
   PRYLE, B. J. See VANNER, R. G., 1112 (c)
   PRYS-ROBERTS, C. See ABUZAID, H., 492
   PRYS-ROBERTS, C. See PEDEN, C. J., 664
   PÜHRINGER, F. See KHUENL-BRADY, K. S., 873
   PURDIE, J. A. M. & CULLEN, P. M. Brainstem auditory evoked response during propofol anaesthesia in children, 192
```

RABAN

RADFO

RAJAH

RALST

RALST

RAMA

RAMA

RAMA

RAMS

RAMS

RANE.

RAO.

RAPHA READ.

REBER

REEDE

REILL

REILL

REILL

REINS

RENW

RENW

REYN

REYN

REYN

REYN

RICH

RICH

RICH

RIDLE

RIDLE

RIEGE

RIGG

RIGG

RINA

RITTO

RIVA:

RIZK

ROBE

ROBI

ROBI

ROBI

ROCI

ROCK

ROM

ROM:

ROSE

ROSE

ROSE

ROSN

ROSS

ROU

ROU

ROU

ROW

ROW

ROW

ROY

ROY RUB RUG

RUG

QUAYNOR, H. See CORBEY, M. P., 776

QUINN, A. C., NEWMAN, P. J., NEW, L. C. & GROUNDS, R. M. Clinical significance of the growth of micro-organisms in propofol, 923 (c)

```
RABANAL, S. See FRANCO, A., 648 (c)
RADFORD, R. See HETT, D. A., 77 (c)
RAJAH, A., POWELL, H. & MORGAN, M. Eltanolone for induction of anaesthesia and to supplement nitrous oxide for minor gynaecological
    surgery, 951
RALSTON, S. J. & HEAD-RAPSON, A. G. Use of EMLA cream for skin anaesthesia prior to epidural insertion in labour, 65 (f)
RALSTON, S. J. & HEAD-RAPSON, A. G. Pain and the paramedian approach to epidural catheterisation: a reply, 641 (c)
RAMACHANDRA, V. See CHAN, A., 1117 (c)
RAMACHANDRAN, R. See MAHAJAN, R. P., 297
RAMAYYA, G. P. See MARTIN, P. D., 33
RAMSAY, T. E. J. See ROBERTS, S. P., 196
RAMSAY, T. M. Broken needle complicating arterial cannulation, 178 (c)
RANE, K. See JAKOBSSON, J., 1005 (f)
RAO, U. & MILLIGAN, K. R. Fixed dilated pupils associated with alcuronium infusions, 917 (c)
RAPHAEL, J. H. & BEXTON, M. D. R. Combined high frequency ventilation in the management of respiratory failure in late pregnancy, 596
READ, M. S. Pressure effects of syringes, 1016 (c)
REBER, A., SCHUMACHER, P. & URWYLER, A. Effects of three different types of management in the elimination kinetics of volatile
     anaesthetics. Implications for malignant hyperthermia treatment, 862
REEDER, M. K. Financial support for research, 277 (c)
REILLY, C. S. See WILLIAMS, O. A., 61 (f)
REILLY, C. S. See ROMAN, D. E. M., 338 (f)
REILLY, C. S. See BROOME, I. J., 415
 REILLY, C. S. See BROOME, I. J., 724 (f)
 REINSEL, R. See VESELIS, R. A., 463
 RENWICK, C. See MACLEAN, A. R., 164 (f)
 RENWICK, M. See GANDHI, M. N., 174 (c)
 REYNOLDS, F. See WITHINGTON, D. E., 26
 REYNOLDS, F. See PRYLE, B. J., 120
 REYNOLDS, F. See RUSSELL, R., 856
 REYNOLDS, F. See PRYLE, B. J., 922 (c)
 REYNOLDS, F. See STODDART, P. A., 1086 (f)
 RICHARDS, J. See BECK, G. N., 876
 RICHARDS, J. See DAVIES, R., 900
 RICHARDSON, J. & BICKFORD-SMITH, P. J. Covert breathing system failure, 541 (c)
 RIDLEY, S., BIGGAM, M. & STONE, P. A cost-benefit analysis of intensive therapy, 14
 RIDLEY, S. A. See MORIARTY, A., 357 (c)
 RIDLEY, S. A. See SMITH, D. C., 511
 RIEGER, A. See STRIEBEL, H. W., 753
 RIGG, J. & PETTS, V. Acute porphyria and propofol, 1108 (c)
 RIGG, J. D. & PETTS, V. Anaesthesia for the porphyric patient, 1009 (c)
 RILEY, B. See FINFER, S. R., 439 (c)
 RINALDI, P. A., DOGRA, S. & SELLMAN, G. L. Difficult intubation in paediatric palatoplasty, 358 (c)
 RITTOO, D. B. & RITTOO, K. Can obstetric wedges cause ventilatory obstruction?, 449 (c)
  RITTOO, K. See RITTOO, D. B., 449 (c)
  RIVAS, L. See CONACHER, I. D., 1070
  RIZKALLAH, P. See BARAKA, A., 588
  ROBERS, C. See MALLIOS, C., 359 (c)
  ROBERTS, S. P., RAMSAY, T. E. J., WILSON, A. & POLLARD, B. J. Extending a pipecuronium neuromuscular block. Increments of atracurium
      or vecuronium as an alternative to pipecuronium, 196
  ROBINSON, B. J. See TREUREN, B. C., 758
  ROBINSON, J. O. See SANDERS, L. D., 286
  ROBINSON, N. The effect of the anaesthetist's attire on patient attitudes, 839 (c)
  ROBINSON, P. N. See BARKER, J. P., 488
  ROBINSON, P. N. See DAVIS, L., 788
  ROCKE, D. A. See ROUT, C. C., 304
  ROCKE, D. A. See ORLIKOWSKI, C. E. P., 915 (c)
  ROMAN, D. E. M., BARKER, I. & REILLY, C. S. Anaesthetists' attitudes to parental presence at induction of general anaesthesia in children,
       338 (f)
  ROMNER, B. See LUTTROPP, H. H., 1045
  ROS, H. H. See SCHEFFER, G. J., 849
   ROSEN, M. See SANDERS, L. D., 286
   ROSEN, M. See MUNDAY, I. T., 816 (f)
   ROSENBERG, P. H. See PITKÄNEN, M., 1091 (f)
   ROSNER, I. L. See MARX, G. G., 274 (c)
   ROSS, J. A. S. See TUNSTALL, M. E., 919 (c)
   ROTHWELL, P. M., UDWADIA, Z. F. & LAWLER, P. G. Thyrotropin concentration predicts outcome in critical illness, 373
   ROULSON, C. J. See JONES, R. D. M., 611
   ROUSE, E. C. See WEBB, T. B., 1019 (c)
   ROUT, C. C., ROCKE, D. A. & GOUWS, E. Leg elevation and wrapping in the prevention of hypotension following spinal anaesthesia for
       elective Caesarean section, 304
   ROWBOTTOM, S. J. See CHUNG, D. C., 229
   ROWBOTTOM, S. J. Pressurised irrigation, 836 (c)
   ROWLANDS, B. J. See LAVERY, G. G., 439 (c)
   ROYLE, P. & CHAY, S. Dräger Narkomed 4: machine fault, 921 (c)
   ROYSTON, D. See BROWN, R., 697
   RUBIN, A. P. See LEE, J. J., 616
   RUGGIER, R. See PHILLIPS, S., 393
   RUGGIER, R. See PHILLIPS, S., 715 (f)
   RUGGIER, R. See BAILEY, C. R., 906 (f)
```

m

ving

```
RUSHMAN, G. B. & JOOSTE, C. A. Anaesthesia for the porphyric patient, 1009 (c)
RUSSELL, D. & KENNY, G. N. C. Convulsion following day case anaesthesia, 444 (c)
RUSSELL, G. N. See SHEARER, E. S., 293
RUSSELL, I. F. Information processing under anaesthesia, 275 (c)
RUSSELL, I. F. See SAMAAN, A. K., 451 (c)
RUSSELL, R. & REYNOLDS, F. Epidural infusions for nulliparous women in labour. A randomised double-blind comparison of fentanyl/
    bupivacaine and sufentanil/bupivacaine, 856
RUSSELL, R. See STODDART, P. A., 1086 (f)
RUSSELL, S. H. & HIRSCH, N. P. Simultaneous use of two laryngoscopes, 918 (c)
RUTTER, J. M. & LYONS, G. Subarachnoid block as an adjunct to extradural anaesthesia, 831 (c)
RYAN, T. D. R. See DAVIES, M. W., 63 (f)
SADANAGA, M. See SAKAMOTO, M., 390
SAH, N. Severe pain from a subcutaneous haematoma following epidural analgesia in labour, 928 (c)
SAITO, Y. See SAKURA, S., 205
SAKAMOTO, M., KANO, T., SADANAGA, M., SHIMODA, O., MORIOKA, T., MISHIMA, M. & NAKANO, M. Dermal patch anaesthesia: comparison of
     10% lignocaine gel with absorption promoter and EMLA cream, 390
SAKURA, S., SAITO, Y. & KOSAKA, Y. Effect of extradural anaesthesia on the ventilatory response to hypoxaemia, 205
SALMENKYLÄ, T. Disconnection and inspired oxygen alarms - a hazard: a reply, 739 (c)
SAMAAN, A. K. & RUSSELL, I. F. Management of accidental dural punctures with subarachnoid catheters, 451 (c)
SANCHEZ-CAPUCHINO, A., MEADOWS, D. & MORGAN, L. Local anaesthesia for eye surgery without a facial nerve block, 428 (f)
SANDERS, L. D., WHITEHEAD, C., GILDERSLEVE, C. D., ROSEN, M. & ROBINSON, J. O. Interactions of H2-receptor antagonists and
     benzodiazepine sedation. A double-blind placebo-controlled investigation of the effects of cimetidine and ranitidine on recovery after
     intravenous midazolam, 286
SANDERSON, R. J. See DENHOLM, S. W., 735 (c)
 SANSOME, A. J. See STONEHAM, M. D., 730 (c)
 SAVVA, D. Controlled ventilation with the Bain co-axial system. A rationalisation of gender-related minute volume requirements and
     carbon dioxide replacement therapy, 1072
 SAWA, T. See HAYASHI, K., 499
 SAXENA, N. See MAHAJAN, R. P., 297
 SAYGIN, B. See KECIK, Y., 141
 SAYGIN, B. See KECIK, Y., 834 (c)
 SCHECK, P. A. E. See MALLIOS, C., 359 (c)
 SCHEFFER, G. J., TEN VOORDE, B. J., KAREMAKER, J. M., ROS, H. H. & DE LANGE, J. J. Effects of thiopentone, etomidate and propofol on beat-
     to-beat cardiovascular signals in man, 849
 SCHEININ, H. See VIRKKILÄ, M., 482
 SCHMIDT, H. See BÖHRER, H., 647 (c)
 SCHMIDT, H. See BÖHRER, H., 929 (c)
 SCHOEFFLER, P. See DUPEYRON, J. P., 214
 SCHRAMM, W. See WERBA, A., 301
 SCHUMACHER, P. See REBER, A., 862
 SCOTT, D. H. T. See ARMSTRONG, P. J., 319
 SCOTT, D. H. T. See AMOORE, J. N., 799
 SCOTT, J. M. Ethyl chloride and venous cannulation, 839 (c)
 SCOTT, J. M. & TWEEDIE, 1. Minitracheostomies made easy, 929 (c)
 SCOTT, N. B. See BERRY, C. B., 30
 SCOTT, P. V. & PINNOCK, C. A. An analogue approach to audit in anaesthesia: a reply, 346 (c)
 SEDWARDS, B. J. Delivery of excess volatile agent due to a vaporizer fault: a reply, 349 (c)
 SEITZ, H. See WEINSTABL, C., 162 (f)
 SEKERCI, S. See KECIK, Y., 141
 SEKERCI, S. See KECIK, Y., 834 (c)
 SELBY, I. R. & JAMES, M. R. The intraosseous route for induction of anaesthesia, 982
 SELLMAN, G. L. See RINALDI, P. A., 358 (c)
 SEMPLE, T. J., MACINTYRE, P. E. & HOOPER, M. Parenteral codeine, 539 (c)
  SERPELL, M. G. & GUPTA, R. Plasma concentrations of lignocaine after rectal administration, 926 (c)
  SERPELL, M. G. Bronchospasm during epidural anaesthesia, 1018 (c)
  SESE, A. See FUKUTOME, T., 407
  SHAH, S. C. See JAIN, P. N., 898
  SHAW, A. & THOMPSON, G. A further use for minitracheotomy, 537 (c)
  SHAW, A. The use of propofol in a child with hepatitis A, 591
  SHAW, M. See TURNER, M. A., 452 (c)
  SHAW, T. See CHALMERS, E., 279
  SHEARER, E. S. & RUSSELL, G. N. The effect of cardiopulmonary bypass on cholinesterase activity, 293
  SHEPHARD, D. A. E. See MALTBY, J. R., 456 (c)
  SHER, M. See BRIMACOMBE, J., 1105 (c)
  SHERRY, E., BURTON, G. W. & WILKINS, D. G. Infusion nomograms, 396
  SHERRY, K. M. See BROOME, I. J., 724 (f)
  SHIMODA, O. See SAKAMOTO, M., 390
  SHORT, T. G., O'REGAN, A., LEW, J. & OH, T. E. Critical incident reporting in an anaesthetic department quality assurance programme, 3
  SHORT, T. G., TAM, Y. H., TAN, P. & OH, T. E. Pharmacokinetic model-controlled infusion of midazolam. A prospective evaluation during
       general anaesthesia, 187
  SHORT, T. G. See TREUREN, B. C., 758
  SHORT, T. G., TAM, Y. H., TAN, P. & OH, T. E. Pharmacokinetic model-controlled infusion of midazolam: a reply, 823 (c)
  SHORTEN, G. D. & ALI, H. A. Atracurium after an anticholinesterase. Does prior reversal with edrophonium or neostigmine influence the
       response to atracurium?, 524 (f)
  SHORTEN, G. D., GOUDSOUZIAN, N. G. & ALI, H. H. Histamine release following atracurium in the elderly, 568
  SIDHU, V. S., WHITEHEAD, E. M., AINSWORTH, Q. P., SMITH, M. & CALDER, I. A technique of awake fibreoptic intubation. Experience in
       patients with cervical spine disease, 910 (f)
```

SIMO

SINC

SING

SKIP

SKIP

SKUI

SLAF

SMIT

SNO

SOM

SON

SON

SON

SON

SOR

SOU

SPAL

SPAI

SPEN

SPEN

SPIE

SPIS

SPIS

SPIT

SPIT

SQU

STA

STAI

STA

STEV

STIC

STO

STO

STO

STO

STO

STO

STO

STO

STR

STR

STR

STR

SUN

SUN

SUT

SUT

SUT

SW

```
SIMON, E. J., DAVIDSON, J. A. H. & BOOM, S. J. Evaluation of three portable suction devices, 807
SIMON, P. See BARDOCZKY, G. I., 309
SINCLAIR, C. J. See SOROOSHIAN, S. S., 741 (c)
SINGH, B. & CHHABRA, B. A problem with the Mallampati sign, 832 (c)
SINGH, P. See BAGSHAW, O. N. T., 476
SKINNER, R. See WATSON, J. D., 1057
SKIPSEY, I. G., COLVIN, J. R., MACKENZIE, N. & KENNY, G. N. C. Sedation with propofol during surgery under local blockade. Assessment of
    a target-controlled infusion system, 210
SKIPSEY, I. G., COLVIN, J. R., MACKENZIE, N. & KENNY, G. N. C. Pharmacokinetic model-controlled infusion of midazolam: a reply, 823 (c)
SKUES, M. A. & WELCHEW, E. A. Anaesthesia and rheumatoid arthritis, 989
SLADE, J. M. Bacterial growth in isoflurane vapour, 1053
SLAPAK, G. See PARK, G. R., 455 (c)
SMITH, C. B. Red rubber Robertshaw tubes, 94 (c)
SMITH, D. C., RIDLEY, S. A. & DONALDSON, K. F. Fresh frozen plasma and edrophonium in a patient with a plasma cholinesterase
     deficiency, 511
SMITH, D. C. Blood sampling from paediatric arterial cannulae, 924 (c)
SMITH, D. C. A new use of 'Minitrach' introducer, 930 (c)
SMITH, D. D. See DAVIDSON, J. A. H., 243
SMITH, G. B. & TAYLOR, B. L. Towards a needle-free intensive therapy unit, 446 (c)
 SMITH, H. L. & PARK, G. R. Muscle rigidity in meningococcal meningitis, 1103 (c)
SMITH, J. C. Broken O-ring causing hypoventilation: a reply, 1114 (c)
SMITH, J. E. & FENNER, S. G. Conversion of orotracheal to nasotracheal intubation with the aid of the fibreoptic laryngoscope, 1016 (c)
 SMITH, M. See WHITEHEAD, E. M., 53 (f)
 SMITH, M. See SIDHU, V. S., 910 (f)
 SMITH, P. See WILLIAMS, O. A., 881
 SMITH, T. G. C. See VERGHESE, C., 58 (f)
 SMITH, T. G. C. See VERGHESE, C., 637 (c)
 SMURTHWAITE, G. J. & FORD, P. Skin necrosis following continuous positive airway pressure with a face mask, 147
 SNOWDON, S. L. See COSTIGAN, S. N., 1015 (c)
 SOAR, J. & MATHESON, K. H. A safe anaesthetic in Huntington's disease?, 743 (c)
 SOMMER, S. See VESELIS, R. A., 463
 SONESSON, S. E. See FROSTELL, C. G., 679
 SONI, N. See OOI, R., 409
 SONI, N. See OOI, R., 599
 SONI, N., FAWCETT, W. J. & HALLIDAY, F. C. Beyond the lung: oxygen delivery and tissue oxygenation, 704
 SONI, N., FAWCETT, W. J. & HALLIDAY, F.C. Beyond the lung: oxygen delivery and tissue oxygenation (Erratum), 1123
 SONI, N. C. See CAMPKIN, N. T. A., 239
 SOROOSHIAN, S. S. & SINCLAIR, C. J. Pulmonary artery catheters - a new complication, 741 (c)
 SOUTER, M. See ANDREWS, P., 1020 (c)
 SPARGO, P. See WHITE, E., 825 (c)
 SPARR, H. See BAUMGARTNER, H., 359 (c)
 SPENCER, R. C. See WILLIAMS, O. A., 61 (f)
 SPENS, H. See SWANN, D. G., 431 (f)
 SPIERS, P. See BROOME, I. J., 415
 SPISS, C. K. See WEINSTABL, C., 162 (f)
 SPISS, C. K. See WERBA, A., 301
 SPITALL, M. J. Evaluation of a pulse oximetry during cardiopulmonary resuscitation, 701
 SPITTAL, M. J. & MONK, C. R. Mounting problems, 354 (c)
 SQUIRES, S. J. See STONEHAM, M. D., 728 (c)
 STACEY, M. See ASAI, T., 636 (c)
 STAENDER, S. & HAMPL, K. An unusual cause of bradypnoea after spinal anaesthesia, 451 (c)
 STANSBY, P. K. See AGLAN, M. Y., 534 (c)
 STEVENSON, D. S. Nasotracheal intubation causing a nasopharyngeal mass, 358 (c)
 STICKLE, B. See LOGAN, S. ST C., 1017 (c)
 STIENSTRA, R. & PANNEKOEK, B. J. M. Respiratory arrest following extradural sufentanil, 1055
  STODDART, A. P. Upper respiratory tract infections and anaesthesia, 268 (c)
  STODDART, P. A., COOPER, A., RUSSELL, R. & REYNOLDS, F. A comparison of epidural morphine with intravenous patient controlled
      analgesia using the Baxter infusor following Caesarean section, 1086 (f)
  STONE, P. See RIDLEY, S., 14
  STONE, R. J. Treatment of 'ecstasy' overdose with dantrolene, 82 (c)
  STONE, R. J. Suxamethonium in the deadspace of an adult's indwelling intravenous cannula, 838 (c)
  STONEHAM, M. D. The nasopharyngeal airway. Assessment of position by fibreoptic laryngoscopy, 575
  STONEHAM, M. D. & SQUIRES, S. J. Pathogenesis of postimmersion collapse, 728 (c)
  STONEHAM, M. D., ISMAIL, F. & SANSOME, A. J. Leakage of fresh gas from vacant CO2 cylinder yoke, 730 (c)
  STOTT, S. & MICHELS, L. Training in pain management, 1118 (c)
  STOTT, S. A. Use of the laryngeal mask in the developing world, 450 (c)
  STRANG, T. I. Anaesthetic log books. How are they being used?, 69 (f)
  STREATFEILD, K. A. See BURMEISTER-ROTHER, R., 82 (c)
  STRIDE, P. C. & COOPER, G. M. Dural taps revisited. A 20-year survey from Birmingham Maternity Hospital, 247
  STRIDE, P. C. See KHAN, K. J., 628 (f)
  STRIDE, P. C. & COOPER, G. M. Dural taps revisited: a reply, 822 (c)
  STRIEBEL, H. W., POMMERENING, J. & RIEGER, A. Intranasal fentanyl titration for postoperative pain management in an unselected
       population, 753
  SUN, K. O. Prevention of bronchial intubation with RAE tube during adenotonsillectomy, 645 (c)
  SUNDBERG, A., WANG, L. P. & FOG, J. Spinal needle size and hearing: a reply, 534 (c)
  SUTHERLAND, R. See THORPE, C. M., 742 (c)
  SUTTON, D. See VALENTINE, S., 405
  SUTTON, D. See LAUDER, G. R., 454 (c)
```

SWAN, H. See MORROW, B. C., 1018 (c)

```
SWANN, D. G., SPENS, H., EDWARDS, S. A. & CHESTNUT, R. J. Anaesthesia for gynaecological laparoscopy - a comparison between the
    layrngeal mask airway and tracheal intubation, 431 (f)
SWEENEY, E. J., BARBER, K. & PROSSER, J. A. A comparison of percutaneous and perconjunctival routes of administration of peri-ocular
    anaesthesia for day case cataract surgery, 336 (f)
SYMINGTON, M. J., MURTHY, B. V. S. & MILLIGAN, K. R. Epidural mexilitine, 925 (c)
TAGGART, P. See PAC SOO, C. K., 273 (c)
TAHA, S. See BARAKA, A., 588
TAM, Y. H. See SHORT, T. G., 187
TAM, Y. H. See SHORT, T. G., 823 (c)
TAN, P. See SHORT, T. G., 187
TAN, P. See SHORT, T. G., 823 (c)
TANAKA, Y. See HAYASHI, K., 499
TANNER, V. See NOTT, M. R., 644 (c)
TAUB, N. See PRYLE, B. J., 922 (c)
TAYLOR, B. L. See SMITH, G. B., 446 (c)
TAYLOR, M. B. See COLLINS, P. D., 269 (c)
TEHAN, B., HARDERN, R. & BODENHAM, A. Hyperthermia associated with 3,4-methylenedioxyethamphetamine ('Eve'), 507
TEN VOORDE, B. J. See SCHEFFER, G. J., 849
TERRY, D. M. S. See ABUZAID, H., 492
THEAKER, N. J. & VAN HASSELT, G. Equipment safety checks, 837 (c)
THIAGARAJAN, J., BATES, S., HITCHCOCK, M. & MORGAN-HUGHES, J. Blood loss following tonsillectomy in children. A blind comparison of
     diclofenac and papaveretum, 132
THOMAS, A. D. & CAUNT, J. A. Anaphylactoid reaction following local anaesthesia for epidural block, 50
THOMAS, D. V. Hoarseness and sore throat after tracheal intubation. Small tubes prevent, 255 (c)
THOMAS, S. D. General anaesthesia for Caesarean section, 739 (c)
THOMAS, T. A. See WEE, M. Y. K., 369
THOMAS, T. A. See WEE, M. Y. K., 918 (c)
THOMPSON, E. M. See WRIGHT, D. G., 449 (c)
THOMPSON, G. See SHAW, A., 537 (c)
THOMPSON, J. P. & BARKER, P. Cardiac output measurement and continuous venovenous haemofiltration, 1105 (c)
 THOMSON, K. D. A blind nasal intubation using a laryngeal mask airway, 785
 THORP, J. M., KENNEDY, B. W., MILLAR, K. & FITCH, W. Personality traits as predictors of anxiety prior to Caesarean section under regional
     anaesthesia, 946
 THORP, N. A perforated diaphragm - enough to raise anyone's blood pressure!: a reply, 270 (c)
 THORPE, C. M. & SUTHERLAND, R. Loss of resistance: saline versus air, 742 (c)
 TIGHE, S. Q. M. & JONES, D. A. Anaesthetic machine checks during anaesthesia, 88 (c)
 TIGHE, S. Q. M. See YOUNG, P. C., 820 (c)
 TOLHURST-CLEAVER, C. L. Antireflux valves in intravenous opioid analgesia, 93 (c)
 тоуора, у. See кивота, у., 173 (с)
 TREUREN, B. C., GALLETLY, D. C., ROBINSON, B. J., SHORT, T. G. & URE, R. W. The influence of the H1 and H2 receptor antagonists,
      terfenadine and ranitidine on the hypotensive and gastric pH effects of the histamine releasing drugs, morphine and tubocurarine,
 TUCKER, P. See BRIMACOMBE, J., 1106 (c)
 TULLETT, W. M. See NIMMO, S. M., 892
 TUNSTALL, M. E. & ROSS, J. A. S. Isoflurane, nitrous oxide and oxygen analgesic mixtures, 919 (c)
 TURNER, M. A. & SHAW, M. Atraumatic spinal needles, 452 (c)
 TURUNEN, J. See VIRKKILÄ, M., 482
 TVERSKOY, M. See BEN-SHLOMO, I., 111
 TWEEDIE, I. See SCOTT, J. M., 929 (c)
 TZABAR, Y. See LEVY, D. M., 91 (c)
 UCHIDA, M. See ASAI, T., 81 (c)
 UDWADIA, Z. F. See ROTHWELL, P. M., 373
 UENO, Y. See FUKUTOME, T., 407
 UL-HAQ, M. See GOPINATH, S., 870
 UNCLES, D. R. The importance of checking ampoule labels, 180 (c)
 UNCLES, D. R. & CARRIE, L. E. S. Pain and the paramedian approach to epidural catheterisation, 641 (c)
 UNCLES, D. R. A comparison of keyed and non-keyed vaporizer filling modes and volatile agent wastage, 795
 UPTON, P. M. See ANSERMINO, J. M., 1097 (f)
 URE, R. W. See TREUREN, B. C., 758
 URWYLER, A. See REBER, A., 862
  VAFIDIS, G. C. See BARKER, J. P., 488
  VALENTINE, S., WILLIAMSON, P. & SUTTON, D. Reduction of acute haemorrhage with aprotinin, 405
  VAN DEN BERG, A. A. Persuasion in clinical practice: the three 'Rs', 449 (c)
  VAN DEN BERG, A. A., HONJOL, N. M. & PARMAR, N. ENT and eye anaesthesia: to spray or not to spray – a rationalisation, 742 (c)
  VAN DEN BROEK, L., WIERDA, J. M. K. H. & HENNIS, P. J. Vecuronium and rocuronium, 349 (c)
  VAN DER BERG, A. A. & ABEYSEKERA, R. M. M. S. Rationalising venous cannulation: patient factors and lignocaine efficacy, 84 (c)
  VAN HASSELT, G. See THEAKER, N. J., 837 (c)
  VAN HASSELT, G. See HOUGH, M., 927 (c)
  VANDEPUT, D. M. See VERCAUTEREN, M. P., 1002 (f)
  VANNER, R. G. Gastro-oesophageal reflex and hiccup during anaesthesia, 92 (c)
  VANNER, R. G. See PRYLE, B. J., 120
  VANNER, R. G. See PRYLE, B. J., 922 (c)
  VANNER, R. G. & PRYLE, B. J. Nasogastric tubes and cricoid pressure, 1112 (c)
  VARMA, M. See GUPTA, S., 1108 (c)
  VATER, M. See BAXENDALE, B. R., 961
```

\*\*\*\*\*

\*\*\*

W

W

W

W

W

W

W

W

W

W

WI

W

WI

VAUGHAN, R. S. See ASAI, T., 667 VAUGHAN, R. S. See DAVIES, R., 900 VERCAUTEREN, M. P., GEERNAERT, K., VANDEPUT, D. M. & ADRIAENSEN, H. Combined continuous spinal-epidural anaesthesia with a single interspace, double-catheter technique, 1002 (f) VERGHESE, C., SMITH, T. G. C. & YOUNG, E. Prospective survey of the use of the laryngeal mask airway in 2359 patients, 58 (f) VERGHESE, C., SMITH, T. G. C. & YOUNG, E. Pattern of usage of the laryngeal mask airway: a reply, 637 (c) VESELIS, R. A., REINSEL, R., MARINO, P., SOMMER, S. & CARLON, G. C. The effects of midazolam on the EEG during sedation of critically ill patients, 463 VIDAL, M. L. See FRANCO, A., 648 (c) VIJAYAN, R. See DELILKAN, A. E., 328 (f) VIRKKILÄ, M., ALI-MELKKILÄ, T., KANTO, J., TURUNEN, J. & SCHEININ, H. Dexmedetomidine as intramuscular premedication in outpatient cataract surgery. A placebo-controlled-dose ranging study, 482 VISETTI, E. & COSTA, P. Rhabdomyolysis following life-threatening acute asthma attack, 887 VISRAM, A. R. See JONES, R. D. M., 611 VREEDE, E. & LIBAN, J. B. Disconnection and inspired oxygen alarms - a hazard, 739 (c) WAINWRIGHT, A. C. See ISMAIL, F., 1109 (c) WAIT, C. M. See MURRAY, D. P., 269 (c) WAIT, C. M. See PANDIT, J. J., 1114 (c) WALSH, G. R. See CANTELO, R. A., 452 (c) WALSH, T. S. & ARMSTRONG, I. R. 'Just a scratch': harmless, but not necessarily trivial, 1120 (c) WANG, C. Y. & ONG, G. S. Y. Severe bronchospasm during epidural anaesthesia, 514 WANG, L. P. See SUNDBERG, A., 534 (c) WARD, M. E. Setting standards for cardiopulmonary resuscitation: editorial, 655 WARD, P. See LILLYWHITE, N., 885 WARD, P. M. See MITCHELL, J. B., 223 WARDALL, G. J. See CLARK, V. A., 998 (f) WARDILL, M. See O'FLAHERTY, D., 687 WATKINS, J. Anaesthetic drug allergies, 639 (c) WATSON, J. D., FERGUSON, C., HINDS, C. J., SKINNER, R. & COAKLEY, J. H. Exertional heat stroke induced by amphetamine analogues. Does dantrolene have a place?, 1057 WEBB, A. R. See GAN, T. J., 538 (c) WEBB, C. & WILLIAMS, V. Ecstasy intoxication: appreciation of complications and the role of dantrolene, 542 (c) WEBB, T. See LAKE, A. P. J., 536 (c) WEBB, T. B. & ROUSE, E. C. Propofol and electroconvulsive therapy, 1019 (c) WEBSTER, A. C. See CINO, P. J., 1012 (c) WEBSTER, N. See COHEN, A., 106 WEE, M. Y. K., HASAN, M. A. & THOMAS, T. A. Isoflurane in labour, 369 WEE, M. Y. K., HASAN, M. A. & THOMAS, T. A. Isoflurane in labour: a reply, 918 (c) WEINSTABL, C., PORGES, P., PLAINER, B., WERBA, A., SPISS, C. K. & SEITZ, H. Coeliac plexus block with bupivacaine reduces intestinal dysfunction in neurosurgical ICU patients, 162 (f) WEIR, P. M. See WILSON, M. E., 737 (c) WELCHEW, E. A. See SKUES, M. A., 989 WENSTONE, R. See BAMBER, M. J., 344 (c) WERBA, A. See WEINSTABL, C., 162 (f) WERBA, A., KLEZL, M., SCHRAMM, W., LANGENECKER, S., MÜLLER, C., GOSCH, M. & SPISS, C. K. The level of neuromuscular block needed to suppress diaphragmatic movement during tracheal suction in patients with raised intracranial pressure: a study with vecuronium and atracurium, 301 WERNER, O. See LUTTROPP, H. H., 1045 WEST, K. J. & AHMED, M. I. The laryngeal mask airway in mediastinoscopy, 826 (c) WESTBROOK, J. L. & CARRIE, L. E. S. Combined spinal/epidural anaesthesia for Caesarean section, 172 (c) WESTBROOK, J. L. & CARRIE, L. E. S. Combined spinal-epidural anaesthesia through the Portex set: a reply, 836 (c) WESTON, G. A. See MILLS, G. H., 444 (c) WHITE, E. & SPARGO, P. A problem with the Intersurgical Mapleson F breathing system, 825 (c) WHITE, E. A problem with the Graseby 3300 PCA pump, 1013 (c) WHITE, F. Mapleson D coaxial breathing system integrity testing: a reply, 917 (c) WHITE, R. J. See CHECKETTS, M. R., 969 WHITEHEAD, C. See SANDERS, L. D., 286 WHITEHEAD, E. & O'SULLIVAN, G. Postpartum gastric emptying: a reply, 821 (c) WHITEHEAD, E. M., SMITH, M., DEAN, Y. & O'SULLIVAN, G. An evaluation of gastric emptying times in pregnancy and the puerperium, 53 (f) WHITEHEAD, E. M. See SIDHU, V. S., 910 (f) WHITTLE, J. See OOI, R., 409 WHITWAM, J. G. See LOCKWOOD, G. G., 564 WHITWAM, J. G. See LOCKWOOD, G. G., 690 WHITWAM, J. G. See LOCKWOOD, G. G., 748 WHITWAM, J. G. Minimally invasive therapy - implications for anaesthesia: editorial, 937 WHITWAM, J. G. See COOK, L. B., 1039 WIERDA, J. M. K. H. See VAN DEN BROEK, L., 349 (c) WILCOX, M. H. See WILLIAMS, O. A., 61 (f)

WILLIAMS, H. D., HOWARD, R., O'DONNELL, N. & FINDLEY, I. The effect of low dose aspirin on bleeding times, 331 (f)
WILLIAMS, H. W. & FINDLEY, I. The effect of low dose aspirin on bleeding times: a reply, 915 (c)
WILLIAMS, O. A., WILCOX, M. H., NICOL, C. D., SPENCER, R. C. & REILLY, C. S. Lignocaine spray applicators are a potential source of cross-infection in the anaesthetic room, 61 (f)

WILDSMITH, J. A. W. Anaphylactoid reaction following local anaesthesia for epidural block, 916 (c)

WILKINS, D. G. See SHERRY, E., 396 WILKINS, D. G. See ABUZAID, H., 492 WILLATTS, S. M. See LAW, R. C., 1011 (c)

```
WILLIAMS, O. A., CLARKE, F. L., HARRIS, R. W., SMITH, P. & PEACOCK, J. E. Addition of droperidol to patient-controlled analgesia: effect on
    nausea and vomiting, 881
WILLIAMS, P. J. & BAILEY, P. M. Insertion technique for reinforced laryngeal mask airway and its use in recovery, 733 (c)
WILLIAMS, S. K. A problem with the Intersurgical Mapleson F breathing system: a reply, 825 (c)
WILLIAMS, V. See WEBB, C., 542 (c)
WILLIAMSON, P. See VALENTINE, S., 405
WILLIS, B. A. See JACOBS, S., 345 (c)
WILSON, A. See ROBERTS, S. P., 196
WILSON, A. M. Procedures undertaken by medical students, 344 (c)
WILSON, A. T. Delayed profound respiratory depression after premedication with trimeprazine, 169 (c)
WILSON, C. M. See ORR, D. A., 114
WILSON, E. See MCCLYMONT, W., 740 (c)
WILSON, J. U. A knotty problem, 1119 (c)
WILSON, M. E. See NOLAN, J. P., 630 (f)
WILSON, M. E. See FIELDEN, J. M., 645 (c)
WILSON, M. E., WEIR, P. M., KUMARASINGHE, N. H. P. & GANNON, K. Critical incident 10 years later - ability to cope and other behavioural
     factors, 737 (c)
WILSON, P. T. J. & LLOYD-THOMAS, A. R. An audit of extradural infusion analgesia in children using bupivacaine and diamorphine, 718 (f)
WILSON, R., BERRIDGE, J., MOSS, E. & POWELL, D. A comparison of the effect of isoflurane and propofol on arterial carbon dioxide tensions
     following intracranial surgery, 955
WILSON, R. J. T. See JACKSON, I. J. B., 152
WINWOOD, M. A. & JAGO, R. H. Anxiety levels following anaesthesia for day-case surgery. A comparison of, 581
 WITHINGTON, D. E., PATRICK, J. A. & REYNOLDS, F. Histamine release by morphine and diamorphine in man, 26
 WITHINGTON, P. S. See COCKROFT, S., 312
 WITTMANN, F. W. See CONNOR, T., 647 (c)
 WOLTERS, G. See BONEBAKKER, A. E., 657
 WOOD, K. See KUMAR, C. M., 90 (c)
 WOOD, P. R., DRESNER, M. & LAWLER, P. G. P. Learning fibreoptic intubation: fundamental problems, 182 (c)
 WOOD, P. R. & LAWLER, P. G. P. Managing the airway in cervical spine injury: a reply, 443 (c)
 woods, K. When to remove the laryngeal mask airway, 175 (c)
 WOODS, R. See CAMPBELL, D. N. C., 422 (f)
 WOODWARD, M. See MACKENZIE, J. W., 736 (c)
 WOODWARD, W. M. Entonox-isoflurane for analgesia in labour, 1011 (c)
 WRAIGHT, E. P. See BURNS, A. M., 763
 WRIGHT, D. G. Not another high block, 175 (c)
 WRIGHT, D. G. Audit, anathema and the anaesthetist, 267 (c)
 WRIGHT, D. G. & BALI, I. M. Aspects of safety in anaesthesia, 352 (c)
 WRIGHT, D. G. 'That chap on the PCAS is a bit twitchy today', 354 (c)
 WRIGHT, D. G., THOMPSON, E. M. & MATHEWS, H. Pruritus, PCAs and pain after Caesarean section, 449 (c)
 WRIGHT, G. See BROWN, R., 697
 WRIGHT, P. M. C. See MCCOY, E. P., 256 (f)
 YAMASHITA, M. Extradural anaesthesia and air, 1107 (c)
 YATES, D. W. & HUGHES, J. A. Isoflurane and long-term sedation, 267 (c)
 YAZBECK, V. See BARAKA, A., 588
 YAZBECK, V. See BARAKA, A., 782
 YENTIS, S. M., JANKOWSKI, S. & GREGORY, I. C. Intermittent thiopentone for teaching fibreoptic nasotracheal intubation, 340 (f)
 YENTIS, S. M., JANKOWSKI, S. & GREGORY, I. C. Intermittent thiopentone for teaching nasotracheal intubation (Erratum), 557 (f)
 YOGANATHAN, S. & JOHNSTON, I. G. Reservoir requirements of the PAC portable anaesthesia system, 170 (c)
 YOO, M. C. See BURMEISTER-ROTHER, R., 82 (c)
 YORUKOGLU, D. See KECIK, Y., 141
 YORUKOGLU, D. See KECIK, Y., 834 (c)
 YOUNG, E. See VERGHESE, C., 58 (f)
 YOUNG, E. See VERGHESE, C., 637 (c)
 YOUNG, K. Hypotension from the interaction of ACE inhibitors with stable plasma protein solution. 356 (c)
 YOUNG, P. C., TIGHE, S. Q. M. & HALL, G. A. Cost of anaesthesia for minor surgery, 820 (c)
 YOUNGS, P. J. A problem with a PCA pump, 829 (c)
 YUKIOKA, H. See NISHIKAWA, K., 1061
 ZISOWSKY, S. See BUSSE, M. W., 41
 ZORAB, J. S. M. Anaesthetic machine checking practices, 267 (c)
  ZSIGMOID, E. K. & HIROTA, K. Delayed profound respiratory depression after premedication with trimeprazine, 169 (c)
  ZSIGMOID, E. K. See HIROTA, K., 176 (c)
  ZUCK, D. John Mervyn Nooth. An update and some Bath memorials, 712
```

# Subject Index, Volume 48 (1993)

Abdominal surgery, can pre-emptive lumbar epidural blockade reduce postoperative pain following? (Pryle et al.), 120

Abdominal surgery, effect of epidural fentanyl administered by three different methods on oxyhaemoglobin saturation after (Owen et al.), 20

Abdominal surgery: pre-emptive analgesia (Edmondson: Pryle et al.), 922 (c)

Abdominal tamponade, rhabdomyolysis and bilateral diaphragmatic palsies following (Lachmann, Calne & Park), 914 (c)

Abreaction and midazolam (McClymont & Wilson), 740 (c)

Accessory nerve, spinal, stimulation as a method of monitoring neuromuscular transmission (Meakin), 85 (c)

Accidental dural punctures, management with subarachnoid catheters (Samaan & Russell), 451 (c)

ACE inhibitors: hypotension from their interaction with stable plasma protein solution (Young), 356 (c)

Adductor pollicis mechanomyography, a modified bonded strain gauge for (Campkin, Hood & Feldman), 85 (c)

Adenotonsillectomy, prevention of bronchial intubation with RAE tube during (Sun), 645 (c)

Adults: near infrared spectroscopy; does the Invos 3100 really measure intracerebral oxygenation? (Harris & Bailey), 694

Advanced Trauma Life Support (Finfer, Riley & Baskett: Leigh: Crerar-Gilbert: Gwinnutt & Driscoll: Lavery, Johnston & Rowlands: Berridge, Bodenham & Bennett), 439 (c)

Advanced Trauma Life Support; managing the airway in cervical spine injury (Lavery, McCoy & Johnston: Wood & Lawler), 443 (c)

African rural hospital, incidence and magnitude of hypoxaemia with ketamine in (Pederson & Benumof), 67 (f)

Air and extradural anaesthesia (Yamashita), 1107 (c)

Air, extradural, as a cause of paraplegia (Brimacombe & Tucker: Heavner: Milaskiewicz & Nay), 1106 (c)

Air versus saline; loss of resistance (Thorpe & Sutherland), 742 (c)

Airway exchange catheter, Cook, placement via the laryngeal mask airway (Brimacombe & Berry), 351 (c)

Airway management and nursing staff (Cook), 535 (c)

Airway management for resuscitation; training of nursing staff; comparison of facemask and laryngeal mask (Martin et al.), 33

Airway management in cervical spine injury (Lavery, McCoy & Johnston: Wood & Lawler), 443 (c)

Airway, nasopharyngeal; assessment of position by fibreoptic laryngoscopy (Stoneham), 575

Airway, obstructed, unusual cause of (Platt), 540 (c)

Airway obstruction in laryngo-onycho-cutaneous syndrome, anaesthesia for (Hodges & Lloyd-Thomas), 503

Airways, oropharyngeal, rubber; sizes (Bickford-Smith), 1119 (c)

Airway see also Guedel; Laryngeal mask

Alarm, ventilator; line adaptor for the Penlon 200 fitted with a Newton valve (Kumar, Leech & Wood), 90 (c)

Alarms, inspired oxygen, and disconnection, a hazard (Vreede & Liban: Salmenkylä), 739 (c)

Alcuronium infusions, fixed dilated pupils associated with (Rao & Milligan), 917 (c)

Alfentanil and intracranial disease (Cohen), 922 (c)

Alfentanil and intracranial pathology (Huggins), 453 (c)

Alfentanil and intracranial pathology. Why the eagerness to condemn? (Andrews & Souter), 1020 (c)

Alfentanil and propofol, intubation following; comparison with intubation following thiopentone and suxamethonium (Beck et al.), 876

Alfentanil and pruritis (Walsh & Armstrong), 1120 (c)

Alfentanii in daycase anaesthesia. Assessment of a single dose on the quality of anaesthesia and recovery (Bagshaw, Singh & Aitkenhead), 476

Alfentanil in management of anaesthesia for Caesarean section in a patient with paroxysmal ventricular tachycardia (Field & Barton), 593

Allergies, anaesthetic drug (Watkins), 639 (c)

Amethocaine: evaluation of a new self-adhesive patch preparation for topical anaesthesia prior to venous cannulation in children (Doyle et al.), 1050

Amitriptyline, dose-response for analgesic effect of, in chronic pain (McQuay, Carroll & Glynn), 281

Amphetamine analogues, dantrolene in exertional heat stroke induced by (Watson et al.), 1057

Ampoule labels; importance of checking (Uncles), 180 (c)

Anaesthesia: cheap at twice the price? Staff awareness, cost comparisons and recommendations for economic savings (Bailey, Ruggier & Cashman), 906 (f)

Anaesthesia, depth of (Newton), 367

Anaesthesia see also General; Regional; Spinal

Anaesthetic agents, intravenous, growth of micro-organisms in solutions of (Berry et al.), 30

Anaesthetic audit system, computer-based, accuracy of (Lillywhite & Ward), 885

Anaesthetic drug allergies (Watkins), 639 (c)

Anaesthetic equipment is protected by bacterial filters in a low-flow system (Luttropp & Berntman), 520

Anaesthetic loss from a closed breathing system (Lockwood, Chakrabarti & Whitwam), 564

Anaesthetic machine checking (Higham & Beck: Lake & Webb), 536 (c)

Anaesthetic machine checking practices (Zorab), 267 (c)

Anaesthetic machine checks during anaesthesia (Tighe & Jones), 88 (c)

Anaesthetic machines, Association of Anaesthetist's checklist for; problem with detection of significant leaks (Jackson & Wilson), 152

Anaesthetic machines, checking of; checklists or visual aids? (Adams & Morgan), 183

Anaesthetic machines, detection of leaks in (Myint), 729 (c)

Anaesthetic room, future of (McLellan), 545 (c)

Anaesthetist, anathema and audit (Wright), 267 (c)

Anaesthetist, implications of capnothorax for (Peden & Prys-Roberts), 664

Anaesthetist, pre-operative visit by (Geraghty), 266 (c)

Anaesthetists and HIV (Cross), 727 (c)

Anaesthetists and the pre-operative visit (Horsey), 179 (c)

Anaesthetist's attire: effect on patient attitudes (Robinson), 839 (c)

Anaesthetists' attitudes to parental presence at induction of general anaesthesia in children (Roman, Barker & Reilly), 338 (f)

Anaesthetists: development in management (Chalmers et al.), 279

Anaesthetists: development in management (Chambers et al.), 279

Anaesthetists: development in management (Laycock: Duncan: Birkenshaw), 1101 (c)

Anaesthetists, nurses and pre-operative visiting (Ferguson), 89 (c)

Anaesthetist's prestige, influence of dress on patient perception of (Hennessy, Harrison & Aitkenhead), 219

Anaesthetists' training: the use of 'floaters' (Brook), 343 (c)

Anaesthetists: what next after the Fellowship? (Mills & Weston), 444 (c)

Analgesia, Entonox-isoflurane, in labour (Woodward), 1011 (c)

Analgesia: epidural infusions for nulliparous women in labour; fentanyl compared with sufentanil (Russell & Reynolds), 856 Analgesia, extradural infusion, in children using bupivacaine and diamorphine, an audit of (Wilson & Lloyd-Thomas), 718 (f)

Analgesia for day case laparoscopy (Millar), 168 (c)

Analgesia, interpleural, and phrenic nerve paralysis (Lauder), 315

Analgesia: isoflurane, nitrous oxide and oxygen mixtures (Tunstall & Ross), 919 (c)

Analgesia, opioid, intravenous, antireflux valves in (Tolhurst-Cleaver), 93 (c)

Analgesia, postcircumcision, EMLA cream for (McLeod), 925 (c)

Analgesia, pre-emptive, for pain following lower abdominal surgery (Edmondson: Pryle et al.), 922 (c)

Analgesia, regional, intra-arterial versus intravenous, for hand surgery (Koscielniak-Nielsen & Horn), 769

Analgesia see also Epidural; Extradural; Lumbar; Patient controlled; Postoperative; specific agents Analgesic effect of amitriptyline in chronic pain, dose-response for (McQuay, Carroll & Glynn), 281

Analgesic effect of nonsteroidal anti-inflammatory agents, comparison of (Chan & Ramachandra), 1117 (c)

Analogue approach to audit in anaesthesia (Mapleson: Scott & Pinnock), 346 (c)

Anaphylactic reaction to aprotinin during cardiac surgery (Dewachter et al.), 1110 (c)

Anaphylactoid reaction following local anaesthesia for epidural block (Thomas & Caunt), 50

Anaphylactoid reaction following local anaesthesia for epidural block (Wildsmith), 916 (c)

Anaphylactoid reaction following spinal anaesthesia for Caesarean section (Allman), 545 (c) Anaphylactoid reaction to propofol (Lawes & Davis: McHale & Konieczko), 446 (c)

Anatomical study of lumbar plexus block (Hanna, Peat & D'Costa), 675

Anticholinesterase, atracurium after; does prior reversal with edrophonium or neostigmine influence the response to atracurium? (Shorten & Ali), 524 (f)

Anticholinesterase therapy, influence on vecuronium block in the myasthenic patient (Baraka et al.), 588

Antiemetic effect of ginger, mechanism of (Lumb), 1118 (c)

Antiemetic, ginger, for daycase surgery (Phillips, Ruggier & Hutchinson), 715 (f)

Anti-inflammatory agents, nonsteroidal, comparing the analgesic effect of (Chan & Ramachandra), 1117 (c)

Antireflux valves in intravenous opioid analgesia (Tolhurst-Cleaver), 93 (c)

Anxiety levels following anaesthesia for day-case surgery. A comparison of (Winwood & Jago), 581

Anxiety prior to Caesarean section under regional anaesthesia, personality traits as predictors of (Thorp et al.), 946

Aortic arch, right-sided; diagnosis by pulse oximetry (Gupta, Varma & Chari), 1108 (c)

Aprotinin, anaphylactic reaction to, during cardiac surgery (Dewachter et al.), 1110 (c) Aprotinin, reduction of acute haemorrhage with (Valentine, Williamson & Sutton), 405

Arm, changes in blood flow and vascular resistance in, during spinal anaesthesia and vasopressor therapy with methoxamine (Fogarty &

Howe), 387

Arm: comparison of 2-chloroprocaine and prilocaine for intravenous regional anaesthesia (Pitkänen, Kyttä & Rosenberg), 1091 (f)

Artefact during general anaesthesia for magnetic resonance imaging (Crofts & Campbell), 643 (c)

Arterial cannulae, alternative method of blood sampling from (Alford, Kirton & Peacock), 530 (f)

Arterial cannulae, blood sampling from (Smith), 924 (c)

Arterial cannulation complicated by broken needle (Ramsay), 178 (c)

Arterial carbon dioxide tensions following intracranial surgery, a comparison of the effect of isoflurane and propofol on (Wilson et al.), 955

Arterial hypertension following intracranial surgery; closed loop control using sodium nitroprusside (Mackenzie et al.), 202

Artery, internal mammary, grafting, intercostal neuralgia associated with (Conacher et al.), 1070

Artery, pulmonary, catheters; a new complication (Sorooshian & Sinclair), 741 (c)

Arthroscopy, day-case, of the knee joint; comparison of diclofenac and ketorolac for postoperative analgesia (Morrow, Bunting & Milligan), 585

Ashley's constrictor (Lloyd), 361 (c)

Aspiration of cerebrospinal fluid - not always a dural tap (Cantelo & Walsh), 452 (c)

Aspirin and peribulbar anaesthesia (Ismail, Brighouse & Wainwright), 1109 (c)

Aspirin, low dose; effect on bleeding times (Williams et al.), 331 (f)

Aspirin, low dose, effect on bleeding times (Orlikowski & Rocke: Williams & Findley), 915 (c)

Aspirin, low-dose, and regional techniques (O'Kelly), 833 (c)

Association of Anaesthetist's checklist for anaesthetic machines. Problem with detection of significant leaks (Jackson & Wilson), 152

Association of Anaesthetists of Great Britain and Ireland. Annual report of Council 1991-1992, 546

Asthma attack, acute, life-threatening, rhabdomyolysis following (Visetti & Costa), 887

Asthmatic patient, regional techniques in (Morrow & Swan), 1018 (c)

Asthmatic patient, the oesophageal detector device in (Baraka), 275 (c)

Atelectasis and oxygenation in major surgery with either propofol with or without nitrous oxide or isoflurane anaesthesia (Jensen et al.),

Atracurium after an anticholinesterase. Does prior reversal with edrophonium or neostigmine influence the response to atracurium? (Shorten & Ali), 524 (f)

Atracurium, histamine release following, in the elderly (Shorten, Goudsouzian & Ali), 568

Atracurium increments in extending a pipecuronium neuromuscular block (Roberts et al.), 196

Atracurium reversal after low dose tubocurarine (Nott & Tanner), 644 (c)

Atracurium: the level of neuromuscular block needed to suppress diaphragmatic movement during tracheal suction in patients with raised intracranial pressure (Werba et al.), 301

Atropine and ketamine, convulsions following (Burmeister-Rother, Streatfeild & Yoo), 82 (c)

Audit, anathema and the anaesthetist (Wright), 267 (c)

Audit: critical incident 10 years later; ability to cope and other behavioural factors (Wilson et al.), 737 (c)

Audit: critical incident reporting in quality assurance programme (Short et al.), 3

Audit: how are anaesthetic log books being used? (Strang), 69 (f)

Audit in anaesthesia; an analogue approach (Mapleson: Scott & Pinnock), 346 (c)

Audit, medical; failed intubation in obstetrics; wary of friendly rivalry (Levy), 94 (c)

Audit of extradural infusion analgesia in children using bupivacaine and diamorphine (Wilson & Lloyd-Thomas), 718 (f)

Audit of pre-operative starvation (Maclean & Renwick), 164 (f)

Audit system, anaesthetic, computer-based, accuracy of (Lillywhite & Ward), 885

Awar Awar Awar

Babie Bacte Bacte Bacte Bain Balar

Baxte Baxte (Beard

Baro

Basal

Beha Berm Beta-Bicon

Bicor

Bite | Blead Blead Bleed Bleed Bleed Blood

Bloo Bloo

Bloo

Blood Blood Blood Blood Blood Blood Blood Book

GA GL HA KA MI PA RE

CO

FIN

Bott Bott Bott Brac Brad

SIN

Brai Brai Brea Brea Brea

Brea Brea Brea Brea Brea Awake fibreoptic intubation technique; patients with cervical spine disease (Sidhu et al.), 910 (f)

Awareness and capnography (Hough & Cone), 445 (c)

Awareness, reported, follow-up of (Hough & van Hasselt), 927 (c)

Babies, ex-premature, awake, epidural anaesthesia through caudal catheters for inguinal herniotomies in (Peutrell & Hughes), 128

Bacterial filter, blocked (Moscovici & Dickson), 537 (c)

Bacterial filters protect anaesthetic equipment in a low-flow system (Luttropp & Berntman), 520

Bacterial growth in isoflurane vapour (Slade), 1053

Bain co-axial system, controlled ventilation with (Savva), 1072

Balanced anaesthesia, implicit memory during; lack of evidence (Bonebakker et al.), 657

Barotrauma during intratracheal jet ventilation, prevention of (Baer), 544 (c)

Basal ganglia disease, clinical features of neuroleptic malignant syndrome in; presentation in patient with Hallervorden-Spatz disease in absence of neuroleptic drugs (Hayashi et al.), 499

Baxter disposable patient-controlled analgesia system; laboratory assessment (Davidson, Dryden & Smith), 243

Baxter infusor, a comparison of epidural diamorphine with intravenous patient controlled analgesia using, following Caesarean section (Stoddart et al.), 1086 (f)

Beard, Arthur John Wells (Lumley), 843

Behavioural factors: critical incident 10 years later (Wilson et al.), 737 (c)

Benzodiazepine sedation and interaction of H2-receptor antagonists (Sanders et al.), 286

Berman II intubating airway compared with a split laryngeal mask for training in fibreoptic tracheal intubation (Darling, Keohane & Murray), 1079

Beta-endorphin release in children; effects of halothane and isoflurane (Garcia-Sanchez, Polo & Peran), 38

Bicore pulmonary monitor (Petros, Lamond & Bennett), 985

Bicore pulmonary monitor. A device to assess the work of breathing while weaning from mechanical ventilation (Petros, Lamond & Bennett), 985

Bite guard for laryngeal mask airway (Maltby, Loken & Low), 273 (c)

Blanket, space, wraps up problem of intra-operative heat loss (McGregor & Leach), 741 (c), 1020 (c)

Bleach solution, near-drowning in (Levy & Tzabar), 91 (c)

Blease front line anaesthetic machines: occlusion of machine gas delivery system pipelines (Hazard Notice), 654

Bleeding times: effect of low dose aspirin (Williams et al.), 331 (f)

Bleeding times, effect of low dose aspirin on (Orlikowski & Rocke: Williams & Findley), 915 (c)

Bleeding times: effect of low-dose aspirin (O'Kelly), 833 (c)

Blocked epidural filter (Moscovici & Dickson), 537 (c)

Blood clotting results, automated, affected by lipaemia (Law & Willatts), 1011 (c)

Blood flow changes in the arm and leg during spinal anaesthesia and vasopressor therapy with methoxamine (Fogarty & Howe), 387

Blood loss following tonsillectomy in children. A blind comparison of diclofenac and papaveretum (Thiagarajan et al.), 132

Blood ordering practices in obstetric units in the United Kingdom (Clark, Wardall & McGrady), 998 (f)

Blood pressure measurement accuracy; Finapres 2300e finger cuff (Jones et al.), 611

Blood pressure measurements and intravenous infusions (Nishina, Mikawa & Obara), 447 (c)

Blood pressure measurements, noninvasive, with single and twin-hose systems - do mixtures matter? (Amoore & Scott), 799

Blood sampling from arterial cannulae; alternative method (Alford, Kirton & Peacock), 530 (f)

Blood sampling from paediatric arterial cannulae (Smith), 924 (c)

Blood transfusion, major, torsades de pointes and long QT syndrome following (Espantman: Kulkarni), 93 (c)

Blood, venous, gas analysis, effect of vasodilatation on oxygen saturations measured by (Broome et al.), 415

Bloody tap: does it prevent postdural puncture headache (Khan, Stride & Cooper), 628 (f)

Bloody tap: does it prevent postdural puncture headache? (Beards et al.), 1111 (c)

Book reviews

ASSEM, E.-S. K. (ED): Monographs in allergy. Vol. 30. Allergic reactions to anaesthetists. Clinical and basic aspects, 362

COTÉ, RYAN, TODRES & GOUDSOUZIAN (EDS): A practice of anesthesia for infants and children, 650

FINK, MORRIS & STEPHEN (EDS): The history of anesthesia. Third International Symposium Proceedings, 931

GALFORD (ED): Problems in anesthesiology: approach to diagnosis, 362

GURMAN in collaboration with BAR-LAVIE: The education and teaching of anesthesiology in Israel, 932

HATFIELD & TRONSON: The complete recovery room book, 457

KAPLAN (ED): Vascular anesthesia, 96

MICHEL, GOODMAN & AITKENHEAD (EDS): Essay plans for anaesthesia exams, 651

PATEL (ED): Anaesthesia for burns, maxillofacial and plastic surgery, 931

READY & EDWARDS (EDS): Management of acute pain: a practical guide, 96

RYLAH (ED): Critical care of the burned patient, 457

SINATRA, HORD, GINSBERG & PREBLE (EDS): Acute pain. Mechanisms and management, 650

SUTCLIFFE: Life threatening problems in the emergency room, 458

TOBIN (ED): Contemporary management in critical care: respiratory monitoring, 97

Bodok seal misuse (Beards), 175 (c)

Bottle, 'non-empty' (Martin), 94 (c) Bottle, 'non-empty' (Connor, Connor & Wittmann), 647 (c)

Brachial plexus block, increasing the likelihood of success of (Hopkins & Bonney), 645 (c)

Bradycardias, vagal, bupivacaine protects against, during tracheal suction (Park & Slapak), 455 (c)

Bradypnoea after spinal anaesthesia, an unusual cause of (Staender & Hampl), 451 (c)

Brain-dead organ donors, haemodynamic responses to surgery in (Pennefather, Dark & Bullock), 1034

Brainstem auditory evoked response during propofol anaesthesia in children (Purdie & Cullen), 192

Breast feeding and anaesthesia (Lee & Rubin), 616

Breath monitoring device, evaluation of (Amin et al.), 608

Breathing: additional work imposed by Mapleson A systems (Ooi, Pattison & Soni), 599

Breathing system, anaesthetic, closed, computer-controlled (Lockwood, Chakrabarti & Whitwam), 690

Breathing system, anaesthetic, Lack, parallel (Ooi et al.), 409

Breathing system, closed, evaluation of anaesthetic loss from (Lockwood, Chakrabarti & Whitwam), 564

Breathing system failure, covert (Richardson & Bickford-Smith: Lowe), 541 (c)

Breathing system filters can affect the performance of anaesthetic monitors (Costigan & Snowdon), 1015 (c)

Breathing system, Intersurgical Mapleson F, a problem with (White & Spargo: Williams), 825 (c)

Breathing system, Mapleson D, coaxial, integrity testing (Jones: White), 917 (c)

Breathing system, minilink; resistance and suitability for spontaneous ventilation (O'Meara et al.), 235

Bronchoscopy, fibreoptic; diagnosis aided by the laryngeal mask airway (Lawson & Lloyd-Thomas), 790

Bronchospasm during epidural anaesthesia (Serpell), 1018 (c)

Bronchospasm, severe, during epidural anaesthesia (Wang & Ong), 514

Bullard, laryngoscope and high frequency jet ventilation; anaesthesia for procedures on the larynx and pharynx (Mendel & Bristow), 263

Bupivacaine, 0.5%, isobaric, influence of diamorphine on spinal anaesthesia induced with (Abuzaid et al.), 492

Bupivacaine and diamorphine, an audit of extradural infusion analgesia in children using (Wilson & Lloyd-Thomas), 718 (f)

Bupivacaine: coeliac plexus block reduces intestinal dysfunction in neurosurgical ICU patients (Weinstabl et al.), 162 (f)

Bupivacaine protects against vagal bradycardias during tracheal suction (Park & Slapak), 455 (c)

Bupivacaine with either sufentanil or fentanyl, a comparison; epidural infusions for nulliparous women in labour (Russell & Reynolds),

Buprenorphine, epidural, combined with intramuscular ketorolac, respiratory depression following (Jain & Shah), 898

Caesarean section: anaesthesia in a patient with paroxysmal ventricular tachycardia (Field & Barton), 593

Caesarean section, anaphylactoid reaction following spinal anaesthesia for (Allman), 545 (c)

Caesarean section, cardiorespiratory arrest following combined spinal epidural anaesthesia for (Myint, Bailey & Milne), 684

Caesarean section: combined spinal/epidural anaesthesia (Westbrook & Carrie: Lyons, Macdonald & Mikl), 172 (c)

Caesarean section, combined spinal/epidural anaesthesia for (Diebold), 535 (c)

Caesarean section: comparison of epidural diamorphine with patient controlled analgesia using the Baxter infusor (Stoddart et al.), 1086 (f)

Caesarean section, elective, leg elevation and wrapping in prevention of appotension following spinal anaesthesia for (Rout, Rocke & Gouws), 304

Caesarean section, general anaesthesia; noradrenaline response (Levy), 640 (c)

Caesarean section, general anaesthesia for (Thomas), 739 (c)

Caesarean section: pruritus, PCAs and pain (Wright, Thompson & Mathews), 449 (c)

Caesarean section under regional anaesthesia, personality traits as predictors of anxiety prior to (Thorp et al.), 946

Caesarean section, unexpectedly high spinal anaesthesia following failed extradural anaesthesia for (Kick & Böhrer), 271 (c) Caesarean section, unexpectedly high spinal anaesthesia following failed extradural anaesthesia for (Dell & Orlikowski), 641 (c)

Canadian Anaesthetists' Society (Maltby & Shephard), 456 (c)

Cannula, intravenous, indwelling, adult's, suxamethonium in the deadspace of (Stone), 838 (c)

Cannulae, arterial, alternative method of blood sampling from (Alford, Kirton & Peacock), 530 (f)

Cannulae, arterial, blood sampling from (Smith), 924 (c)

Cannulation, arterial, complicated by broken needle (Ramsay), 178 (c)

Cannulation, internal jugular vein, aided by the 'SiteRite' ultrasound machine (Armstrong, Cullen & Scott), 319

Cannulation, venous, and local anaesthesia (Hall: Deacock), 350 (c)

Cannulation, venous, in children, an evaluation of a new self-adhesive patch preparation of amethocaine for topical anaesthesia prior to (Doyle et al.), 1050

Cannulation, venous, and ethyl chloride (Scott), 839 (c)

Cannulation, venous, painless; a childish approach (McEwan), 1021 (c)

Cannulation, venous; patient factors and lignocaine efficacy (Van der Berg & Abeysekera), 84 (c)

Capnography and awareness (Hough & Cone), 445 (c)

Capnothorax: implications for the anaesthetist (Peden & Prys-Roberts), 664

Carbon dioxide cylinder yoke, vacant, leakage of fresh gas from (Stoneham, Ismail & Sansome), 730 (c)

Carbon dioxide tensions, arterial, following intracranial surgery, a comparison of the effect of isoflurane and propofol on (Wilson et al.), 955

Carcinoid syndrome and catecholamines (Cross), 81 (c)

Cardiac arrest and undiagnosed Jervell and Lange-Nielsen syndrome (Lam: Holland), 738 (c)

Cardiac arrest under anaesthesia in a child with previously undiagnosed Jervell and Lange-Nielsen syndrome (Holland), 149

Cardiac output measurement and continuous venovenous haemofiltration (Thompson & Barker), 1105 (c)

Cardiac surgery, anaphylactic reaction to aprotinin during (Dewachter et al.), 1110 (c)

Cardiac surgery, propofol-fentanyl anaesthesia; comparison in patients with good and impaired ventricular function (Phillips et al.), 661

Cardiomyopathy, peripartum, veno-venous haemofiltration in (Beards, Freebairn & Lipman), 1065

Cardiomyoplasty, anaesthesia for (Greenhalgh, Barman & Hooper), 972

Cardiopulmonary bypass: effect on cholinesterase activity (Shearer & Russell), 293

Cardiopulmonary bypass in humans, a comparison of two systems for assessing cerebral venous oxyhaemoglobin saturation during (Brown, Wright & Royston), 697

Cardiopulmonary resuscitation, evaluation of pulse oximetry during (Spitall), 701

Cardiopulmonary resuscitation, setting standards for (Ward), 655

Cardiorespiratory arrest following combined spinal epidural anaesthesia for Caesarean section (Myint, Bailey & Milne), 684

Cardiovascular beat-to-beat signals in man, effects of thiopentone, etomidate and propofol on (Scheffer et al.), 849

Careers: what next after the Fellowship? (Mills & Weston), 444 (c) Carpal tunnel syndrome and prolonged anaesthesia (Coe), 833 (c)

Cataract surgery, day case, comparison of percutaneous and perconjunctival routes of administration of peri-ocular anaesthesia (Sweeney, Barber & Prosser), 336 (f)

Cataract surgery, day case, percutaneous versus subconjunctival injection for eye blocks (Nicoll), 830 (c)

Cataract surgery, day-case, dexmedetomidine as intramuscular premedication in (Virkkilä et al.), 482

Cataract surgery: local anaesthesia without a facial nerve block (Sanchez-Capuchino, Meadows & Morgan), 428 (f)

Cataract surgery: local versus general anaesthesia (Campbell et al.), 422 (f)

Cataract surgery, metabolic and hormonal response to; comparison between retrobulbar and peribulbar blockade (Barker et al.), 488

Catecholamine levels, pre-operative, raised, phaeochromocytoma without (Nishina, Mikawa & Obara), 176 (c)

Catecholamine response to laryngoscopy and intubation after thiamylal or ketamine induction of anaesthesia (Marx & Rosner), 274 (c)

Catecholamine response to laryngoscopy and intubation: on the importance of sampling site (Baumgartner et al.), 359 (c)

Catecholamines and the carcinoid syndrome (Cross), 81 (c)

Catheter, double, with a single interspace, in combined continuous spinal-epidural anaesthesia (Vercauteren et al.), 1002 (f)

Catheter, epidural, delayed cutaneous fluid leak from the puncture hole after removal of (Ennis & Brock-Utne), 317

Catheter, epidural, difficult removal of (Day), 448 (c)

Cath

Catl

Cau

Cere

Cere

Cere

Che

Chi

Chi

Chi

Chi

Chi

Chi Chi Chi Chi Chi Chi Chi Chi Chi

Chi

Chi

Chi Chi 2-C Chl Cho

Cho Cho Cho Cim Ciro

Clir

Catheter, epidural, faulty (Baranowski & Nandi: Howell), 1015 (c)

Catheter, epidural, new; closer eyes for safety? (Collier & Gatt), 803

Catheter, epidural, trapped (Moscovici & Prego), 536 (c)

Catheter, insufflation, metal, used for ventilation of the lungs in laser surgery of the larynx (Mallios et al.), 359 (c)

Catheter, intrapleural, and chest drain for post-thoracotomy pain relief (Broome, Sherry & Reilly), 724 (f)

Catheter mount and tracheostomy tube; problems (Spittal & Monk: Le Poidevin: Padua), 354 (c)

Catheter mount, faulty (Potparic & Cook), 929 (c)

Catheter placement, airway exchange, Cook, via the laryngeal mask airway (Brimacombe & Berry), 351 (c)

Catheter placement, intravascular, confirmation of, by pulse oximetry following indocyanine green injection (Böhrer, Schmidt & Bach). 647 (c)

Catheter, pulmonary artery, faulty (Patla et al.: Mooney, Holt & Passafaro), 828 (c) Catheter, spinal, 32-gauge, a problem with (Little et al.: McGuirk, 90 (c)

Catheter, triple-lumen, another hazard of (Gan & Webb: Mitchell), 538 (c)

Catheterisation, epidural, pain and the paramedian approach to (Uncles & Carrie: Ralston & Head-Rapson), 641 (c)

Catheterisation, jugular vein, alternative technique for (Patel & Levison: Latto, Hughes & Falconer), 834 (c)

Catheterisation, trans-septal left atrial (Fukutome et al.), 407

Catheters, caudal, epidural anaesthesia through, for inguinal herniotomies in awake ex-premature babies (Peutrell & Hughes), 128

Catheters, embolisation, Magic (Recall Hazard 93 20), 934

Catheters, epidural; breaking and extraction forces (Davies, Vaughan & Richards), 900

Catheters, epidural, paediatric (Gill & Mackinnon: Drury), 924 (c)

Catheters, multilumen, infusion delays through, using standard syringe pumps (Owens), 643 (c)

Catheters, pulmonary artery; a new complication (Sorooshian & Sinclair), 741 (c)

Catheters, subarachnoid, management of accidental dural punctures with (Samaan & Russell), 451 (c)

Caudal catheters, epidural anaesthesia through, for inguinal herniotomies in awake ex-premature babies (Peutrell & Hughes), 128

Cerebral haemodynamics during xenon anaesthesia; transcranial Doppler sonography study (Luttropp et al.), 1045

Cerebral haemodynamics, intra-operative monitoring of, in a patient with Takayasu's arteritis (Kawaguchi et al.), 496

Cerebral oxyhaemoglobin saturation assessment during cardiopulmonary bypass in humans; comparison of two systems (Brown, Wright & Royston), 697

Cerebrospinal fluid aspiration; not always a dural tap (Cantelo & Walsh), 452 (c)

Cerebrospinal fluid flashback in 29 gauge needles, acceleration of (Dimitriou, Hennessy & Mahajan), 86 (c)

Cerebrospinal fluid flashback in spinal needles (Cartwright), 830 (c)

Cervical spine disease; awake fibreoptic intubation technique (Sidhu et al.), 910 (f)

Cervical spine injuries, potential, and cricoid pressure (Hartley), 1113 (c)

Cervical spine injuries, potential; orotracheal intubation; gum elastic bougie (Nolan & Wilson), 630 (f)

Cervical spine injury, airway management in (Lavery, McCoy & Johnston: Wood & Lawler), 443 (c)

Cervical spine instability; use of the laryngeal mask airway (Brimacombe & Berry), 670

Checking anaesthetic machines (Higham & Beck: Lake & Webb), 536 (c)

Checking practices for anaesthetic machines (Zorab), 267 (c)

Checklist, Association of Anaesthetist's, for anaesthetic machines; problem with detection of significant leaks (Jackson & Wilson), 152

Checklists or visual aids in the checking of anaesthetic machines? (Adams & Morgan), 183

Checks: Mapleson D coaxial breathing system integrity testing (Jones: White), 917 (c)

Checks on anaesthetic machines during anaesthesia (Tighe & Jones), 88 (c)

Chest drain and intrapleural catheter for post-thoracotomy pain relief (Broome, Sherry & Reilly), 724 (f)

Chewing gum during the pre-operative fast (Maltby), 453 (c)

Child with a cold, anaesthetic death of (Bloch), 171 (c)

Child with a cold. anaesthetic death of (Jones), 642 (c)

Child with Duchenne muscular dystrophy, increased propofol requirements in (Fairfield), 1013 (c)

Child with hepatitis A; use of propofol (Shaw), 591

Child with previously undiagnosed Jervell and Lange-Nielsen syndrome, cardiac arrest under anaesthesia in (Holland), 149

Childish approach to painless venous cannulation (McEwan), 1021 (c)

Children: a modified sensor for pulse oximetry (Howell, Blogg & Ashby), 1083

Children: an audit of extradural infusion analgesia using bupivacaine and diamorphine (Wilson & Lloyd-Thomas), 718 (f)

Children: anaesthesia for airway obstruction in laryngo-onycho-cutaneous syndrome (Hodges & Lloyd-Thomas), 503

Children, anaesthetists' attitudes to parental presence at induction of general anaesthesia in (Roman, Barker & Reilly), 338 (f)

Children and 'smelly agents' (Mather), 540 (c)

Children and 'smelly agents' (Mayhew), 1021 (c)

Children: blood loss following tonsillectomy; comparison of diclofenac and paraveretum (Thiagarajan et al.), 132

Children, brainstem auditory evoked response during propofol anaesthesia in (Purdie & Cullen), 192

Children: comparison between mivacurium and suxamethonium (Mangat et al.), 866

Children: comparison of propofol and methohexitone for dental chair anaesthesia (Ewah & Carr), 260 (f)

Children: continuous paravertebral block (Johnson), 93 (c)

Children: effects of halothane and isoflurane on beta-endorphin release (Garcia-Sanchez, Polo & Peran), 38

Children: evaluation of a new self-adhesive patch preparation of amethocaine for topical anaesthesia prior to venous cannulation (Doyle

Children in intensive care, tracheal intubation of (O'Meara & Buckley), 181 (c)

Children, plasma concentrations of lignocaine after thoracic paravertebral blockade in (Lönnqvist), 958

Children see also Paediatric

2-Chloroprocaine compared with prilocaine for intravenous regional anaesthesia of the arm, 1091 (f)

Chloroprocaine, epidural, for day procedures; preliminary assessment (Allen, Fee & Moore), 773

Cholecystectomy, sinus arrest during (Cooney & Jones), 744 (c)

Cholinesterase activity, effect of cardiopulmonary bypass on (Shearer & Russell), 293

Cholinesterase activity, suxamethonium-induced muscle pains are not related to (Ansermino et al.), 1097 (f)

Cholinesterase, plasma, deficiency, fresh frozen plasma and edrophonium in a patient with (Smith, Ridley & Donaldson), 511

Cimetidine: effects on recovery after intravenous midazolam (Sanders et al.), 286

Circumcision, EMLA cream for analgesia after (McLeod), 925 (c)

Clinical practice: persuasion and the three 'Rs' (van den Berg), 449 (c)

Clinical significance of the growth of micro-organisms in propofol (Quinn et al.), 923 (c)

Day Day

Day Dea Dea

Dea Dea Dea Dea Dea Den Den Den Den Den Den Der Des Dev Dex Dex

> Dia Dia Dia Dia Dia Dia Dia

Dia

Dia

Dia

Dic Diff Diff Disc Dog Dop Dos Dos Dos Drä Drä Dra

Dic

Dre Dre Dro Dru Dru Du Du Du Du Du Du

Du Du Dys Ech 'Ec Ecs 'Ec 'Ec

Dic Dic

Du

'Ec Edi

Closed loop control of arterial hypertension following intracranial surgery using sodium nitroprusside. A comparison of intra-operative halothane or isoflurane (Mackenzie et al.), 202 Cocaine dosage in rhinosurgery (Pac Soo & Taggart), 273 (c)

Cocaine dosage in rhinosurgery (Parr), 739 (c)

Codeine, parenteral (Semple, Macintyre & Hooper), 539 (c)

Coeliac plexus block with bupivacaine reduces intestinal dysfunction in neurosurgical ICU patients (Weinstabl et al.), 162 (f)

Cold, anaesthetic death of a child with a (Bloch), 171 (c) Cold, anaesthetic death of a child with a (Jones), 642 (c)

Complication: broken needle in arterial cannulation (Ramsay), 178 (c)

Complication, new; pulmonary artery catheters (Sorooshian & Sinclair), 741 (c)

Complication of Vocalaid (Akhtar & Bell), 272 (c)

Complications: ecstasy intoxication and the role of dantrolene (Webb & Williams), 542 (c)

Complications: subcutaneous emphysema, pneumomediastinum and pneumothorax in laparoscopic vagotomy (Chui, Gin & Chung), 978

Computer program; infusion charts for inotropes (Allen), 78 (c) Computer-based anaesthetic audit system, accuracy of (Lillywhite & Ward), 885

Computer-controlled closed anaesthetic breathing system (Lockwood, Chakrabarti & Whitwam), 690

Congenital diaphragmatic hernia, near fatal pulmonary hypertension after; use of inhaled nitric oxide (Frostell et al.), 679

Connectors, tracheal tube, 8.5 mm, Portex, a problem with (May & Kirton: Howell), 348 (c)

Connectors, tracheal tube, prevention of accidental facial injuries caused by (Cain & Howell), 361 (c)

Continuous infusion of epidural fentanyl; effect on oxyhaemoglobin saturation after abdominal surgery (Owen et al.), 20

Continuous paravertebral block in children (Johnson), 93 (c)

Continuous positive airway pressure see CPAP

Continuous spinal anaesthesia in acute respiratory failure (Grace & Orr), 226

Continuous subarachnoid infusion of local anaesthetic (Morton, Armstrong & McClure), 333 (f)

Convulsion following day case anaesthesia (Russell & Kenny), 444 (c)

Convulsions following day case anaesthesia (Hutchison), 824 (c)

Convulsions following ketamine and atropine (Burmeister-Rother, Streatfeild & Yoo), 82 (c)

Cook airway exchange catheter placement via the laryngeal mask airway (Brimacombe & Berry), 351 (c)

Coronary artery bypass graft surgery; topical nitroglycerine prevents the pressor response to tracheal intubation and sternotomy (Mahajan, Ramachandran & Saxena), 297

Cost of anaesthesia for minor surgery (Young, Tighe & Hall), 820 (c)

Cost of anaesthesia: staff awareness, cost comparisons and recommendations for economic savings (Bailey, Ruggier & Cashman), 906 (f) Cost-benefit analysis of intensive therapy (Ridley, Biggam & Stone), 14

Costs (Gilston), 838 (c)

Counselling, pre-anaesthetic (Fozard), 1119 (c)

CPAP and minitracheotomy (Shaw & Thompson), 537 (c)

CPAP: the Whisperflow adjustable flow generator (Ali & Fisher), 646 (c)

CPAP via a minitracheostomy (Jones), 1021 (c)

CPAP with a face mask, skin necrosis following (Smurthwaite & Ford), 147

Craniotomy, closed loop control of arterial hypertension following, using sodium nitroprusside (Mackenzie et al.), 202

Creatinine and <sup>31</sup>Cr-EDTA clearance after liver transplantation (Burns et al.), 763 <sup>51</sup>Cr-EDTA and creatinine clearance after liver transplantation (Burns et al.), 763

Cricoid pressure and nasogastric tubes (Vanner & Pryle), 1112 (c)

Cricoid pressure and potential cervical spine injuries (Hartley), 1113 (c)

Critical illness, thyrotropin concentration predicts outcome in (Rothwell, Udwadia & Lawler), 373 Critical incident 10 years later - ability to cope and other behavioural factors (Wilson et al.), 737 (c)

Critical incident reporting in an anaesthetic department quality assurance programme (Short et al.), 3

Critical incidents: oxygen flush buttons (Morris & Barclay), 1115 (c)

Critically ill patients, haemodynamic effects of dopexamine infusion in (Gray & Park), 77 (c)

Critically ill patients, intravenous magnesium therapy in (James), 1014 (c) Critically ill patients, the effects of midazolam on the EEG during sedation of (Veselis et al.), 463

CS gas-implications for the anaesthetist (Bhattacharya & Hayward), 896 Cuff, finger, Finapres 2300e; accuracy of blood pressure measurement (Jones et al.), 611

Cuff inflation and insertion of the laryngeal mask airway (Brimacombe & Berry), 79 (c)

Cuff, tracheal, failure, unexpected cause of (Palmer: Balchin), 347 (c)

Cuff, tracheal, pressure control valve, Miller (Payne & Miller), 324

Cuff, tracheal tube, deflated, with inflated pilot balloon (Bhanumurthy, McCaughey & Graham), 1109 (c)

Cutaneous fluid leak, delayed, from the puncture hole after removal of an epidural catheter (Ennis & Brock-Utne), 317 Cylinder yoke, CO<sub>2</sub>, vacant, leakage of fresh gas from (Stoneham, Ismail & Sansome), 730 (c)

Dantrolene and 'ecstasy' overdose (Larner), 179 (c)

Dantrolene in exertional heat stroke induced by amphetamine analogues (Watson et al.), 1057

Dantrolene: role in ecstasy intoxication (Webb & Williams), 542 (c)

Dantrolene therapy in avoidance of intermittent positive pressure ventilation in tetanus (Checketts & White), 969

Dantrolene treatment of 'ecstasy' overdose (Campkin & Davies: Stone), 82 (c)

Datex cardiocap monitors: disconnection and inspired oxygen alarms; a hazard (Vreede & Liban: Salmenkylä), 739 (c)

Day case anaesthesia, convulsion following (Russell & Kenny), 444 (c)

Day case anaesthesia, convulsions following (Hutchison), 824 (c)

Day case anaesthesia, single dose alfentanil in (Bagshaw, Singh & Aitkenhead), 476

Day case cataract surgery: comparison of percutaneous and perconjunctival routes of administration of peri-ocular anaesthesia (Sweeney, Barber & Prosser), 336 (f)

Day case cataract surgery; percutaneous versus subconjunctival injection for eye blocks (Nicoll), 830 (c)

Day case laparoscopy, analgesia for (Millar), 168 (c)

Day procedures, epidural chloroprocaine for (Allen, Fee & Moore), 773

Day-care surgery: classification and severity of postdural puncture headache (Corbey, Berg & Quaynor), 776

Day-case anaesthesia; propofol and malignant hyperthermia (Khan & Cooper), 455 (c)

Day-case arthroscopy of the knee joint; comparison of diclofenac and ketorolac for postoperative analgesia (Morrow, Bunting & Milligan), 585

Day-case cataract surgery, dexmedetomidine as intramuscular premedication in (Virkkilä et al.), 482

Day-case surgery; anxiety levels following anaesthesia; comparison of propofol with thiopentone (Winwood & Jago), 581

Daycase surgery, ginger as antiemetic for (Phillips, Ruggier & Hutchinson), 715 (f)

Deadspace of an adult's indwelling intravenous cannula, suxamethonium in (Stone), 838 (c)

Death: a time to die (Byrnes), 1025

Death, anaesthetic, of a child with a cold (Bloch), 171 (c)

Death, anaesthetic, of a child with a cold (Jones), 642 (c)

Deaths associated with dentistry and dental disease 1980-1989 (Coplans & Curson), 435 (f)

Deaths associated with dentistry and dental disease 1980-1989 (Erratum) (Coplans & Curson), 654

Deaths associated with dentistry (Brett & Jack: Copmans & Curson), 1102 (c)

Dental chair anaesthesia for children; comparison of propofol and methohexitone (Ewah & Carr), 260 (f)

Dentistry and dental disease, deaths associated with, 1980-1989 (Coplans & Curson), 435 (f)

Dentistry and dental disease, deaths associated with, 1980-1989 (Erratum) (Coplans & Curson), 654

Dentistry, deaths associated with (Brett & Jack: Copmans & Curson), 1102 (c)

Dentures, post-induction removal of (Higgins & Berg), 448 (c)

Dentures, postinduction removal of (Mulder), 1022 (c)

Dermal patch anaesthesia: comparison of 10% lignocaine gel with absorption promoter and EMLA cream (Sakamoto et al.), 390

Desflurane and propofol anaesthesia compared for minor gynaecological laparoscopic surgery (Graham & Aitkenhead), 471 Developing world, use of the laryngeal mask in (Stott), 450 (c)

Dexamethasone reduces pain and swelling following extraction of third molar teeth (Baxendale, Vater & Lavery), 961

Dexmedetomidine as intramuscular premedication in outpatient cataract surgery. A placebo-controlled-dose ranging study (Virkkilä et

Diamorphine and bupivacaine, an audit of extradural infusion analgesia in children using (Wilson & Lloyd-Thomas), 718 (f)

Diamorphine and morphine, histamine release by, in man (Withington, Patrick & Reynolds), 26

Diamorphine, epidural, compared with intravenous patient controlled analgesia using the Baxter infusor following Caesarean section (Stoddart et al.), 1086 (f)

Diamorphine: influence on spinal anaesthesia induced with isobaric 0.5% bupivacaine (Abuzaid et al.), 492

Diaphragm, perforated, in a syringe (Jackson: Thorp), 270 (c)

Diaphragmatic movement suppression during tracheal suction in patients with raised intracranial pressure; level of neuromuscular block needed; a study with vecuronium and atracurium (Werba et al.), 301

Diaphragmatic palsies, bilateral, following abdominal tamponade (Lachmann, Calne & Park), 914 (c)

Diaphragmatic paralysis, bilateral, postoperative, and subsequent anaesthesia (Morgan), 975

Diathermy and failure of cardiac pacemakers (Goodman: Kellow), 824 (c)

Diathermy, unipolar, an inappropriate recommendation for minimising the risk of pacemaker failure during (Keller & Knickerbocker), 825 (c)

Diclofenac and ketorolac compared for postoperative analgesia floowing day-case arthroscopy of the knee joint (Morrow, Bunting & Milligan), 585

Diclofenac compared with ketorolac for analgesic effect (Chan & Ramachandra), 1117 (c)

Diclofenac compared with papaveretum; blood loss following tonsillectomy in children (Thiagarajan et al.), 132

Diclofenac injection, neurogenic pain associated with (de Courcy & Nicholls), 455 (c)

Difficult intubation see Intubation

Difficult removal of an epidural catheter (Day), 448 (c)

Disconnection and inspired oxygen alarms - a hazard (Vreede & Liban: Slamenkylä), 739 (c)

Dopexamine infusion in the critically ill; haemodynamic effects (Gray & Park), 77 (c)

Doppler sonography, transcranial; cerebral haemodynamics during xenon anaesthesia (Luttropp et al.), 1045

Dosage, cocaine, in rhinosurgery (Parr), 739 (c)

Dosage of cocaine in rhinosurgery (Pac Soo & Taggart), 273 (c)

Dose-response for analgesic effect of amitriptyline in chronic pain (McQuay, Carroll & Glynn), 281

Dräger Narkomed 4: machine fault (Royle & Chay: Brennan), 921 (c)

Dräger Sujector 2000 suction unit: evaluation (Simon, Davidson & Boom), 807

Drainage systems, pleural (Kam, O'Brien & Kam), 154

Dress: influence on patient perception of the anaesthetist's prestige (Hennessy, Harrison & Aitkenhead), 219

Dress: patient attitudes to anaesthetists (Robinson), 839 (c)

Droperidol addition to patient-controlled analgesia: effect on nausea and vomiting (Williams et al.), 881

Drug infusion calculations (Gay), 927 (c)

Drug-induced hyperthermia (Nimmo et al.), 892

Duchenne muscular dystrophy, increased propofol requirements in a child with (Fairfield), 1013 (c)

Dural puncture, headache after; classification and severity (Corbey, Berg & Quaynor), 776

Dural puncture headache and bloody tap (Khan, Stride & Cooper), 628 (f)

Dural puncture headache and bloody tap (Beards et al.), 1111 (c)

Dural punctures, accidental, management with subarachnoid catheters (Samaan & Russell), 451 (c)

Dural tap; aspiration of cerebrospinal fluid (Cantelo & Walsh), 452 (c)

Dural taps; loss of resistance; saline versus air (Thorpe & Sutherland), 742 (c)

Dural taps revisited. A 20-year survey from Birmingham Maternity Hospital (Stride & Cooper), 247

Dural taps revisited (Patel & Levison: Stride & Cooper), 822 (c)

Dystrophic epidermolysis bullosa, anaesthetic management of patients with (Griffin & Mayou), 810

Echocardiography, transoesophageal; left ventricular performance during xenon anaesthesia (Luttropp et al.), 1045

'Ecstasy' ingestion with a peak temperature of 42°C, survival following (Logan et al.), 1017 (c)

Ecstasy intoxication: appreciation of complications and the role of dantrolene (Webb & Williams), 542 (c)

'Ecstasy' misuse—overdose or normal dose? (Barrett), 83 (c) 'Ecstasy' overdose and dantrolene (Larner), 179 (c)

'Ecstasy' overdose treated with dantrolene (Campkin & Davies: Stone), 82 (c)

Editorials

nev.

A time to die? (Byrnes), 1025

Arthur John Wells Beard (Lumley), 843

Checking anaesthetic machines - checklists or visual aids? (Adams & Morgan), 183

Depth of anaesthesia (Newton), 367

Getting back to normal (Fee), 745

Histamine release and neuromuscular blocking drugs (Hunter), 561

Minimally invasive therapy - implications for anaesthesia (Whitwam), 937

Percutaneous dilational tracheostomy. Completing the anaesthetist's range of airway techniques (Bodenham), 101

Second thoughts on the train-of-four (Feldman), 1

Setting standards for cardiopulmonary resuscitation (Ward), 655

Where now? The anaesthetist's development in management (Chalmers et al.), 279

William Woolf Mushin, CBE, DSc, FRCS, FRCA, FANZCA, FFA(SA), DA (Lunn), 461 Edrophonium and fresh frozen plasma in a patient with a plasma cholinesterase deficiency (Smith, Ridley & Donaldson), 511 Etl

Ete

E

Ex

Ey

Ey

Ey

Ey

Ey

Ey

Fa

Fa

Fa

Fa

Fa

Fa

Fa

Fa

Fe

Fe

Fe

Fe

Fe

Fi

Fi

Fi

Fi

Fi

Fi

Fi Fi

Fi

Fi

Fi

Fi

Fi Fi

Fi

F

F F

G

GG

G

G

GGGG

G

G

G

Edrophonium reversal; influence on response to atracurium (Shorten & Ali), 524 (f)

Ejection fraction, right ventricular, measurement by thermodilution (Cockroft & Withington), 312

Elderly patients, combined infusions of morphine and ketamine for postoperative pain in (Edwards et al.), 124

Elderly patients, histamine release following atracurium in (Shorten, Goudsouzian & Ali), 568

Elderly patients' preferences concerning life-support treatment (Heap et al.), 1027 Eldor combined spinal/epidural needle (Eldor), 173 (c)

Electrocardiographic changes: are they the first sign of impending peri-operative pneumothorax? (Brock-Utne & Botz), 543 (c)

Electroconvulsive therapy and mivacurium (Burnstein & Denny), 1116 (c)

Electroconvulsive therapy and propofol (Webb & Rouse), 1019 (c)

Electroencephalogram, effects of midazolam on, during sedation of critically ill patients (Veselis et al.), 463

Elimination kinetics of volatile anaesthetics; effects of management; implications for malignant hyperthermia treatment (Reber,

Schumacher & Urwyler), 862

Eltanolone for induction of anaesthesia and to supplement nitrous oxide for minor gynaecological surgery (Rajah, Powell & Morgan),

EMLA cream compared with 10% lignocaine gel with absorption promoter, in dermal patch anaesthesia (Sakamoto et al.), 390

EMLA cream for postcircumcision analgesia (McLeod), 925 (c)

EMLA cream for skin anaesthesia prior to epidural insertion in labour (Ralston & Head-Rapson), 65 (f)

Emphysema, subcutaneous, complicating laparoscopic vagotomy (Chui, Gin & Chung), 978

Emphysema, subcutaneous, in labour (Jayran-Nejad), 139

Emphysema, surgical, and Vocalaid (Akhtar & Bell), 272 (c)

Enflurane anaesthesia in spontaneously breathing patients, implicit learning during? (Jelicic et al.), 766

Enflurane wastage; keyed and non-keyed vaporizer filling modes (Uncles), 795

ENT and eye anaesthesia: to spray or not to spray - a rationalisation (van den Berg, Honjol & Parmar), 742 (c)

Entonox-isoflurane for analgesia in labour (Woodward), 1011 (c)

Epidural anaesthesia, bronchospasm during (Serpell), 1018 (c)

Epidural anaesthesia, Horner's syndrome due to, presenting with a painful eye (Abdelatti), 1019 (c)

Epidural anaesthesia, severe bronchospasm during (Wang & Ong), 514

Epidural anaesthesia through caudal catheters for inguinal herniotomies in awake ex-premature babies (Peutrell & Hughes), 128

Epidural analgesia during normal labour; current practice in the United Kingdom (Davies, Harrison & Ryan), 63 (f)

Epidural analgesia in labour, severe pain from a subcutaneous haematoma following (Sah), 928 (c)

Epidural analgesia; not another high block (Wright), 175 (c)

Epidural block, anaphylactoid reaction following local anaesthesia for (Thomas & Caunt), 50

Epidural block, anaphylactoid reaction following local anaesthesia for (Wildsmith), 916 (c)

Epidural blockade, lumbar: can it reduce postoperative pain following lower abdominal surgery? (Pryle et al.), 120

Epidural blockade, lumbar; pre-emptive analgesia (Edmondson: Pryle et al.), 922 (c)

Epidural buprenorphine combined with intramuscular ketorolac, respiratory depression following (Jain & Shah), 898

Epidural catheter, delayed cutaneous fluid leak from the puncture hole after removal of (Ennis & Brock-Utne), 317

Epidural catheter, difficult removal of (Day), 448 (c)

Epidural catheter, faulty (Baranowski & Nandi: Howell, 1015 (c)

Epidural catheter, new; closer eyes for safety? (Collier & Gatt), 803

Epidural catheter, trapped (Moscovici & Prego), 536 (c)

Epidural catheterisation, pain and the paramedian approach to (Uncles & Carrie: Ralston & Head-Rapson), 641 (c)

Epidural catheters. Breaking and extraction forces (Davies, Vaughan & Richards), 900

Epidural catheters, paediatric (Gill & Mackinnon: Drury), 924 (c)

Epidural chloroprocaine for day procedures; preliminary assessment (Allen, Fee & Moore), 773

Epidural diamorphine compared with intravenous patient controlled analgesia using the Baxter infusor following Caesarean section (Stoddart et al.), 1086 (f)

Epidural fentanyl administered by three different methods; effect on oxyhaemoglobin saturation after abdominal surgery (Owen et al.),

Epidural filter, blocked (Moscovici & Dickson), 537 (c)

Epidural infusions for nulliparous women in labour. A randomised double-blind comparison of fentanyl/bupivacaine and sufentanil/ bupivacaine (Russell & Reynolds), 856

Epidural insertion in labour, use of EMLA cream for skin anaesthesia prior to (Ralston & Head-Rapson), 65 (f)

Epidural mexilitine (Symington, Murthy & Milligan), 925 (c)

Epidural patient-controlled analgesia following post-traumatic pelvic construction (Mackenzie & Woodward: Nolan, Dow & Parr), 736

Epidural spinal combined anaesthesia for Caesarean section, cardiorespiratory arrest following (Myint, Bailey & Milne), 684

Epidural tramadol for postoperative pain relief (Delilkan & Vijayan), 328 (f)

Epidural/spinal combined anaesthesia for Caesarean section (Westbrook & Carrie: Lyons, Macdonald & Mikl), 172 (c)

Epidural/spinal combined anaesthesia for Caesarean section (Diebold), 535 (c)

Epidural-spinal combined anaesthesia through the Portex set (Eldor: Westbrook & Carrie), 836 (c)

Epidural-spinal combined continuous anaesthesia with a single interspace double-catheter technique (Vercauteren et al.), 1002 (f)

Epidural/spinal needle, combined, Eldor (Eldor), 173 (c)

Equipment, back-up, necessity of (Harrison), 356 (c)

Equipment safety checks (Theaker & van Hasselt), 837 (c)

Errata, 557, 654, 1122, 1123

Ethnic comparison of suxamethonium myalgia with and without pancuronium pretreatment (Houghton et al.), 377

Ethnic comparison of the sympathetic response to tracheal intubation (Houghton et al.), 965

Ethyl chloride and venous cannulation (Scott), 839 (c)

Ethyl chloride, intranasal (Loan), 95 (c)

Etomidate: effect on beat-to-beat cardiovascular signals in man (Scheffer et al.), 849

'Eve' and hyperthermia (Tehan, Hardern & Bodenham), 507

Exertional heat stroke induced by amphetamine analogues. Does dantrolene have a place? (Watson et al.), 1057

Explosion during surgery for gastric outlet obstruction (Mills & Jones), 544 (c)

Extradural air as a cause of paraplegia following lumbar analgesia (Nay, Milaszkiewicz & Jothilingam), 402

Extradural air as a cause of paraplegia (Brimacombe & Tucker: Heavner: Milaskiewicz & Nay), 1106 (c)

Extradural anaesthesia and air (Yamashita), 1107 (c)

Extradural anaesthesia: effect on the ventilatory response to hypoxaemia (Sakura, Saito & Kosaka), 205

Extradural anaesthesia, failed, for Caesarean section, unexpectedly high spinal anaesthesia following (Kick & Böhrer), 271 (c)

Extradural anaesthesia, failed, for Caesarean section, unexpectedly high spinal anaesthesia following (Dell & Orlikowski), 641 (c)

Extradural anaesthesia, failed, management of; role of spinal anaesthesia (Jöhr, Hess & Gerber), 743 (c)

Extradural anaesthesia, subarachnoid block as an adjunct to (Rutter & Lyons), 831 (c)

Extradural infusion analgesia in children using bupivacaine and diamorphine, an audit of (Wilson & Lloyd-Thomas), 718 (f)

Extradural sufentanil, respiratory arrest following (Stienstra & Pannekoek), 1055

Eye and ENT anaesthesia: to spray or not to spray - a rationalisation (van den Berg, Honjol & Parmar), 742 (c)

Eye blocks, percutaneous versus subconjunctival injection for (Nicoll), 830 (c)

Eye, painful, Horner's syndrome due to epidural anaesthesia presenting with (Abdelatti), 1019 (c)

Eye surgery, fixing the laryngeal mask airway during (Bremner), 542 (c)

Eyes: a comparison of percutaneous and perconjunctival routes of administration of peri-ocular anaesthesia for day case cataract surgery (Sweeney, Barber & Prosser), 336 (f)

Eyes see also Cataracts; Intraocular

Face mask, skin necrosis following CPAP with (Smurthwaite & Ford), 147

Facemask and laryngeal mask, clinical comparison; training nursing staff in resuscitation (Martin et al.), 33

Facial injuries caused by tracheal tube connectors, prevention of (Cain & Howell), 361 (c)

Facial nerve block, local anaesthesia for eye surgery without (Sanchez-Capuchino, Meadows & Morgan), 428 (f)

Fast, pre-operative, chewing gum during (Maltby), 453 (c) Fasting: nil by mouth after midnight (Lulwani), 178 (c)

Fasting, pre-anaesthetic (Appadurai & Morris), 355 (c)

Fasting, pre-operative, audit of (Maclean & Renwick), 164 (f)

Fentanyl and halothane anaesthesia, neuromuscular effects of rocuronium bromide during (Cooper, Mirakhur & Maddineni), 103

Fentanyl and propofol act additively for induction of anaesthesia (Ben-Shlomo et al.), 111

Fentanyl, epidural, administered by three different methods; effect on oxyhaemoglobin saturation after abdominal surgery (Owen et al.), 20

Fentanyl, intranasal, titration for postoperative pain management in an unselected population (Striebel, Pommerening & Rieger), 753
Fentanyl/bupivacaine compared with sufentanil/bupivacaine; epidural infusions for nulliparous women in labour (Russell & Reynolds), 856

Fentanyl-propofol anaesthesia in cardiac surgery: a comparison in patients with good and impaired ventricular function (Phillips et al.), 661

Fibreoptic bronchoscopy: diagnosis aided by the laryngeal mask airway (Lawson & Lloyd-Thomas), 790

Fibreoptic intubation, awake; patients with cervical spine disease (Sidhu et al.), 910 (f)

Fibreoptic intubation. Influence of tracheal tube tip design (Jones, Pearce & Moore), 672

Fibreoptic intubation, learning (Wood, Dresner & Lawler: King), 182 (c)

Fibreoptic intubation, split laryngeal mask airway as an aid to (Darling, D'Arcy & Murray), 79 (c)

Fibreoptic laryngoscope, conversion of orotracheal to nasotracheal intubation with the aid of (Smith & Fenner), 1016 (c)

Fibreoptic laryngoscopy for assessment of position; the nasopharyngeal airway (Stoneham), 575

Fibreoptic nasotracheal intubation; intermittent thiopentone for teaching (Yentis, Jankowski & Gregory), 340 (f)

Fibreoptic nasotracheal intubation; intermittent thiopentone for teaching (Erratum) (Yentis, Jankowski & Gregory), 557 (f)

Fibreoptic tracheal intubation training: the split laryngeal mask compared with the Berman II intubating airway (Darling, Keohane & Murray), 1079

Filter, epidural, blocked (Moscovici & Dickson), 537 (c)

Filters, bacterial, protect anaesthetic equipment in a low-flow system (Luttropp & Berntman), 520

Filters, breathing system, can affect the performance of anaesthetic monitors (Costigan & Snowdon), 1015 (c)

Financial support for research (Reeder), 277 (c)

Finger cuff, Finapres 2300e; accuracy of blood pressure measurement (Jones et al.), 611

'Flo' computer program; infusion charts for inotropes (Allen), 78 (c)

'Floaters': use in training of anaesthetists (Brook), 343 (c)

Forearm, isolated, effect of voluntary tetanus on recovery of vecuronium block in (Gopinath et al.), 870

Foreign bodies in larynx (Kubota, Toyoda & Kubota), 173 (c)

Fuel cell oxygen analysers and Manley ventilators (Moore & Carter), 634 (c)

Gastric emptying, postpartum (Gin: Whitehead & O'Sullivan), 821 (c)

Gastric emptying rate is not affected by Zingiber officinale (Phillips, Hutchinson & Ruggier), 393

Gastric emptying times in pregnancy and the puerperium (Whitehead et al.), 53 (f)

Gastric outlet obstruction, explosion during surgery for (Mills & Jones), 544 (c)

Gastric pH effect of morphine and tubocurarine, influence of terfenadine and ranitidine on (Treuren et al.), 758

Gastro-oesophageal reflex and hiccup during anaesthesia (Vanner), 92 (c)

General anaesthesia and upper respiratory tract infections (Stoddart), 268 (c)

General anaesthesia for Caesarean section - noradrenaline response (Levy), 640 (c)

General anaesthesia for Caesarean section (Thomas), 739 (c)

General anaesthesia for magnetic resonance imaging, a source of artefact during (Crofts & Campbell), 643 (c)

General anaesthesia in children, anaesthetists' attitudes to parental presence at induction of (Roman, Barker & Reilly), 338 (f)

General anaesthesia: ondansetron in prevention of postoperative nausea and vomiting after major gynaecological surgery (Dupeyron et al.), 214

General anaesthesia: pharmacokinetic model-controlled infusion of midazolam (Short et al.), 187

General anaesthesia, transverse myelitis following (Gutowski & Davies), 44

General anaesthesia, transverse myelitis following (Hughes), 642 (c)

General anaesthesia versus local anaesthesia for cataract surgery (Campbell et al.), 422 (f) Genius infrared tympanic thermometer; evaluation for clinical use (Edge & Morgan), 604 Ginger, mechanism of antiemetic effect of (Lumb), 1118 (c)

Ginger root does not affect gastric emptying rate (Phillips, Hutchinson & Ruggier), 393 Ginger - an antiemetic for day case surgery (Phillips, Ruggier & Hutchinson), 715 (f)

GP referral practices; acute pain service (Lauder & Sutton), 454 (c)

Grafting, internal mammary artery, intercostal neuralgia associated with (Conacher et al.), 1070

Graphical method for administering volatile agents (Pollock), 450 (c) Graseby 3300 PCA pump, a problem with (Youngs: Nicholson), 829 (c)

Graseby 3300 PCA pump, a problem with (White: Nicholson), 1013 (c) Graseby PCA Extension Set (Hazard Notice), 1121

Guedel airway (Recall Hazard 93 18), 934

Guide marks, intubation, for correct tube placement (Bloch, Ossey & Ginsberg), 171 (c)

Guillain-Barre syndrome, rapid presentation of (Moriarty & Ridley), 357 (c)

Gum elastic bougie (Hex Venn), 274 (c)

Gum elastic bougie; orotracheal intubation in patients with potential cervical spine injuries (Nolan & Wilson), 630 (f)

Gynaecological laparoscopic minor surgery, comparison between propofol and desflurane anaesthesia for (Graham & Aitkenhead), 471 Gynaecological laparoscopy, anaesthesia; comparison between laryngeal mask airway and tracheal intubation (Swann et al.), 431 (f) Gynaecological surgery, minor, eltanolone for induction of anaesthesia and to supplement nitrous oxide for (Rajah, Powell & Morgan), H

H

H

H

H

H

H H

H H

H

H

H

H

H

H

H H H

H H H

H H

H

H H

H

H H

H

H H

H

H

H

H

H

H

In

In In In

In

In

Gynaecological surgery under general anaesthesia; ondansetron in prevention of postoperative nausea and vomiting (Dupeyron et al.),

Haematoma, subcutaneous, severe pain from, following epidural analgesia in labour (Sah), 928 (c)

Haemodynamic effects of dopexamine infusion in the critically ill (Gray & Park), 77 (c)

Haemodynamic responses to surgery in brain-dead organ donors (Pennefather, Dark & Bullock), 1034

Haemodynamics, cerebral, during xenon anaesthesia; transcranial Doppler sonography study (Luttropp et al.), 1045

Haemodynamics, cerebral, intra-operative monitoring of, in a patient with Takayasu's arteritis (Kawaguchi et al.), 496

Haemofiltration, venovenous, continuous, and cardiac output measurement (Thompson & Barker), 1105 (c)

Haemofiltration, veno-venous, to treat profound fluid retention in severe peripartum cardiomyopathy (Beards, Freebairn & Lipman),

Haemorrhage, acute; reduction with aprotinin (Valentine, Williamson & Sutton), 405

Hallervorden-Spatz disease; neuroleptic malignant syndrome in absence of neuroleptic drugs (Hayashi et al.), 499

Halothane and fentanyl anaesthesia, neuromuscular effects of rocuronium bromide during (Cooper, Mirakhur & Maddineni), 103

Halothane and isoflurane effects on beta-endorphin release in children (Garcia-Sanchez, Polo & Peran), 38

Halothane or isoflurane, intra-operative, a comparison; closed loop control of arterial hypertension following craniotomy using sodium nitroprusside (Mackenzie et al.), 202

Hand surgery, intra-arterial versus intravenous regional analgesia for (Koscielniak-Nielsen & Horn), 769

Hazard: a faulty epidural catheter (Baranowski & Nandi: Howell), 1015 (c)

Hazard: a faulty pulmonary artery flotation catheter (Patla et al.: Mooney, Holt & Passafaro), 828 (c)

Hazard: a problem with a PCA pump (Youngs: Nicholson), 829 (c)

Hazard: a problem with Portex 8.5 mm tracheal connectors (May & Kirton: Howell), 348 (c)

Hazard: a problem with the Graseby 3300 PCA pump (White: Nicholson), 1013 (c)

Hazard: a problem with the Intersurgical Mapleson F breathing system (White & Spargo: Williams), 825 (c)

Hazard: a sticking valve (Johnson: Green), 89 (c)

Hazard, another, of a triple-lumen catheter (Gan & Webb: Mitchell), 538 (c)

Hazard: broken O-ring causing hypoventilation (Pandit, Jakubowski & Wait: Smith), 1114 (c)

Hazard: catheter mount problems (Spittal & Monk: Le Poidevin: Padua), 354 (c)

Hazard: covert breathing system failure (Richardson & Bickford-Smith: Lowe), 541 (c)

Hazard: delivery of excess volatile agent due to a vaporizer fault (Dingley: Sedwards), 349 (c)

Hazard: disconnection and inspired oxygen alarms (Vreede & Liban: Salmenkylä), 739 (c)

Hazard: explosion during surgery for gastric outlet obstruction (Mills & Jones), 544 (c) Hazard: faulty catheter mount (Potparic & Cook), 929 (c)

Hazard: fuel cell oxygen analysers and Manley ventilators (Moore & Carter), 634 (c)

Hazard: functionally crossed pipelines (Barton), 167 (c)

Hazard: intrathecal pethidine; a word of caution (Ngan Kee & Khor), 276 (c)

Hazard: leakage of fresh gas from vacant CO<sub>2</sub> cylinder yoke (Stoneham, Ismail & Sansome), 730 (c)

Hazard: Mapleson D coaxial breathing system integrity testing (Jones: White), 917 (c)

Hazard: missing O-rings (Tighe & Jones), 88 (c)

Hazard: more problems with the Selectatec system (Moore & Harmon: Davies), 635 (c)

Hazard Notices, 654, 934, 1023, 1121

Hazard: nurse-call button on a patient-controlled analgesia pump (Chisakuta), 90 (c)

Hazard: oxygen flush buttons; more critical incidents (Morris & Barclay), 1115 (c)

Hazard: patient-controlled analgesia incident (Wright), 354 (c)

Hazard: perforated diaphragm in a syringe (Jackson: Thorp), 270 (c)

Hazard: problem with a 32-gauge spinal catheter (Little et al.: McGuirk, 90 (c)

Hazard rendered safe by use of laryngeal mask (Judkins), 353 (c)

Hazard: temazepam capsule; foreign body; tracheal intubation (Murray & Wait), 269 (c)

Hazard: unexpected cause of tracheal cuff failure (Palmer: Balchin), 347 (c)

Hazard: unusual defect in a Tuohy needle (Bamber: Clegg), 743 (c)

Hazards see also Alarm; Blocked; Hazard Notices; Obstruction; Safety Action Bulletins

Headache, postdural puncture; classification and severity (Corbey, Berg & Quaynor), 776 Headache, postdural puncture; prevention by bloody tap? (Khan, Stride & Cooper), 628 (f) Headache, postdural puncture; prevention by bloody tap? (Beards et al.), 1111 (c)

Hearing and spinal needle size (Perks: Sundberg, Wang & Fog, 534 (c)

Heart surgery: trans-septal left atrial catheterisation (Fukutome et al.), 407

Heat loss, intra-operative; wrapping up the problem with a space blanket (McGregor & Leach), 741 (c), 1020 (c)

Heat stroke, exertional, induced by amphetamine analogues; does dantrolene have a place? (Watson et al.), 1057

Hepatitis A, use of propofol in child with (Shaw), 591

Hepatitis B infection: too many sharps (Bamber & Wenstone), 344 (c)

Hernia, diaphragmatic, congenital, near fatal pulmonary hypertension after surgical repair of; use of inhaled nitric oxide (Frostell et al.),

Herniotomies, inguinal, epidural anaesthesia through caudal catheters for, in awake ex-premature babies (Peutrell & Hughes), 128

H<sub>2</sub>-receptor antagonists: interaction and benzodiazepine sedation (Sanders et al.), 286

Hiccup and gastro-oesophageal reflex during anaesthesia (Vanner), 92 (c)

High frequency jet ventilation; anaesthesia for procedures on the larynx and pharynx (Mendel & Bristow), 263 (f)

High frequency jet ventilation, intratracheal, prevention of barotrauma during (Baer), 544 (c)

High frequency ventilation, combined, in management of respiratory failure in late pregnancy (Raphael & Bexton), 596

High frequency ventilation, combined (Ip-Yam & George), 1115 (c)

Histamine release and neuromuscular drugs (Hunter), 561

Histamine release by morphine and diamorphine in man (Withington, Patrick & Reynolds), 26

Histamine release following atracurium in the elderly (Shorten, Goudsouzian & Ali), 568

Historic development of pain relief clinics (Kumar & Bhattacharya), 648 (c)

History: John Mervyn Nooth. An update and some Bath memorials (Zuck), 712

HIV and the anaesthetist (Cross), 727 (c)

HIV infection: too many sharps (Bamber & Wenstone), 344 (c)

Hoarseness after tracheal intubation (Davies), 168 (c)

Hoarseness and sore throat after tracheal intubation. Small tubes prevent (Thomas), 255 (c)

Hoarseness, postoperative (Cone), 357 (c)

Hormonal response to cataract surgery; comparison between retrobulbar and peribulbar blockade (Barker et al.), 488

Horner's syndrome due to epidural anaesthesia presenting with a painful eye (Abdelatti), 1019 (c)

Hudson oxygen mask, rebreathing characteristics of (Campkin, Ooi & Soni), 239

Humidifiers, intensive care, performance at high gas flows (Harrison et al.), 902

Huntington's disease: a safe anaesthetic? (Soar & Matheson), 743 (c)

Hyoscine, transdermal; timing of patch (Kumar, Lawler & Knott), 176 (c)

Hypertension, arterial, following intracranial surgery; closed loop control using sodium nitroprusside (Mackenzie et al.), 202

Hypertension, pulmonary, near fatal, after surgical repair of congenital diaphragmatic hernia; use of inhaled nitric oxide (Frostell et al.), 679

Hypertensive response to passage of a nasogastric tube (Bremner), 353 (c)

Hyperthermia associated with 3,4-methylenedioxyethamphetamine ('Eve') (Tehan, Hardern & Bodenham), 507

Hyperthermia, drug-induced (Nimmo et al.), 892

Hyperthermia, malignant, and propofol; day-case anaesthesia (Khan & Cooper), 455 (c)

Hyperthermia, malignant, treatment; effects of types of management on elimination kinetics of volatile anaesthetics (Reber, Schumacher & Urwyler), 862

Hypotension following spinal anaesthesia for elective Caesarean section, leg elevation and wrapping in prevention of (Rout, Rocke & Gouws), 304

Hypotension from the interaction of ACE inhibitors with stable plasma protein solution (Young), 356 (c)

Hypotensive effects of morphine and tubocurarine, influence of terfenadine and ranitidine on (Treuren et al.), 758

Hypoventilation caused by broken O-ring (Pandit, Jakubowski & Wait: Smith), 1114 (c)

Hypoxaemia, effect of extradural anaesthesia on the ventilatory response to (Sakura, Saito & Kosaka), 205

Hypoxaemia with ketamine, incidence and magnitude of, in a rural African hospital (Pederson & Benumof), 67 (f)

Hysteria and opisthotonus (Crabb & Allan), 445 (c)

Indocyanine green injection, confirmation of intravascular catheter placement by pulse oximetry following (Böhrer, Schmidt & Bach), 647 (c)

Indocyanine green, use in plasma volume estimation; a single intravenous injection method (Busse et al.), 41

Induction of anaesthesia: propofol and fentanyl act additively (Ben-Shlomo et al.), 111

Induction of anaesthesia, the intraosseous route (Selby & James), 982

Induction of anaesthesia with eltanolone for minor gynaecological surgery (Rajah, Powell & Morgan), 951

Infants, plasma concentrations of lignocaine after thoracic paravertebral blockade in (Lönnqvist), 958

Infection, cross-; lignocaine spray applicators are a potential source in the anaesthetic room (Williams et al.), 61 (f)

Infection, cross-; lignocaine sprays (Appleby & Davidson), 645 (c)

Information processing under anaesthesia (Russell), 275 (c)

Information processing under anaesthesia (Bonke et al.), 820 (c)

Information processing under anaesthesia (Erratum) (Bonke et al.), 1122

Infrared measurement of anaesthetic vapour concentration, influence of methane on (Moens & Gootjes), 270 (c)

Infusion calculations (Gay), 927 (c)

Infusion charts for inotropes (Allen), 78 (c)

Infusion delays through multilumen catheters using standard syringe pumps (Owens), 643 (c)

Infusion, dopexamine, in the critically ill; haemodynamic effects (Gray & Park), 77 (c)

Infusion nomograms (Sherry, Burton & Wilkins), 396

Infusion, pharmacokinetic model-controlled, of midazolam, general anaesthesia (Short et al.), 187

Infusion, pharmacokinetic model-controlled, of midazolam (Mimpriss: Short et al.: Skipsey et al.), 823 (c)

Infusion, subarachnoid, continuous, of local anaesthetic (Morton, Armstrong & McClure), 333 (f)

Infusion system, target-controlled, assessment; sedation with propofol during surgery under local blockade (Skipsey et al.), 210

Infusion systems, target-controlled (Hirota & Zsigmoid), 176 (c)

Infusions, intravenous, and blood pressure measurements (Nishina, Mikawa & Obara), 447 (c)

Inhalational agents and the Servo ventilator (Fletcher & Nordström), 268 (c)

Inotropes: infusion charts (Allen), 78 (c)

Insecticide, organophosphate, a case of acute poisoning due to (Kecik et al.), 141

Insecticide, organophosphorous, acute posioning due to (Lalwani: Kecik et al.), 834 (c)

Insecticide, organophosphorous, poisoning and the intermediate-like syndrome (Leon-S), 835 (c)

Inspiratory muscle effort during nasal intermittent positive pressure ventilation in patients with chronic obstructive airways disease (Elliott et al.), 8

Insufflation catheter, metal, used for ventilation of the lungs in laser surgery of the larynx (Mallios et al.), 359 (c)

Intensive care humidifiers: performance at high gas flows (Harrison et al.), 902

Intensive Care Programme, Riyadh (Bihari & Chang: Jacobs et al.), 345 (c)

Intensive care, tracheal intubation of children in (O'Meara & Buckley), 181 (c)

Intensive care unit: a review of 2000 consecutive admissions (Cohen, Bodenham & Webster), 106

Intensive care unit patients, neurosurgical; coeliac plexus block with bupivacaine reduces intestinal dysfunction (Weinstabl et al.), 162 (f)

Inti

Int

Int

Inti

Int

Int

Int

Int

Int

Int

Inv

Inv

Irri

Iso

IV

Jer

Jer

Jer

Jug

Ju

Ju

Ke

Ke

Ke

Ke

Ke

Kı Kı

La

Intensive therapy: a cost-benefit analysis (Ridley, Biggam & Stone), 14

Intensive therapy unit, needle-free, towards (Smith & Taylor), 446 (c)

Intercostal neuralgia associated with internal mammary artery grafting (Conacher et al.), 1070 Intermediate-like syndrome and poisoning due to organophosphorous insecticide (Leon-S), 835 (c)

Intermittent positive pressure ventilation, nasal, in patients with chronic obstructive airways disease, inspiratory muscle effort during (Elliott et al.), 8

Intermittent positive pressure ventilation in tetanus; avoidance with dantrolene therapy (Checketts & White), 969

International congress calendar, 98, 364, 652, 933

Interpleural analgesia and phrenic nerve paralysis (Lauder), 315

Intersurgical Mapleson F breathing system, a problem with (White & Spargo: Williams), 825 (c)

Intestinal dysfunction in neurosurgical ICU patients is reduced by coeliac plexus block (Weinstabl et al.), 162 (f)

Intra-arterial versus intravenous regional analgesia for hand surgery (Koscielniak-Nielsen & Horn), 769

Intracerebral oxygenation measurement by the Invos 3100 near infrared spectroscopy monitor (Harris & Bailey), 694

Intracranial disease and alfentanil (Cohen), 922 (c)

Intracranial pathology, and alfentanil (Huggins), 453 (c)

Intracranial pathology, and alfentanil. Why the eagerness to condemn? (Andrews & Souter), 1020 (c)

Intracranial pressure, raised, the level of neuromuscular block needed to suppress diaphragmatic movement during tracheal suction in patients with; a study with vecuronium and atracurium (Werba et al.), 301

Intracranial surgery, a comparison of the effect of isoflurane and propofol on arterial carbon dioxide tensions following (Wilson et al.),

Intramuscular ketorolac combined with epidural buprenorphine, respiratory depression following (Jain & Shah), 898

Intramuscular premedication, dexmedetomidine as, in outpatient cataract surgery (Virkkilä et al.), 482

Intranasal fentanyl titration for postoperative pain management in an unselected population (Striebel, Pommerening & Rieger), 753

Intra-ocular surgery and the laryngeal mask airway (Brimacombe & Berry), 827 (c)

Intra-operative heat loss - wrapping up the problem with a space blanket (McGregor & Leach), 741 (c), 1020 (c)

Intra-operative monitoring of cerebral haemodynamics in a patient with Takayasu's arteritis (Kawaguchi et al.), 496

Intraosseous route for induction of anaesthesia (Selby & James), 982

Intrapleural catheter and chest drain for post-thoracotomy pain relief (Broome, Sherry & Reilly), 724 (f)

Intrathecal pethidine: a word of caution (Ngan Kee & Khor), 276 (c)

Intratracheal high frequency jet ventilation, prevention of barotrauma during (Baer), 544 (c)

Intravascular catheter placement, confirmation of, by pulse oximetry following indocyanine green injection (Böhrer, Schmidt & Bach), 647 (c)

Intravenous anaesthetic agents, growth of micro-organisms in solutions of (Berry et al.), 30

Intravenous anaesthetics for short outpatient procedures, patient evaluation for four different combinations of (Jakobsson, Oddby &

Intravenous cannula, indwelling, adult's, suxamethonium in the deadspace of (Stone), 838 (c)

Intravenous infusions and blood pressure measurements (Nishina, Mikawa & Obara), 447 (c)

Intravenous magnesium therapy in critically ill patients (James), 1014 (c)

Intravenous midazolam, effects of cimetidine and ranitidine on recovery after (Sanders et al.), 286

Intravenous opioid analgesia, antireflux valves in (Tolhurst-Cleaver), 93 (c)

Intravenous oxygenator device (IVOX): peri-operative management of surgical insertion and removal (Murdoch et al.), 845

Intravenous patient controlled analgesia using the Baxter infusor, comparison with epidural diamorphine, following Caesarean section (Stoddart et al.), 1086 (f)

Intravenous regional anaesthesia of the arm; 2-chloroprocaine compared with prilocaine (Pitkänen, Kyttä & Rosenberg), 1091 (f)

Intravenous regional anaesthesia, pethidine in addition to prilocaine 0.25% in volunteeers (Armstrong, Morton & Nimmo), 382

Intravenous versus intra-arterial analgesia for hand surgery (Koscielniak-Nielsen & Horn), 769

Introducer for the flexible laryngeal mask airway (Gandhi & Renwick), 174 (c)

Intubating conditions and neuromuscular effects following mivacurium: a comparison with suxamethonium (Maddineni et al.), 940

Intubation after thiamylal or ketamine induction of anaesthesia, catecholamine response to (Marx & Rosner), 274 (c)

Intubation, bronchial, bilateral, in management of tracheal rupture (Mitchell & Ward), 223

Intubation, bronchial, with RAE tube during adenotonsillectomy, prevention of (Sun), 645 (c)

Intubation, catecholamine response to laryngoscopy and; on the importance of sampling site (Baumgartner et al.), 359 (c)

Intubation, conventional, through the laryngeal mask, safety of (Asai, Latto & Vaughan), 667

Intubation: conversion of orotracheal to nasotracheal intubation with the aid of the fibreoptic laryngoscope (Smith & Fenner), 1016 (c)

Intubation, difficult, in paediatric palatoplasty (Rinaldi, Dogra & Sellman), 358 (c) Intubation, difficult; simultaneous use of two laryngoscopes (Russell & Hirsch), 918 (c)

Intubation, failed, in obstetrics; medical audit; wary of friendly rivalry (Levy), 94 (c)

Intubation, fibreoptic, awake; patients with cervical spine disease (Sidhu et al.), 910 (f)

Intubation, fibreoptic; influence of tracheal tube tip design (Jones, Pearce & Moore), 672

Intubation, fibreoptic, learning (Wood, Dresner & Lawler: King), 182 (c)

Intubation, fibreoptic, split laryngeal mask airway as an aid to (Darling, D'Arcy & Murray), 79 (c)

Intubation following propofol and alfentanil compared with intubation following thiopentone and suxamethonium (Beck et al.), 876

Intubation guide marks for correct tube placement (Bloch, Ossey & Ginsberg), 171 (c)

Intubation, nasal, blind; a simple and cheap aid (Gandhi & Panchal), 173 (c) Intubation, nasal, blind, using a laryngeal mask airway (Thomson), 785

Intubation, nasotracheal, causing a nasopharyngeal mass (Stevenson), 358 (c)

Intubation, nasotracheal, fibreoptic; intermittent thiopentone for teaching (Yentis, Jankowski & Gregory), 340 (f)

Intubation, nasotracheal, fibreoptic; intermittent thiopentone for teaching (Erratum) (Yentis, Jankowski & Gregory), 557 (f)

Intubation, nasotracheal; training and the laryngeal mask airway (Alexander & Moore), 350 (c)

Intubation, orotracheal, in patients with potential cervical spine injuries; an indication for the gum elastic bougie (Nolan & Wilson), 630

Intubation: the levering laryngoscope (McCoy & Mirakhur), 516

Intubation: the levering laryngoscope (Marks: McCoy & Mirakhur), 1008 (c)

Intubation, tracheal; a problem with the Mallampati sign (Singh & Chhabra), 832 (c)

Intubation, tracheal, an ethnic comparison of the sympathetic response to (Houghton et al.), 965

Intubation, tracheal, compared with the laryngeal mask airway in anaesthesia for gynaecological laparoscopy (Swann et al.), 431 (f)

Intubation, tracheal; estimation of correct tube lengths in adults (Patel, Mahajan & Ellis), 74 (f)

Intubation, tracheal; estimation of correct tube lengths (Moyser), 832 (c)

Intubation, tracheal, fibreoptic; training, the split laryngeal mask compared with the Berman II intubating airway (Darling, Keohane & Murray), 1079

Intubation, tracheal, hoarseness after (Davies), 168 (c)

Intubation, tracheal, hoarseness and sore throat after; small tubes prevent (Thomas), 255 (c) Intubation, tracheal, of children in intensive care (O'Meara & Buckley), 181 (c)

Intubation, tracheal; temazepam capsule; foreign body (Murray & Wait), 269 (c)

Intubation, tracheal, topical nitroglycerine prevents the pressor response to, in patients undergoing coronary artery bypass graft surgery (Mahajan, Ramachandran & Saxena), 297

Invos 3100 cerebral oximeter, use during cardiopulmonary bypass (Brown, Wright & Royston), 697

Invos 3100 near infrared spectroscopy monitor: does it really measure intracerebral oxygenation in adults? (Harris & Bailey), 694 Irrigation, pressurised (Rowbottom), 836 (c)

Isoflurane anaesthesia, or propofol with or without nitrous oxide; atelectasis and oxygenation in major surgery (Jensen et al.), 1094 (f) Isoflurane and halothane effects on beta-endorphin release in children (Garcia-Sanchez, Polo & Peran), 38

Isoflurane and long-term sedation (Yates & Hughes: Millane, Bennett & Grounds), 267 (c)

Isoflurane and propofol compared for effect on arterial carbon dioxide tensions following intracranial surgery (Wilson et al.), 955

Isoflurane in labour (Wee, Hasan & Thomas), 369

Isoflurane in labour (Elliot: Wee, Hasan & Thomas), 918 (c)

Isoflurane, nitrous oxide and oxygen analgesic mixtures (Tunstall & Ross), 919 (c)

Isoflurane or halothane, intra-operative, a comparison; closed loop control of arterial hypertension following craniotomy using sodium nitroprusside (Mackenzie et al.), 202

Isoflurane uptake during anaesthesia (Lockwood, Chakrabarti & Whitwam), 748

Isoflurane vapour, bacterial growth in (Slade), 1053

Isoflurane wastage; keyed and non-keyed vaporizer filling modes (Uncles), 795

Isoflurane-Entonox for analgesia in labour (Woodward), 1011 (c)

IVOX: peri-operative management of surgical insertion and removal (Murdoch et al.), 845

Jervell and Lange-Nielsen syndrome, previously undiagnosed, cardiac arrest under anaesthesia in a child with (Holland), 149

Jervell and Lange-Nielsen syndrome, undiagnosed, and cardiac arrest (Lam: Holland), 738 (c)

Jervell and Lange-Nielsen syndrome, undiagnosed (Mayhew: Holland), 1117 (c)

Jugular vein catheterisation, alternative technique for (Patel & Levison: Latto, Hughes & Falconer), 834 (c)

Jugular vein, internal, a thrill in (Goulding & Dunn), 543 (c)

Jugular vein, internal, cannulation, aided by the 'SiteRite' ultrasound machine (Armstrong, Cullen & Scott), 319

Kendal Curity 8.5 mm tracheal tubes (Hazard Notice), 1023

Ketamine and atropine, convulsions following (Burmeister-Rother, Streatfeild & Yoo), 82 (c)

Ketamine and morphine infusions, combined, for postoperative pain in elderly patients (Edwards et al.), 124

Ketamine, incidence and magnitude of hypoxaemia with, in a rural African hospital (Pederson & Benumof), 67 (f)

Ketamine induction of anaesthesia, catecholamine response to laryngoscopy and intubation after (Marx & Rosner), 274 (c) Ketorolac and diclofenac compared for postoperative analgesia following day-case arthroscopy of the knee joint (Morrow, Bunting & Milligan), 585

Ketorolac compared with diclofenac for analgesic effect (Chan & Ramachandra), 1117 (c)

Ketorolac, intramuscular, combined with epidural buprenorphine, respiratory depression following (Jain & Shah), 898

Knee joint: comparison of diclofenac and ketorolac for postoperative analgesia following day-case arthroscopy (Morrow, Bunting & Milligan), 585

Knot, Ashley's, for anaesthetists (Lloyd), 361 (c)

Knotted nasogastric tube (Wilson), 1119 (c)

Labels, ampoule; importance of checking (Uncles), 180 (c)

Labour: Entonox-isoflurane for analgesia (Woodward), 1011 (c)

Labour, epidural infusions for nulliparous women in; comparison of fentanyl/bupivacaine and sufentanil/bupivacaine (Russell & Reynolds), 856

Labour, isoflurane in (Wee, Hasan & Thomas), 369

Labour, isoflurane in (Elliot: Wee, Hasan & Thomas), 918 (c)

Labour: isoflurane, nitrous oxide and oxygen analgesic mixtures (Tunstall & Ross), 919 (c)

Labour, normal, current practice of epidural analgesia during, in the United Kingdom (Davies, Harrison & Ryan), 63 (f)

Labour: severe pain from a subcutaneous haematoma following epidural analgesia (Sah), 928 (c)

Labour, subcutaneous emphysema in (Jayran-Nejad), 139

Labour, use of EMLA cream for skin anaesthesia prior to epidural insertion in (Ralston & Head-Rapson), 65 (f)

Lack parallel anaesthetic breathing system (Ooi et al.), 409

Laerdal suction unit: evaluation (Simon, Davidson & Boom), 807

Laparoscopic gynaecological minor surgery, comparison between propofol and desflurane anaesthesia for (Graham & Aitkenhead), 471 Laparoscopic vagotomy complicated by subcutaneous emphysema, pneumomediastinum and pneumothorax (Chui, Gin & Chung), 978

Laparoscopy, day case, analgesia for (Millar), 168 (c)

Laparoscopy, gynaecological, anaesthesia; comparison between the laryngeal mask airway and tracheal intubation (Swann et al.), 431 (f) Laryngeal mask airway: a 'skid' for easier insertion (Harding), 80 (c)

Laryngeal mask airway, a tie for (Nott), 1013 (c)

Laryngeal mask airway, alternative techniques for insertion of (Brimacombe & Berry), 638 (c)

Laryngeal mask airway and intra-ocular surgery (Brimacombe & Berry), 827 (c)

Laryngeal mask airway and recovery room pollution (Berry & Brimacombe), 541 (c)

Laryngeal mask airway and resuscitation (Mansfield & Miller), 637 (c)

Laryngeal mask airway and the laryngoscope (Jenkins), 735 (c)

Laryngeal mask airway and tracheal stenosis (Asai, Fujise & Uchida), 81 (c) Laryngeal mask airway and training in nasotracheal intubation (Alexander & Moore), 350 (c)

Laryngeal mask airway, bite guard for (Maltby, Loken & Low), 273 (c)

Laryngeal mask airway compared with Guedel airway, bag and facemask; manual ventilation following formal training (Alexander et al.), 231 Laryngeal mask airway compared with tracheal intubation in anaesthesia for gynaecological laparoscopy (Swann et al.), 431 (f) Laryngeal mask airway, fixing of, during eye surgery (Bremner), 542 (c) Laryngeal mask airway, flexible, an introducer for (Gandhi & Renwick), 174 (c) Laryngeal mask airway in mediastinoscopy (West & Ahmed), 826 (c) Laryngeal mask airway insertion. A comparison of the standard versus neutral position in normal patients with a view to its use in cervical spine instability (Brimacombe & Berry), 670 Laryngeal mask airway insertion, and the Mallampati classification (Brimacombe & Berry), 347 (c) Laryngeal mask airway insertion-not facilitated by cuff inflation (Brimacombe & Berry), 79 (c) Laryngeal mask airway, method of fixing of (Conacher), 638 (c) Laryngeal mask airway, pattern of usage of (Brimacombe & Perry: Verghese, Smith & Young), 637 (c) Laryngeal mask airway, placement of a Cook airway exchange catheter via (Brimacombe & Berry), 351 (c) Laryngeal mask airway, potential hazard rendered safe by use of (Judkins), 353 (c) Laryngeal mask airway: prospective survey of use in 2359 patients (Verghese, Smith & Young), 58 (f) Laryngeal mask airway, reinforced, for laser pharyngoplasty (Brimacombe, Sher & Berry), 1105 (c) Laryngeal mask airway, reinforced, insertion technique for, and use in recovery (Williams & Bailey), 733 (c) Laryngeal mask airway, reinforced, stylet for (Asai, Stacey & Barclay: Brimacombe & Berry), 636 (c) Laryngeal mask airway: safe in the X-ray department? (Alexander, Arrowsmith & Frossard), 734 (c) Laryngeal mask airway, split (Brimacombe), 639 (c) Laryngeal mask airway, split, as an aid to fibreoptic intubation (Darling, D'Arcy & Murray), 79 (c) Laryngeal mask airway: the distance between the grille and the vocal cords; safety of conventional intubation through the mask (Asai, Latto & Vaughan), 667 Laryngeal mask airway: use in a blind nasal intubation (Thomson), 785 Laryngeal mask airway: use in neonatal resuscitation (Lavies), 352 (c) Laryngeal mask airway, use in resuscitation (Hett & Bailey), 733 (c) Laryngeal mask airway use solves three diagnostic conundrums (Lawson & Lloyd-Thomas), 790 Laryngeal mask airway: when to remove it (Woods), 175 (c) Laryngeal mask and facemask, clinical comparison; training nursing staff in resuscitation (Martin et al.), 33 Laryngeal mask inflation; pressures exerted on the pharynx (O'Kelly, Heath & Lawes), 1075 Laryngeal mask insertion, assessing the risk of airway obstruction following (Brimacombe), 79 (c) Laryngeal mask insertion - a useful tip (Cino & Webster), 1012 (c) Laryngeal mask placement in the prone position (McCaughey & Bhanumurthy), 1104 (c) Laryngeal mask, regurgitation using (Lack), 734 (c) Laryngeal mask, split, as an aid to training in fibreoptic tracheal intubation; comparison with the Berman II intubating airway (Darling, Keohane & Murray), 1079 Laryngeal mask: use in the developing world (Stott), 450 (c) Laryngo-onycho-cutaneous syndrome, anaesthesia for airway obstruction in (Hodges & Lloyd-Thomas), 503 Laryngoscope and the laryngeal mask airway (Jenkins), 735 (c) Laryngoscope, Bullard, and high frequency jet ventilation; anaesthesia for procedures on the larynx and pharynx (Mendel & Bristow), Laryngoscope, fibreoptic, conversion of orotracheal to nasotracheal intubation with the aid of (Smith & Fenner), 1016 (c) Laryngoscope, levering (McCoy & Mirakhur), 516 Laryngoscope, levering (Papageorgiou & Kokkinis), 1111 (c) Laryngoscope, levering (Marks: McCoy & Mirakhur), 1008 (c) Laryngoscopes, two, simultaneous use of (Russell & Hirsch), 918 (c) Laryngoscopy and intubation after thiamylal or ketamine induction of anaesthesia, catecholamine response to (Marx & Rosner), 274 (c) Laryngoscopy and intubation, catecholamine response to; on the importance of sampling site (Baumgartner et al.), 359 (c) Laryngoscopy, fibreoptic, for assessment of position; the nasopharyngeal airway (Stoneham), 575 Laryngospasm and suxamethonium (Gilston), 648 (c) Laryngospasm is relieved by a very small dose of suxamethonium (Chung & Rowbottom), 229 Larynx, anaesthesia for procedures on (Mendel & Bristow), 263 (f) Larynx, foreign bodies in (Kubota, Toyoda & Kubota), 173 (c) Larynx: laser surgery using a metal insufflation catheter for ventilation of the lungs (Mallios et al.), 359 (c) Laser pharyngoplasty, the reinforced laryngeal mask airway for (Brimacombe, Sher & Berry), 1105 (c) Laser surgery of the larynx using a metal insufflation catheter for ventilation of the lur.gs (Mallios et al.), 359 (c) Leak detection in anaesthetic machines (Myint), 729 (c) Leakage of fresh gas from vacant CO<sub>2</sub> cylinder yoke (Stoneham, Ismail & Sansome), 730 (c) Leaks, problems with detection of; Association of Anaesthetist's checklist for anaesthetic machines (Jackson & Wilson), 152 Learning fibreoptic intubation (Wood, Dresner & Lawler: King), 182 (c) Learning, implicit, during enflurane anaesthesia in spontaneously breathing patients? (Jelicic et al.), 766 Left ventricular performance and cerebral haemodynamics during xenon anaesthesia. A transoesophageal echocardiography and transcranial Doppler sonography study (Luttropp et al.), 1045 Leg, changes in blood flow and vascular resistance in, during spinal anaesthesia and vasopressor therapy with methoxamine (Fogarty & Howe), 387 Leg elevation and wrapping in the prevention of hypotension following spinal anaesthesia for elective Caesarean section (Rout, Rocke & Gouws), 304 Life support training, basic (Lawler), 444 (c) Life support see also Advanced Trauma Life Support Life-support treatment: preferences of elderly patients (Heap et al.), 1027 Lignocaine 10% gel with absorption promoter compared with EMLA cream in dermal patch anaesthesia (Sakamoto et al.), 390 Lignocaine efficacy in rationalising venous cannulation (Van der Berg & Abeysekera), 84 (c) Lignocaine: plasma concentrations after rectal administration (Serpell & Gupta), 926 (c) Lignocaine plasma concentrations after thoracic paravertebral blockade in infants and children (Lönnqvist), 958 Lignocaine spray applicators are a potential source of cross-infection in the anaesthetic room (Williams et al.), 61 (f) Lignocaine sprays and cross infection (Appleby & Davidson), 645 (c) Lignocaine topical anaesthetic spray, new, problems with (Breslin: Barker), 180 (c)

Lipaemia affecting automated clotting results (Law & Willatts), 1011 (c)

Liv

Lo

Lu

Lu

Lu

Lu

Lu

M

M

M

M

M

M

Liver transplantation, creatinine and 51Cr-EDTA clearance after (Burns et al.), 763

Local anaesthesia and venous cannulation (Hall: Deacock), 350 (c)

Local anaesthesia for epidural block, anaphylactoid reaction following (Thomas & Caunt), 50

Local anaesthesia for epidural block, anaphylactoid reaction following (Wildsmith), 916 (c) Local anaesthesia for eye surgery without a facial nerve block (Sanchez-Capuchino, Meadows & Morgan), 428 (f)

Local anaesthesia versus general anaesthesia for cataract surgery (Campbell et al.), 422 (f)

Local anaesthetic action of pethidine on peripheral nerves in vivo; addition to prilocaine 0.25% for intravenous regional anaesthesia in volunteers (Armstrong, Morton & Nimmo), 382

Local anaesthetic: continuous subarachnoid infusion (Morton, Armstrong & McClure), 333 (f)

Local blockade, sedation with propofol during surgery under; assessment of a target-controlled infusion system (Skipsey et al.), 210

Log books, anaesthetic, how are they being used? (Strang), 69 (f)

Low-flow system, bacterial filters protect anaesthetic equipment in (Luttropp & Berntman), 520

Lumbar analgesia, extradural air as a cause of paraplegia following (Nay, Milaszkiewicz & Jothilingam), 402

Lumbar epidural blockade: can it reduce postoperative pain following lower abdominal surgery? (Pryle et al.), 120 Lumbar epidural blockade: pre-emptive analgesia (Edmondson: Pryle et al.), 922 (c)

Lumbar plexus block: an anatomical study (Hanna, Peat & D'Costa), 675

Lung: oxygen delivery and tissue oxygenation (Soni, Fawcett & Halliday), 704

Lung: oxygen delivery and tissue oxygenation (Soni, Fawcett & Halliday) (Erratum), 1123

Magnesium therapy, intravenous, in critically ill patients (James), 1014 (c)

Magnetic resonance imaging, a source of artefact during general anaesthesia for (Crofts & Campbell), 643 (c)

Malignant hyperthermia and propofol; day-case anaesthesia (Khan & Cooper), 455 (c)

Malignant hyperthermia treatment; effects of types of management on elimination kinetics of volatile anaesthetics (Reber, Schumacher & Urwyler), 862

Mallampati classifications and laryngeal mask airway insertion (Brimacombe & Berry), 347 (c)

Mallampati sign, a problem with (Singh & Chhabra), 832 (c)

Management, the anaesthetist's development in (Chalmers et al.), 279

Management, the anaesthetists development in (Laycock: Duncan: Birkenshaw), 1101 (c)

Manley ventilators and fuel cell oxygen analysers (Moore & Carter), 634 (c)

Mapleson A systems, the additional work of breathing imposed by (Ooi, Pattison & Soni), 599

Mapleson D coaxial breathing system integrity testing (Jones: White), 917 (c)

Mapleson F breathing system, a problem with (White & Spargo: Williams), 825 (c)

Mask, oxygen, Hudson, the rebreathing characteristics of (Campkin, Ooi & Soni), 239

Masks see also Laryngeal; Face

Mattress, electrically heated, Astopod Opt (Hazard Notice), 1121

Mechanomyography, adductor pollicis, a modified bonded strain gauge for (Campkin, Hood & Feldman), 85 (c)

Mediastinoscopy, the laryngeal mask airway in (West & Ahmed), 826 (c)

Medicolegal and nursing practice in the private sector (Davies), 452 (c)

Memory, implicit, during balanced anaesthesia; lack of evidence (Bonebakker et al.), 657

Meningitis, meningococcal, muscle rigidity in (Smith & Park), 1103 (c)

Meningitis, postpartum (Davis, Hargreaves & Robinson), 788

Metabolic and hormonal response to cataract surgery; comparison between retrobulbar and peribulbar blockade (Barker et al.), 488

Methane: influence on infrared measurement of anaesthetic vapour concentration (Moens & Gootjes), 270 (c)

Methohexitone and propofol compared for dental chair anaesthesia in children (Ewah & Carr), 260 (f)

Methoxamine, changes in blood flow and vascular resistance in the arm and leg during spinal anaesthesia and vasopressor therapy with (Fogarty & Howe), 387

Metoclopramide and omeprazole in elective obstetric anaesthesia (Orr et al.), 114

Mexilitine, epidural (Symington, Murthy & Milligan), 925 (c)

Micro-organisms: growth in solutions of intravenous anaesthetic agents (Berry et al.), 30

Micro-organisms in propofol; clinical significance (Quinn et al.), 923 (c)

Midazolam and abreaction (McClymont & Wilson), 740 (c)

Midazolam: effects on the EEG during sedation of critically ill patients (Veselis et al.), 463

Midazolam, intravenous, effects of cimetidine and ranitidine on recovery after (Sanders et al.), 286

Midazolam: pharmacokinetic model-controlled infusion; general anaesthesia (Short et al.), 187

Midazolam, pharmacokinetic model-controlled infusion of (Mimpriss: Short et al.: Skipsey et al.), 823 (c)

Migraine attacks, peri-operative, are relieved and prevented by sumatriptan (Hannington-Kiff), 144

Miller tracheal cuff pressure control valve (Payne & Miller), 324

Minilink breathing system: resistance and suitability for spontaneous ventilation (O'Meara et al.), 235

Minimally invasive therapy (MIT): implications for anaesthesia (Whitwam), 937

'Minitrach' introducer, a new use of (Daykin), 538 (c)

'Minitrach' introducer, a new use of (Smith), 930 (c)

Minitracheostomies made easy (Scott & Tweedie), 929 (c)

Minitracheostomy, CPAP via (Jones), 1021 (c)

Minitracheotomy, a further use for (Shaw & Thompson), 537 (c)

Mivacurium compared with suxamethonium, in children (Mangat et al.), 866

Mivacurium in electroconvulsive therapy (Burnstein & Denny), 1116 (c)

Mivacurium, neuromuscular effects and intubating conditions following, comparison with suxamethonium (Maddineni et al.), 940

Modulus CD anaesthetic machine, Ohmeda (Hazard Notice), 1121

Monitoring neuromuscular transmission; spinal accessory nerve stimulation method (Meakin), 85 (c)

Monitoring, noninvasive, of respiratory volume; evaluation of breath monitoring device (Amin et al.), 608

Monitors, anaesthetic; performance can be affected by breathing system filters (Costigan & Snowdon), 1015 (c)

Morphine and diamorphine, histamine release by, in man (Withington, Patrick & Reynolds), 26

Morphine and ketamine infusions, combined, for postoperative pain in elderly patients (Edwards et al.), 124

Morphine, influence of terfenadine and ranitidine on hypotensive and gastric pH effects of (Treuren et al.), 758

Motor blockade, subdural, development of (Asato et al.), 46

Muscle pains, suxamethonium-induced, are not related to cholinesterase activity (Ansermino et al.), 1097 (f)

Muscle rigidity in meningococcal meningitis (Smith & Park), 1103 (c)

Myalgia and biochemical changes following suxamethonium after induction of anaesthesia with thiopentone or propofol (Maddineni, Mirakhur & Cooper), 626 (f)

Myalgia, suxamethonium; ethnic comparison with and without pancuronium pretreatment (Houghton et al.), 377

Myasthenic patient, repeated doses of suxamethonium in (Baraka, Baroody & Yazbeck), 782

Myasthenic patient, vecuronium block in; influence of anticholinesterase therapy (Baraka et al.), 588

Myelitis, transverse, following general anaesthesia (Gutowski & Davies), 44

Myelitis, transverse, following general anaesthesia (Hughes), 642 (c)

Myxoma, right ventricular, pulse oximetry artifact in a patient with (Fearnley & Manners), 87 (c)

Nasal intermittent positive pressure ventilation in patients with chronic obstructive airways disease, inspiratory muscle effort during

Nu

Nu

Ob

Ob

Ot

Ol

Ot

Ol

Ol

O

Ol

O

O

O

O

O

000

0

Nasal intubation, blind; a simple and cheap aid (Gandhi & Panchal), 173 (c)

Nasal intubation, blind, using a laryngeal mask airway (Thomson), 785

Nasal positive pressure ventilation, use of Servo 900C ventilator for (Hollywood, Jooste & Higgins), 1106 (c)

Nasogastric tube, hypertensive response to passage of (Bremner), 353 (c)

Nasogastric tube, knotted (Wilson), 1119 (c)

Nasogastric tubes and cricoid pressure (Vanner & Pryle), 1112 (c)

Nasogastric tubes, fine-bore, position of (Bremner), 928 (c)

Nasopharyngeal airway; assessment of position by fibreoptic laryngoscopy (Stoneham), 575

Nasopharyngeal mass caused by nasotracheal intubation (Stevenson), 358 (c)

Nasotracheal converted from orotracheal intubation with the aid of the fibreoptic laryngoscope (Smith & Fenner), 1016 (c)

Nasotracheal intubation causing a nasopharyngeal mass (Stevenson), 358 (c)

Nasotracheal intubation, fibreoptic; intermittent thiopentone for teaching (Yentis, Jankowski & Gregory), 340 (f)

Nasotracheal intubation, fibreoptic; intermittent thiopentone for teaching (Erratum) (Yentis, Jankowski & Gregory), 557 (f)

Nasotracheal intubation; training and the laryngeal mask airway (Alexander & Moore), 350 (c)

Nausea and vomiting: effect of the addition of droperidol to patient-controlled analgesia (Williams et al.), 881

Nausea, postoperative, ondansetron in prevention of (Dupeyron et al.), 214 Nausea, postoperative, ondansetron in prevention of (Hindle: Dupeyron), 919 (c)

Near infrared spectroscopy in adults. Does the Invos 3100 really measure intracerebral oxygenation? (Harris & Bailey), 694

Near-drowning in bleach solution (Levy & Tzabar), 91 (c)

Needle, broken, complicating arterial cannulation (Ramsay), 178 (c)

Needle, combined spinal/epidural, Eldor (Eldor), 173 (c)

Needle, Quincke, 26-gauge and 27-gauge comparison for spinal anaesthesia in day-care surgery (Corbey, Berg & Quaynor), 776

Needle size, spinal, and hearing (Perks: Sundberg, Wang & Fog), 534 (c) Needle, spinal, Sprotte, modification to (Carrie), 92 (c)

Needle, Sprotte, need for modification of (Aglan & Stansby), 534 (c)

Needle, Tuohy, unusual defect in (Bamber: Clegg), 743 (c)

Needle-free intensive therapy unit, towards (Smith & Taylor), 446 (c)

Needles, 29 gauge, accelerating CSF flashback in (Dimitriou, Hennessy & Mahajan), 86 (c)

Needles, spinal atraumatic (Turner & Shaw), 452 (c)

Needles, spinal, cerebrospinal fluid flashback in (Cartwright), 830 (c)

Needles: too many sharps (Bamber & Wenstone), 344 (c)

Neonatal resuscitation, use of the laryngeal mask airway in (Lavies), 352 (c)

Neostigmine reversal; influence on response to atracurium (Shorten & Ali), 524 (f)

Nerve block, facial, local anaesthesia for eye surgery without (Sanchez-Capuchino, Meadows & Morgan), 428 (f)

Nerve, peripheral, stimulator, inadvertent suppression of a fixed rate ventricular pacemaker by (O'Flaherty, Wardill & Adams), 687 Nerves, peripheral, pethidine has a local anaesthetic action in vivo; addition to prilocaine 0.25% for intravenous regional anaesthesia in volunteers (Armstrong, Morton & Nimmo), 382

Neuralgia, intercostal, associated with internal mammary artery grafting (Conacher et al.), 1070

Neurogenic pain associated with diclofenac injection (de Courcy & Nicholls), 455 (c)

Neuroleptic malignant syndrome in basal ganglia disease; presentation in patient with Hallervorden-Spatz disease in absence of neuroleptic drugs (Hayashi et al.), 499

Neuromuscular block level needed to suppress diaphragmatic movement during tracheal suction in patients with raised intracranial pressure; a study with vecuronium and atracurium (Werba et al.), 301

Neuromuscular block, pipecurium, extension of (Hood, Campkin & Feldman), 1113 (c)

Neuromuscular block, pipecuronium, extension of; increments of atracurium or vecuronium as an alternative to pipecuronium (Roberts et al.), 196

Neuromuscular blocking drugs and hormone release (Hunter), 561

Neuromuscular effects and intubating conditions following mivacurium: a comparison with suxamethonium (Maddineni et al.), 940 Neuromuscular effects of rocuronium bromide (Org 9426) during fentanyl and halothane anaesthesia (Cooper, Mirakhur & Maddineni),

Neuromuscular transmission monitoring using the spinal accessory nerve stimulation method (Meakin), 85 (c)

Neurosurgical ICU patients, coeliac plexus block with bupivacaine reduces intestinal dysfunction in (Weinstabl et al.), 162 (f)

Nightmares, peri-operative, in surgical patients (Brimacombe & Macfie), 527 (f)

Nil by mouth after midnight (Lulwani), 178 (c)

Nil by mouth after midnight (Appadurai & Morris), 355 (c)

Nitrie oxide, inhaled, successful use in near fatal pulmonary hypertension after surgical repair of congenital diaphragmatic hernia (Frostell et al.), 679

Nitroglycerine, topical, prevents the pressor response to tracheal intubation and sternotomy in patients undergoing coronary artery bypass graft surgery (Mahajan, Ramachandran & Saxena), 297

Nitrous oxide, isoflurane and oxygen analgesic mixtures (Tunstall & Ross), 919 (c)

Nitrous oxide, propofol with or without, or isoflurane anaesthesia; atelectasis and oxygenation in major surgery (Jensen et al.), 1094 (f)

Nitrous oxide supplemented by eltanolone for minor gynaecological surgery (Rajah, Powell & Morgan), 951

Nomograms, infusion (Sherry, Burton & Wilkins), 396

Nooth, John Mervyn; an update and some Bath memorials (Zuck), 712

Noradrenaline response; general anaesthesia for Caesarean section (Levy), 640 (c)

Nurse-call button on a patient-controlled analgesia pump? (Chisakuta), 90 (c)

Nurses, anaesthetists and pre-operative visiting (Ferguson), 89 (c)

Nurses and pre-operative visiting (Clark), 539 (c)

Nursing and medicolegal practice in the private sector (Davies), 452 (c)

Nursing staff and airway management (Cook), 535 (c)

Nursing staff training in airway management for resuscitation; comparison of facemask and laryngeal mask (Martin et al.), 33

### **Obituaries**

Beaton, D., 98

Chew, H. E. R., 98

Haughton, J. M., 98

Hewitt, J. C., 364

Hudson, M. W. P., 364

Khan, J., 364

Kyles, J. R., 652

Latham, J. W., 652

O'Beirn, P., 652

Sandford, F. M., 364

Ward, A. I., 98

Obstetric anaesthesia; effects of omeprazole, with and without metoclopramide (Orr et al.), 114

Obstetric dural taps: a 20-year survey (Stride & Cooper), 247

Obstetric dural taps; loss of resistance; saline versus air (Thorpe & Sutherland), 742 (c)

Obstetric units in the United Kingdom, blood ordering practices in (Clark, Wardall & McGrady), 998 (f)

Obstetric wedges: can they cause ventilatory obstruction? (Rittoo & Rittoo), 449 (c) Obstetrics, failed intubation; medical audit; wary of friendly rivalry (Levy), 94 (c)

Obstetrics: postpartum meningitis (Davis, Hargreaves & Robinson), 788

Obstructed airway, unusual cause of (Platt), 540 (c)

Obstruction, airway, following laryngeal mask insertion; risk assessment (Brimacombe), 79 (c)

Obstruction, airway, in laryngo-onycho-cutaneous syndrome, anaesthesia for (Hodges & Lloyd-Thomas), 503

Obstruction: foreign bodies in the larynx (Kubota, Toyoda & Kubota), 173 (c)

Obstruction, gastric outlet, explosion during surgery for (Mills & Jones), 544 (c)

Obstruction, ventilatory, caused by obstetric wedges? (Rittoo & Rittoo), 449 (c)

Obstructive airways disease, inspiratory muscle effort during nasal intermittent positive pressure ventilation in patients with (Elliott et al.), 8

Oesophageal detector device in the asthmatic patient (Baraka), 275 (c)

Ohmeda Modulus CD anaesthetic machine (Hazard Notice), 1121

Ohmeda OAV 7700 ventilator (Safety Action Bulletin 93 26), 934

Ohmeda PAC portable anaesthesia system, reservoir requirements of (Yoganathan & Johnston: Lamb), 170 (c)

Omeprazole, with and without metoclopramide, in elective obstetric anaesthesia (Orr et al.), 114

Ondansetron in prevention of postoperative nausea and vomiting (Dupeyron et al.), 214

Ondansetron in prevention of postoperative nausea and vomiting (Hindle: Dupeyron), 919 (c)

Operating lists, and where does the time go during? (Francis), 456 (c)

Opiate receptors, peripheral (Feldman), 171 (c)

Opioid analgesia, intravenous, antireflux valves in (Tolhurst-Cleaver), 93 (c)

Opisthotonus and hysteria (Crabb & Allan), 445 (c)

Org 9426, neuromuscular effects of, during fentanyl and halothane anaesthesia (Cooper, Mirakhur & Maddineni), 103

Organ donors, brain-dead, haemodynamic responses to surgery in (Pennefather, Dark & Bullock), 1034

Organophosphate insecticide, a case of acute poisoning due to (Kecik et al.), 141

Organophosphorous insecticide, acute poisoning by (Lalwani: Kecik et al.), 834 (c)

Organophosphorous insecticide poisoning and the intermediate-like syndrome (Leon-S), 835 (c)

O-ring, broken, causing hypoventilation (Pandit, Jakubowski & Wait: Smith), 1114 (c)

O-rings missing (Tighe & Jones), 88 (c)

Oropharyngeal airways, rubber; sizes (Bickford-Smith), 1119 (c)

Orotracheal converted to nasotracheal intubation with the aid of the fibreoptic laryngoscope (Smith & Fenner), 1016 (c)

Orotracheal intubation in patients with potential cervical spine injuries. An indication for the gum elastic bougie (Nolan & Wilson), 630

Outpatient procedures, short, patient evaluation for four different combinations of intravenous anaesthetics for (Jakobsson, Oddby & Rane), 1005 (f)

Overdose, 'ecstasy', and dantrolene (Larner), 179 (c)

Overdose, 'ecstasy', treated with dantrolene (Campkin & Davies: Stone), 82 (c)

Overdose or normal dose in 'ecstasy' misuse? (Barrett), 83 (c)

Oximetry, pulse see Pulse oximetry

Oxygen alarms and disconnection - a hazard (Vreede & Liban: Salmenkylä), 739 (c)

Oxygen analgesic mixtures, nitrous oxide and isoflurane (Tunstall & Ross), 919 (c)

Oxygen analysers, fuel cell, and Manley ventilators (Moore & Carter), 634 (c)

Oxygen delivery and oxygen consumption (Oh & Bhatt: Nimmo, Mackenzie & Grant), 731 (c)

Oxygen delivery and tissue oxygenation: beyond the lung (Soni, Fawcett & Halliday), 704

Oxygen delivery and tissue oxygenation: beyond the lung (Soni, Fawcett & Halliday) (Erratum), 1123

Oxygen flush buttons: more critical incidents (Morris & Barclay), 1115 (c)

Oxygen mask, Hudson, rebreathing characteristics of (Campkin, Ooi & Soni), 239

Oxygen saturations measured by pulse oximetry and venous blood gas analysis, effect of vasodilatation on (Broome et al.), 415

Oxygenation and atelectasis in major surgery with either propofol with or without nitrous oxide or isoflurane anaesthesia (Jensen et al.), 1094 (f)

Oxygenation, intracerebral, measurement by the Invos 3100 near infrared spectroscopy monitor (Harris & Bailey), 694

Oxygenator, intravenous; peri-operative management of surgical insertion and removal (Murdoch et al.), 845

Oxyhaemoglobin saturation, cerebral; assessment during cardiopulmonary bypass in humans; comparison of two systems (Brown, Wright & Royston), 697

Oxyhaemoglobin saturation, the effect of fentanyl administered epidurally by three different methods on, after abdominal surgery (Owen et al.), 20

PAC portable anaesthesia system, reservoir requirements of (Yoganathan & Johnston: Lamb), 170 (c)

Pacemaker failure and diathermy (Goodman: Kellow), 824 (c)

Pacemaker failure during transurethral resection of the prostate (Kellow), 136

Pacemaker failure during unipolar diathermy, an inappropriate recommendation for minimising the risk of (Keller & Knickerbocker), 825 (c)

Per

Per

Pet

Pet

Ph

Ph

Ph

Ph

Ph

Ph

Ph

Ph

Pil

Pip

Pip

Pip

Pip

Pla

Pla

Pla

Pla

Ple

Pn

Pn

Pn

Pn

Pn

Po

Po Po

Po

Po

Po

Po

Po

Po

Pr

Pr Pre

Pre

Pro

Pr

Pr

Pr

Pro

Pre

Pre

Pr

Pre

Pro

Pacemaker, ventricular, inadvertent suppression of, using a peripheral nerve stimulator (O'Flaherty, Wardill & Adams), 687

Paediatric arterial cannulae, blood sampling from (Smith), 924 (c)

Paediatric epidural catheters (Gill & Mackinnon: Drury), 924 (c)

Paediatric heart surgery: trans-septal left atrial catheterisation (Fukutome et al.), 407

Paediatric palatoplasty, difficult intubation in (Rinaldi, Dogra & Sellman), 358 (c)

Paediatric tracheal tubes, external diameters of (Bourne & Barker), 839 (c)

Paediatric see also Babies; Children

Pain, acute; services and GP referral practices (Lauder & Sutton), 454 (c)

Pain after Caesarean section (Wright, Thompson & Mathews), 449 (c)

Pain and the paramedian approach to epidural catheterisation (Uncles & Carrie: Ralston & Head-Rapson), 641 (c)

Pain, chronic; dose-response for analgesic effect of amitriptyline (McQuay, Carroll & Glynn), 281

Pain, chronic; training in management (Collins & Taylor), 269 (c)

Pain following extraction of third molar teeth is reduced by dexamethasone (Baxendale, Vater & Lavery), 961

Pain management and sickle cell crisis (Lanigan & Justins), 829 (c)

Pain management, training in (Stott & Michels), 1118 (c)

Pain, neurogenic, associated with diclofenac injection (de Courcy & Nicholls), 455 (c)

Pain relief clinics, historic development of (Kumar & Bhattacharya), 648 (c)

Pain relief, post-thoracotomy, a combined chest drain and intrapleural catheter for (Broome, Sherry & Reilly), 724 (f)

Pain, severe, from a subcutaneous haematoma following epidural analgesia in labour (Sah), 928 (c)

Painless venous cannulation - a childish approach (McEwan), 1021 (c)

Pains, muscle, suxamethonium-induced, are not related to cholinesterase activity (Ansermino et al.), 1097 (f)

Pain see also Postoperative pain

Palatoplasty, paediatric, difficult intubation in (Rinaldi, Dogra & Sellman), 358 (c)

Palsies, diaphragmatic, bilateral, following abdominal tamponade (Lachmann, Calne & Park), 914 (c)

Pancuronium pretreatment, an ethnic comparison of suxamethonium myalgia with or without (Houghton et al.), 377

Pancuronium recovery index, comparison with rocuronium or vecuronium, in the isolated forearm (Fawcett, Fauvel & Feldman), 200

Papaveretum compared with diclofenac; blood loss following tonsillectomy in children (Thiagarajan et al.), 132

Paralysis, diaphragmatic, bilateral, postoperative, and subsequent anaesthesia (Morgan), 975

Paramedian approach to epidural catheterisation, pain and (Uncles & Carrie: Ralston & Head-Rapson), 641 (c)

Paraplegia, extradural air as a cause of (Brimacombe & Tucker: Heavner: Milaskiewicz & Nay), 1106 (c)

Paraplegia: extradural anaesthesia and air (Yamashita), 1107 (c)

Paraplegia following lumbar analgesia, extradural air as a cause of (Nay, Milaszkiewicz & Jothilingam), 402

Paravertebral block, continuous, in children (Johnson), 93 (c)

Parental presence at induction of general anaesthesia in children, anaesthetists' attitudes to (Roman, Barker & Reilly), 338 (f)

Parenteral codeine (Semple, Macintyre & Hooper), 539 (c)

Paroxysmal ventricular tachycardia, anaesthesia for Caesarean section in a patient with (Field & Barton), 593

Patch preparation of amethocaine, self-adhesive, new, for topical anaesthesia prior to venous cannulation in children; evaluation (Doyle et al.), 1050

Patient attitudes to the anaesthetist's attire (Robinson), 839 (c)

Patient controlled analgesia: a problem with a pump (Youngs: Nicholson), 829 (c)

Patient controlled analgesia: a problem with the Graseby 3300 PCA pump (White: Nicholson), 1013 (c)

Patient controlled analgesia, intravenous, using the Baxter infusor, comparison with epidural diamorphine, following Caesarean section (Stoddart et al.), 1086 (f)

Patient controlled analgesia, pruritus and pain after Caesarean section (Wright, Thompson & Mathews), 449 (c)

Patient-controlled analgesia, addition of droperidol to; effect on nausea and vomiting (Williams et al.), 881

Patient-controlled analgesia devices, feedback by (Owen, Plummer & Ilsley), 737 (c)

Patient-controlled analgesia: effect of epidural fentanyl on haemoglobin saturation after abdominal surgery (Owen et al.), 20

Patient-controlled analgesia pump, nurse-call button on? (Chisakuta), 90 (c)

Patient-controlled analgesia system, disposable, Baxter; laboratory assessment (Davidson, Dryden & Smith), 243

Patient-controlled analgesia systems; incident involving incorrect replacement syringe (Wright), 354 (c)

Patient-controlled analgesia with and without background infusion. Analgesia assessed using the demand-delivery ratio (McCoy, Furness & Wright), 256 (f)

Patient-controlled epidural analgesia following post-traumatic pelvic construction (Mackenzie & Woodward: Nolan, Dow & Parr), 736

Patient-controlled sedation, true (Cook et al.), 1039

Patient evaluation for four different combinations of intravenous anaesthetics for short outpatient procedures (Jakobsson, Oddby & Rane), 1005 (f)

Patient factors in rationalising venous cannulation (Van der Berg & Abeysekera), 84 (c)

Patient perception of the anaesthetist's prestige, influence of dress on (Hennessy, Harrison & Aitkenhead), 219

PCA Extension Set, Graseby (Hazard Notice), 1121

Pelvic construction, post-traumatic, patient-controlled epidural analgesia following (Mackenzie & Woodward: Nolan, Dow & Parr), 736

Penlon 200 fitted with a Newton valve, ventilator pressure alarm line adaptor for (Kumar, Leech & Wood), 90 (c) Percutaneous dilational tracheostomy (Cook: Denholm & Sanderson: McAuley & Lawler), 735 (c)

Percutaneous dilational tracheostomy. Completing the anaesthetist's range of airway techniques (Bodenham), 101

Peribulbar anaesthesia and aspirin (Ismail, Brighouse & Wainwright), 1109 (c)

Peribulbar and retrobulbar blockade, a comparison between; metabolic and hormonal response to cataract surgery (Barker et al.), 488 Peri-operative management of surgical insertion and removal of the intravenous oxygenator device (IVOX) (Murdoch et al.), 845

Peri-operative migraine attacks are relieved and prevented by sumatriptan (Hannington-Kiff), 144

Peri-operative nightmares in surgical patients (Brimacombe & Macfie), 527 (f)

Peri-operative pneumothorax, are electrocardiographic changes the first sign of? (Brock-Utne & Botz), 543 (c)

Peripartum cardiomyopathy, veno-venous haemofiltration in (Beards, Freebairn & Lipman), 1065

Peripheral nerve stimulator, inadvertent suppression of a fixed rate ventricular pacemaker by (O'Flaherty, Wardill & Adams), 687 Peripheral nerves, pethidine has a local anaesthetic action in vivo; addition to prilocaine 0.25% for intravenous regional anaesthesia in

Peripheral opiate receptors (Feldman), 171 (c)

volunteers (Armstrong, Morton & Nimmo), 382

Personality traits as predictors of anxiety prior to Caesarean section under regional anaesthesia (Thorp et al.), 946

Persuasion in clinical practice: the three 'Rs' (van den Berg), 449 (c)

Pethidine has a local anaesthetic action on peripheral nerves in vivo. Addition to prilocaine 0.25% intravenous regional anaesthesia in volunteers (Armstrong, Morton & Nimmo), 382

Pethidine, intrathecal; a word of caution (Ngan Kee & Khor), 276 (c)

Phaeochromocytoma without raised pre-operative catecholamine levels (Nishina, Mikawa & Obara), 176 (c)

Pharmacodynamics of vecuronium and rocuronium (van den Broek, Wierda & Hennis: Bryden), 349 (c)

Pharmacokinetic model-controlled infusion of midazolam. A prospective evaluation during general anaesthesia (Short et al.), 187

Pharmacokinetic model-controlled infusion of midazolam (Mimpriss: Short et al.: Skipsey et al.), 823 (c)

Pharyngeal teratoma (Moriarty & McEwan), 792

Pharyngoplasty, laser, the reinforced laryngeal mask airway for (Brimacombe, Sher & Berry), 1105 (c)

Pharynx, anaesthesia for procedures on (Mendel & Bristow), 263 (f)

Pharynx, pressures exerted on; laryngeal mask inflation (O'Kelly, Heath & Lawes), 1075

Phrenic nerve paralysis, and interpleural analgesia (Lauder), 315

Pilot balloon, inflated, with deflated tracheal tube cuff (Bhanumurthy, McCaughey & Graham), 1109 (c)

Pipecurium neuromuscular block extension (Hood, Campkin & Feldman), 1113 (c)

Pipecuronium neuromuscular block, extension of; increments of atracurium or vecuronium as an alternative to pipecuronium (Roberts et al.), 196

Pipelines, functionally crossed (Barton), 167 (c)

Pipelines, functionally crossed, and faulty ventilator (Branson), 270 (c)

Plasma cholinesterase deficiency, fresh frozen plasma and edrophonium in a patient with (Smith, Ridley & Donaldson), 511

Plasma concentrations of lignocaine after rectal administration (Serpell & Gupta), 926 (c)

Plasma concentrations of lignocaine after thoracic paravertebral blockade in infants and children (Lönnqvist), 958

Plasma volume estimation using indocyanine green. A single intravenous injection method (Busse et al.), 41

Pleural drainage systems (Kam, O'Brien & Kam), 154

Pneumomediastinum complicating laparoscopic vagotomy (Chui, Gin & Chung), 978

Pneumoperitoneum, ventilatory effects of, monitored with continuous spirometry (Bardoczky et al.), 309

Pneumothorax complicating laparoscopic vagotomy (Chui, Gin & Chung), 978

Pneumothorax, peri-operative, are electrocardiographic changes the first sign of? (Brock-Utne & Botz), 543 (c)

Pneumothorax, tension, contralateral, during thoracotomy, delayed diagnosis of (Handel & Jellicoe), 177 (c)

Poisoning, acute, due to organophosphate insecticide (Kecik et al.), 141

Poisoning, acute, due to organophosphorous insecticide (Lalwani: Kecik et al.), 834 (c)

Poisoning due to organophosphorous insecticide, and the intermediate-like syndrome (Leon-S), 835 (c)

Pollution, recovery room, and laryngeal mask airway (Berry & Brimacombe), 541 (c)

Porphyria, acute, and propofol (Rigg & Petts), 1108 (c)

Porphyric patient, anaesthesia for (Harrison, Meissner & Hift), 417

Porphyric patient, anaesthesia for (Böhrer & Schmidt), 929 (c)

Porphyric patient, anaesthesia for (Rushman & Jooste: Rigg & Petts), 1009 (c)

Portex 8.5 mm tracheal connectors, a problem with (May & Kirton: Howell), 348 (c)

Portex set, combined spinal-epidural anaesthesia through (Eldor: Westbrook & Carrie), 836 (c) Postdural puncture headache; prevention by bloody tap? (Khan, Stride & Cooper), 628 (f)

Postdural puncture headache; prevention by bloody tap? (Beards et al.), 1111 (c) Post-immersion collapse, pathogenesis of (Mair & Kornberger), 271 (c)

Postimmersion collapse, pathogenesis of (Stoneham & Squires), 728 (c)

Postimmersion collapse, pathogenesis of (Lloyd), 1010 (c)

Post-induction removal of dentures (Higgins & Berg), 448 (c)

Postinduction removal of dentures (Mulder), 1022 (c) Postoperative analgesia following day-case arthroscopy of the knee joint; comparison of diclofenac and ketorolac (Morrow, Bunting & Milligan), 585

Postoperative analgesia: histamine release by morphine and diamorphine in man (Withington, Patrick & Reynolds), 26

Postoperative bilateral diaphragmatic paralysis and subsequent anaesthesia (Morgan), 975

Postoperative fatigue syndrome (Fee), 745

Postoperative hoarseness (Cone), 357 (c)

Postoperative nausea and vomiting, ondansetron in prevention of (Dupeyron et al.), 214

Postoperative nausea and vomiting, ondansetron in prevention of (Hindle: Dupeyron), 919 (c)

Postoperative pain following lower abdominal surgery: can it be reduced by pre-emptive epidural blockade? (Pryle et al.), 120

Postoperative pain following lower abdominal surgery; pre-emptive analgesia (Edmondson: Pryle et al.), 922 (c)

Postoperative pain in elderly patients, combined infusions of morphine and ketamine for (Edwards et al.), 124

Postoperative pain management, intranasal fentanyl titration for, in an unselected population (Striebel, Pommerening & Rieger), 753

Postoperative pain relief, epidural tramadol for (Delilkan & Vijayan), 328 (f)

Postpartum gastric emptying (Gin: Whitehead & O'Sullivan), 821 (c)

Postpartum meningitis (Davis, Hargreaves & Robinson), 788

Post-traumatic pelvic construction, patient-controlled epidural analgesia following (Mackenzie & Woodward: Nolan, Dow & Parr), 736

Pre-anaesthetic counselling (Fozard), 1119 (c)

Pregnancy, gastric emptying times in (Whitehead et al.), 53 (f)

Pregnancy, late, combined high frequency ventilation in management of respiratory failure in (Raphael & Bexton), 596

Premedication, intramuscular, dexmedetomidine as, in outpatient cataract surgery (Virkkilä et al.), 482

Premedication; temazepam capsule; foreign body; tracheal intubation (Murray & Wait), 269 (c)

Premedication with trimeprazine, delayed profound respiratory depression after (Wilson: Chambers: Zsigmoid & Hirota), 169 (c)

Pre-operative advice to stop smoking, effectiveness of (Munday et al.), 816 (f)

Pre-operative anaesthetic visit (Horsey), 179 (c)

Pre-operative anaesthetic visit (Geraghty), 266 (c)

Pre-operative fast, chewing gum during (Maltby), 453 (c)

Pre-operative raised catecholamine levels, phaeochromocytoma without (Nishina, Mikawa & Obara), 176 (c)

Pre-operative starvation, audit of (Maclean & Renwick), 164 (f)

Pre-operative visiting, anaesthetists and nurses (Ferguson), 89 (c)

Pre-operative visiting and nurses (Clark), 539 (c)

Pre-operative visits - the 'printy' approach (Allan, Cundy & Dasey), 744 (c)

Pre-oxygenation, routine (Hett, Geraghty & Radford), 77 (c) Pre-oxygenation, routine (Fielden, Wilson & Hughes), 645 (c)

Pressor response to tracheal intubation in patients undergoing coronary artery bypass graft surgery is prevented by topical nitroglycerine

(Mahajan, Ramachandran & Saxena), 297 Pressure effects of syringes (Hamilton-Davies), 545 (c)

Pressure effects of syringes (Costigan: Read), 1016 (c) Pressurised irrigation (Rowbottom), 836 (c)

Prilocaine 0.25% and pethidine for intravenous regional anaesthesia in volunteers (Armstrong, Morton & Nimmo), 382

Prilocaine compared with 2-chloroprocaine for intravenous regional anaesthesia of the arm (Pitkänen, Kyttä & Rosenberg), 1091 (f)

'Printy' approach to pre-operative visits (Allan, Cundy & Dasey), 744 (c) Private sector, medicolegal and nursing practice in (Davies), 452 (c)

Procedures, repeated, use of propofol for (Maurelli et al.), 543 (c)

Procedures undertaken by medical students (Wilson), 344 (c)

Propofol, acceleration of ventricular tachycardia following, in a patient with heterotopic cardiac transplant (Jayamaha & Dowdle), 889

Propofol anaesthesia in children, brainstem auditory evoked response during (Purdie & Cullen), 192

Propofol, anaphylactoid reaction to (Lawes & Davis: McHale & Konieczko), 446 (c)

Propofol and acute porphyria (Rigg & Petts), 1108 (c)

Propofol and alfentanil, intubation following; comparison with intubation following thiopentone and suxamethonium (Beck et al.), 876

Propofol and desflurane anaesthesia compared for minor gynaecological laparoscopic surgery (Graham & Aitkenhead), 471
Propofol and electroconvulsive therapy (Webb & Rouse), 1019 (c)

Propofol and fentanyl act additively for induction of anaesthesia (Ben-Shlomo et al.), 111

Propofol and isoflurane compared for effect on arterial carbon dioxide tensions following intracranial surgery (Wilson et al.), 955

Propofol and malignant hyperthermia: a case for day-case anaesthesia? (Khan & Cooper), 455 (c)

Propofol and methohexitone compared for dental chair anaesthesia in children (Ewah & Carr), 260 (f)

Propofol, clinical significance of the growth of micro-organisms in (Quinn et al.), 923 (c)

Propofol compared with thiopentone; anxiety levels following anaesthesia for day-case surgery (Winwood & Jago), 581

Propofol: effect on beat-to-beat cardiovascular signals in man (Scheffer et al.), 849

Propofol or thiopentone, myalgia and biochemical changes following suxamethonium after induction of anaesthesia with (Maddineni, Mirakhur & Cooper), 626 (f)

Propofol requirements, increased, in a child with Duchenne muscular dystrophy (Fairfield), 1013 (c)

Propofol sedation during surgery under local blockade; assessment of a target-controlled infusion system (Skipsey et al.), 210

Propofol: use for repeated procedures (Maurelli et al.), 543 (c)

Propofol: use in a child with hepatitis A (Shaw), 591

Propofol, with or without nitrous oxide, or isoflurane anaesthesia; atelectasis and oxygenation in major surgery (Jensen et al.), 1094 (f) Propofol-fentanyl anaesthesia in cardiac surgery: a comparison in patients with good and impaired ventricular function (Phillips et al.), 661

Prostate, pacemaker during transurethral resection of (Kellow), 136

Pruritis and alfentanil (Walsh & Armstrong), 1120 (c)

Pruritus, PCAs and pain after Caesarean section (Wright, Thompson & Mathews), 449 (c)

Psoriasis and epidural analgesia; not another high block (Wright), 175 (c)

Puerperium, gastric emptying times in (Whitehead et al.), 53 (f)

Pulmonary artery catheters - a new complication (Sorooshian & Sinclair), 741 (c)

Pulmonary artery flotation catheter, faulty (Patla et al.: Mooney, Holt & Passafaro), 828 (c)

Pulmonary hypertension, near fatal, after surgical repair of congenital diaphragmatic hernia; use of inhaled nitric oxide (Frostell et al.),

Pulmonary monitor, Bicore (Petros, Lamond & Bennett), 985

Pulse oximetry artifact in a patient with a right ventricular myxoma (Fearnley & Manners), 87 (c)

Pulse oximetry, confirmation of intravascular catheter placement by, following indocyanine green injection (Böhrer, Schmidt & Bach),

Pulse oximetry during cardiopulmonary resuscitation; evaluation (Spitall), 701

Pulse oximetry, effect of vasodilatation on oxygen saturation measured by (Broome et al.), 415

Pulse oximetry in children, a modified sensor for (Howell, Blogg & Ashby), 1083

Pulse oximetry in diagnosis of right-sided aortic arch (Gupta, Varma & Chari), 1108 (c)

Pump, PCA, a problem with (Young: Nicholson), 829 (c) Pump, PCA, Graseby 3300, a problem with (White: Nicholson), 1013 (c)

Pumps see also Syringe pumps

Pupils, dilated, fixed, associated with alcuronium infusions (Rao & Milligan), 917 (c)

QT, long, syndrome and torsade de pointes following major blood transfusion (Espantman: Kulkarni), 93 (c)

Quality assurance: critical incident reporting in an anaesthetic department (Short et al.), 3

Quincke needle: comparison of 26-gauge and 27-gauge for spinal anaesthesia in day-care surgery (Corbey, Berg & Quaynor), 776

RAE tube, prevention of bronchial intubation with, during adenotonsillectomy (Sun), 645 (c)

Ranitidine: effects on recovery after intravenous midazolam (Sanders et al.), 286

Ranitidine: influence on hypotensive and gastric pH effects of morphine and tubocurarine (Treuren et al.), 758

Rebreathing and semiclosed anaesthetic breathing systems (Barrie & Beatty), 86 (c)

Rebreathing characteristics of the Hudson oxygen mask (Campkin, Ooi & Soni), 239

Receptors, opiate, peripheral (Feldman), 171 (c)

Recovery after intravenous midazolam, effects of cimetidine and ranitidine on (Sanders et al.), 286

Recovery: assessment of single dose alfentanil in daycase anaesthesia (Bagshaw, Singh & Aitkenhead), 476

Recovery index of rocuronium or vecuronium, comparison with pancuronium in the isolated forearm (Fawcett, Fauvel & Feldman), 200

Recovery room pollution and laryngeal mask airway (Berry & Brimacombe), 541 (c) Recovery, use of reinforced laryngeal mask airway in (Williams & Bailey), 733 (c)

Rectal administration, plasma concentrations of lignocaine after (Serpell & Gupta), 926 (c)

Red rubber Robertshaw tubes (Smith), 94 (c)

Regional anaesthesia, intravenous, of the arm; 2-chloroprocaine compared with prilocaine (Pitkänen, Kyttä & Rosenberg), 1091 (f)

Regional anaesthesia, personality traits as predictors of anxiety prior to Caesarean section under (Thorp et al.), 946

Rena Rese Rese Resid Resi Resi Resp Resp Resp Resp Resp Resp Res-Resu Resi Resi Resu Resu Resu Retr Rha Rha Rhe Rhir Rhir Righ Righ Riya Rob Roc Roc Roc Roc Rub Safe Safe Safe Safe Safe

Salin

Scav Scav

Seda

Sed:

Seda

Seda

Seda Sele

Serv

Serv Sha

Sick

Sinu

'Site 'Ski

Skir

'Sm

'Sm

Smo

Snif

Sod

Spe

Spir

Spin

Spin

Spir

Spir

Spin

Regi

Regi Regi

Regu

Regu

Rela

Regional analgesia, intra-arterial versus intravenous, for hand surgery (Koscielniak-Nielsen & Horn), 769

Regional techniques and low-dose aspirin (O'Kelly), 833 (c)

Regional techniques in the asthmatic patient (Morrow & Swan), 1018 (c)

Regulation: costs (Gilston), 838 (c)

Regurgitation using a laryngeal mask (Lack), 734 (c)

Relaxants, nondepolarising, action of (Karalliedde), 533 (c)

Renal failure, chronic, use of rocuronium in patients with (Khuenl-Brady et al.), 873

Research, financial support for (Reeder), 277 (c)

Reservoir requirements of the PAC portable anaesthesia system (Yoganathan & Johnston: Lamb), 170 (c)

Residual receptor occupancy, effect on sensitivity to repeated vecuronium (Campkin et al.), 572

Resistance loss: saline versus air (Thorpe & Sutherland), 742 (c)

Resistance to vecuronium (Norman), 1068

Respiratory arrest following extradural sufentanil (Stienstra & Pannekoek), 1055

Respiratory depression following combination of epidural buprenorphine and intramuscular ketorolac (Jain & Shah), 898

Respiratory depression, profound, delayed, after premedication with trimeprazine (Wilson: Chambers: Zsigmoid & Hirota), 169 (c)

Respiratory failure, acute, continuous spinal anaesthesia in (Grace & Orr), 226

Respiratory failure in late pregnancy, combined high frequency ventilation in management of (Raphael & Bexton), 596

Respiratory volume, noninvasive monitoring of; evaluation of breath monitoring device (Amin et al.), 608

Res-Q-Vac suction device: evaluation (Simon, Davidson & Boom), 807

Resuscitation and the laryngeal mask airway (Mansfield & Miller), 637 (c)

Resuscitation, cardiopulmonary, evaluation of pulse oximetry during (Spitall), 701

Resuscitation, cardiopulmonary, setting standards for (Ward), 655 Resuscitation, neonatal, use of the laryngeal mask airway in (Lavies), 352 (c)

Resuscitation, training nursing staff in airway management for; comparison of facemask and laryngeal mask (Martin et al.), 33

Resuscitation, use of the laryngeal mask airway in (Hett & Bailey), 733 (c)

Retrobulbar and peribulbar blockade, comparison between; the metabolic and hormonal response to cataract surgery (Barker et al.), 488

Rhabdomyolysis and bilateral diaphragmatic palsies following abdominal tamponade (Lachmann, Calne & Park), 914 (c)

Rhabdomyolysis following life-threatening acute asthma attack (Visetti & Costa), 887

Rheumatoid arthritis and anaesthesia (Skues & Welchew), 989 Rhinosurgery, cocaine dosage in (Pac Soo & Taggart), 273 (c)

Rhinosurgery, cocaine dosage in (Parr), 739 (c)

Right ventricular ejection fraction measurement by thermodilution (Cockroft & Withington), 312

Right ventricular myxoma, pulse oximetry artifact in a patient with (Fearnley & Manners), 87 (c)

Riyadh Intensive Care Programme (Bihari & Chang: Jacobs et al.), 345 (c)

Robertshaw tubes, red rubber (Smith), 94 (c)

Rocuronium and vecuronium; pharmacodynamics (van den Broek, Wierda & Hennis: Bryden), 349 (c)

Rocuronium bromide, neuromuscular effects of, during fentanyl and halothane anaesthesia (Cooper, Mirakhur & Maddineni), 103

Rocuronium recovery index, comparison with pancuronium, in the isolated forearm (Fawcett, Fauvel & Feldman), 200

Rocuronium; use in patients with chronic renal failure (Khuenl-Brady et al.), 873

Safety Action Bulletins, 934

Safety checks of equipment (Theaker & van Hasselt), 837 (c)

Rubber oropharyngeal airways; sizes (Bickford-Smith), 1119 (c)

Safety in anaesthesia, aspects of (Wright & Bali), 352 (c) Safety in reverse (Harrison), 356 (c)

Safety of conventional intubation through the laryngeal mask; distance between the grille of the mask and the vocal cords (Asai, Latto & Vaughan), 667

Saline versus air; loss of resistance (Thorpe & Sutherland), 742 (c)

Scavenging by the double T-piece circuit (Baraka & Muallem), 1116 (c)

Scavenging, T-piece; the double-bag system (Chan & Kong), 647 (c)

Sedation, benzodiazepine, and interaction of H<sub>2</sub>-receptor antagonists (Sanders et al.), 286

Sedation, long-term, and isoflurane (Yates & Hughes: Millane, Bennett & Grounds), 267 (c)

Sedation of critically ill patients, effects of midazolam on the EEG during (Veselis et al.), 463

Sedation, patient-controlled, true (Cook et al.), 1039

Sedation with propofol during surgery under local blockade. Assessment of a target-controlled infusion system (Skipsey et al.), 210

Selectatec system, more problems with (Moore & Harmon: Davies), 635 (c)

Servo 900C ventilator: use for nasal positive pressure ventilation (Hollywood, Jooste & Higgins), 1106 (c)

Servo ventilator and inhalational agents (Fletcher & Nordström), 268 (c)

Sharps, too many (Bamber & Wenstone), 344 (c)

Sickle cell crisis and pain management (Lanigan & Justins), 829 (c)

Sinus arrest during cholecystectomy (Cooney & Jones), 744 (c)

'SiteRite' ultrasound machine: an aid to internal jugular vein cannulation (Armstrong, Cullen & Scott), 319

'Skid' for easier insertion of the laryngeal mask airway (Harding), 80 (c)

Skin anaesthesia, use of EMLA cream for, prior to epidural insertion in labour (Ralston & Head-Rapson), 65 (f)

Skin necrosis following continuous positive airway pressure with a face mask (Smurthwaite & Ford), 147

'Smelly agents' (Mather), 540 (c)
'Smelly agents' (Mayhew), 1021 (c)

Smoking: effectiveness of pre-operative advice to stop (Munday et al.), 816 (f)

Sniff or not to sniff (McDonald), 928 (c)

Sodium nitroprusside in closed loop control of arterial hypertension following craniotomy (Mackenzie et al.), 202

Spectroscopy, near infrared, in adults; does the Invos 3100 really measure intracerebral oxygenation? (Harris & Bailey), 694

Spinal accessory nerve stimulation as a method of monitoring neuromuscular transmission (Meakin), 85 (c)

Spinal anaesthesia, an unusual cause of bradypnoea after (Staender & Hampl), 451 (c)

Spinal anaesthesia, changes in blood flow and vascular resistance in the arm and leg during, and vasopressor therapy with methoxamine (Fogarty & Howe), 387

Spinal anaesthesia, concealed Wolff-Parkinson-White syndrome detected during (Nishikawa et al.), 1061

Spinal anaesthesia, continuous, in acute respiratory failure (Grace & Orr), 226

Spinal anaesthesia for Caesarean section, anaphylactoid reaction following (Allman), 545 (c)

Spinal anaesthesia for elective Caesarean section, leg elevation and wrapping in prevention of hypotension following (Rout, Rocke & Gouws), 304 Spinal anaesthesia in day-care surgery, comparison of 26-gauge and 27-gauge Quincke needle (Corbey, Berg & Quaynor), 776 Spinal anaesthesia induced with isobaric 0.5% bupivacaine, influence of diamorphine on (Abuzaid et al.), 492 Spinal anaesthesia, role of; management of failed extradural anaesthesia (Jöhr, Hess & Gerber), 743 (c) Spinal anaesthesia, unexpectedly high, following failed extradural anaesthesia for Caesarean section (Kick & Böhrer), 271 (c) Spinal anaesthesia, unexpectedly high, following failed extradural anaesthesia for Caesarean section (Dell & Orlikowski), 641 (c) Spinal catheter, 32-gauge, a problem with (Little et al.: McGuirk), 90 (c) Spinal epidural combined anaesthesia for Caesarean section, cardiorespiratory arrest following (Myint, Bailey & Milne), 684 Spinal/epidural combined anaesthesia for Caesarean section (Westbrook & Carrie: Lyons, Macdonald & Mikl), 172 (c) Spinal/epidural combined anaesthesia for Caesarean section (Diebold), 535 (c) Spinal-epidural combined anaesthesia through the Portex set (Eldor: Westbrook & Carrie), 836 (c) Spinal-epidural combined continuous anaesthesia with a single interspace double-catheter technique (Vercauteren et al.), 1002 (f) Spinal/epidural needle, combined, Eldor (Eldor), 173 (c) Spinal needle size and hearing (Perks: Sundberg, Wang & Fog), 534 (c) Spinal needle, Sprotte, modification to (Carrie), 92 (c) Spinal needles, atraumatic (Turner & Shaw), 452 (c) Spinal needles, cerebrospinal fluid flashback in (Cartwright), 830 (c) Spine, cervical; cricoid pressure and potential injuries (Hartley), 1113 (c) Spine, cervical, disease; awake fibreoptic intubation technique (Sidhu et al.), 910 (f) Spine, cervical, instability; use of the laryngeal mask airway (Brimacombe & Berry), 670 Spine injuries, cervical, potential; orotracheal intubation; gum elastic bougie (Nolan & Wilson), 630 (f) Spine injury, cervical, managing the airway in (Lavery, McCoy & Johnston: Wood & Lawler), 443 (c) Spirometry, continuous, in monitoring of ventilatory effects of pneumoperitoneum (Bardoczky et al.), 309 Spray and ENT and eye anaesthesia - a rationalisation (van den Berg, Honjol & Parmar), 742 (c) Spray applicators, lignocaine, are a potential source of cross-infection in the anaesthetic room (Williams et al.), 61 (f) Spray, lignocaine, new, problems with (Breslin: Barker), 180 (c) Sprays, lignocaine, and cross infection (Appleby & Davidson), 645 (c) Sprotte needle modification, need for (Aglan & Stansby), 534 (c) Sprotte spinal needle modification (Carrie), 92 (c) Stable plasma protein solution, hypotension from the interaction of ACE inhibitors with (Young), 356 (c) Starvation, pre-operative, audit of (Maclean & Renwick), 164 (f) State Anxiety Levels following induction of anaesthesia with propofol or thiopentone (Winwood & Jago), 581 Stenosis, tracheal, and the laryngeal mask (Asai, Fujise & Uchida), 81 (c) Strain gauge, bonded, modified, for adductor pollicis mechanomyography (Campkin, Hood & Feldman), 85 (c) Students, medical, procedures undertaken by (Wilson), 344 (c) Stylet for reinforced laryngeal mask airway (Asai, Stacey & Barclay: Brimacombe & Berry), 636 (c) Subarachnoid block as an adjunct to extradural anaesthesia (Rutter & Lyons), 831 (c) Subarachnoid catheters, management of accidental dural punctures with (Samaan & Russell), 451 (c) Subarachnoid continuous infusion of local anaesthetic (Morton, Armstrong & McClure), 333 (f) Subcutaneous emphysema in labour (Jayran-Nejad), 139 Subcutaneous emphysema, pneumomediastinum and pneumothorax complicating laparoscopic vagotomy. Report of two cases (Chui, Gin & Chung), 978 Subdural motor blockade, development of (Asato et al.), 46 Suction devices, portable, three, evaluation of (Simon, Davidson & Boom), 807 Suction, tracheal, bupivacaine protects against vagal bradycardias during (Park & Slapak), 455 (c) Sufentanil, extradural, respiratory arrest following (Stienstra & Pannekoek), 1055 Sufentanil/bupivacaine compared with fentanyl/bupivacaine; epidural infusions for nulliparous women in labour (Russell & Reynolds), Sumatriptan relieves and prevents peri-operative migraine attacks (Hannington-Kiff), 144 Surgery, abdominal, effect of fentanyl administered epidurally by three different methods on oxyhaemoglobin saturation after (Owen et al.), 20 Surgery in brain-dead organ donors, haemodynamic responses to (Pennefather, Dark & Bullock), 1034 Surgery, intracranial, a comparison of the effect of isoflurane and propofol on arterial carbon dioxide tensions following (Wilson et al.), Surgery, major, atelectasis and oxygenation in, with either propofol with or without nitrous oxide or isoflurane anaesthesia (Jensen et al.), 1094 (f) Surgery, minor, cost of anaesthesia for (Young, Tighe & Hall), 820 (c) Suxamethonium: a very small dose relieves laryngospasm (Chung & Rowbottom), 229 Suxamethonium and laryngospasm (Gilston), 648 (c) Suxamethonium and thiopentone, intubation following; comparison with intubation following propofol and alfentanil (Beck et al.), 876 Suxamethonium compared with mivacurium, in children (Mangat et al.), 866 Suxamethonium compared with mivacurium; neuromuscular effects and intubating conditions (Maddineni et al.), 940 Suxamethonium myalgia: an ethnic comparison with and without pancuronium pretreatment (Houghton et al.), 377 Suxamethonium, myalgia and biochemical changes following, after induction of anaesthesia with thiopentone or propofol (Maddineni, Mirakhur & Cooper), 626 (f) Suxamethonium: repeated doses in the myasthenic patient (Baraka, Baroody & Yazbeck), 782 Suxamethonium-induced muscle pains are not related to cholinesterase activity (Ansermino et al.), 1097 (f) Swelling following extraction of third molar teeth is reduced by dexamethasone (Baxendale, Vater & Lavery), 961 Sympathetic response to tracheal intubation; an ethnic comparison (Houghton et al.), 965 Syringe, perforated diaphragm in (Jackson: Thorp), 270 (c) Syringe pumps, standard, infusion delays through multilumen catheters using (Owens), 643 (c)

Tar

Tee

Ten

Тега

Teri

Teta

Teta

Tex

The

The

Thia

Thi

Thi

Thi

Thi

Tho

Tho

Tho

Thr

Thr

Thr

Thy

Ton

Top

Top

Tor

T-p

T-p

Tra

Тга

Tra

Tra

Tra

Tra

Tra

Тга

Tra

Тга

Tra Tra

Тга

Tra

Tra

Tra

Tra

Tra

Tra

Tra

Tra

Тга

Tra

Tra

Tra

Tra

Tra

Tra

Tra Tri

Tub

Tul

Tul

Tachycardia, ventricular, acceleration of, following propofol in a patient with heterotopic cardiac transplant (Jayamaha & Dowdle), 889 Takayasu's arteritis, intra-operative monitoring of cerebral haemodynamics in a patient with (Kawaguchi et al.), 496 Tamponade, abdominal, rhabdomyolysis and bilateral diaphragmatic palsies following (Lachmann, Calne & Park), 914 (c)

Syringes, pressure effects of (Hamilton-Davies), 545 (c)

Syringes, pressure effects of (Costigan: Read, 1016 (c)

Target-controlled infusion systems (Hirota & Zsigmoid), 176 (c)

Teeth, third molar, dexamethasone reduces pain and swelling following extraction of (Baxendale, Vater & Lavery), 961

Temazepam capsule; foreign body; tracheal intubation (Murray & Wait), 269 (c)

Teratoma, pharyngeal (Moriarty & McEwan), 792

Terfenadine: influence on hypotensive and gastric pH effects of morphine and tubocurarine (Treuren et al.), 758 Tetanus, avoidance of intermittent positive pressure ventilation with dantrolene therapy (Checketts & White), 969

Tetanus, voluntary, effect on recovery of vecuronium block in the isolated forearm (Gopinath et al.), 870

Textbooks, early, on anaesthesia (Franco et al.), 648 (c)

Thermodilution measurement of right ventricular ejection fraction (Cockroft & Withington), 312

Thermometer, tympanic, infrared, Genius; evaluation for clinical use (Edge & Morgan), 604

Thiamylal induction of anaesthesia, catecholamine response to laryngoscopy and intubation after (Marx & Rosner), 274 (c)

Thiopentone and suxamethonium, intubation following; comparison with intubation following propofol and alfentanil (Beck et al.), 876

Thiopentone compared with propofol; anxiety levels following anaesthesia for day-case surgery (Winwood & Jago), 581

Thiopentone: effect on beat-to-beat cardiovascular signals in man (Scheffer et al.), 849

Thiopentone or propofol, myalgia and biochemical changes following suxamethonium after induction of anaesthesia with (Maddineni,

Mirakhur & Cooper), 626 (f)

Thoracic paravertebral blockade in infants and children, plasma concentrations of lignocaine after (Lönnqvist), 958

Thoracotomy, a combined chest drain and intrapleural catheter for pain relief after (Broome, Sherry & Reilly), 724 (f)

Thoracotomy, delayed diagnosis of contralateral tension pneumothorax during (Handel & Jellicoe), 177 (c)

Three 'Rs' and persuasion in clinical practice (van den Berg), 449 (c)

Thrill in the internal jugular vein (Goulding & Dunn), 543 (c)

Throat, sore, after tracheal intubation; small tubes prevent (Thomas), 255 (c)

Thyrotropin concentration predicts outcome in critical illness (Rothwell, Udwadia & Lawler), 373

Tonsillectomy in children, blood loss following; a blind comparison of diclofenac and papaveretum (Thiagarajan et al.), 132

Topical anaesthesia prior to venous cannulation in children, evaluation of a new self-adhesive patch preparation of amethocaine for (Doyle et al.), 1050

Topical nitroglycerine prevents the pressor response to tracheal intubation and sternotomy in patients undergoing coronary artery bypass graft surgery (Mahajan, Ramachandran & Saxena), 297

Torsade de pointes and long QT syndrome following major blood transfusion (Espantman: Kulkarni), 93 (c)

T-piece double-bag circuit, scavenging by (Baraka & Muallem), 1116 (c)

T-piece scavenging - the double-bag system (Chan & Kong), 647 (c)

Tracheal connectors, Portex, 8.5 mm, a problem with (May & Kirton: Howell), 348 (c)

Tracheal cuff failure, unexpected cause of (Palmer: Balchin), 347 (c)

Tracheal cuff pressure control valve, Miller (Payne & Miller), 324

Tracheal intubation see Intubation

Tracheal rupture; management using bilateral bronchial intubation (Mitchell & Ward), 223

Tracheal stenosis and the laryngeal mask (Asai, Fujise & Uchida), 81 (c)

Tracheal suction, bupivacaine protects against vagal bradycardias during (Park & Slapak), 455 (c)

Tracheal suction in patients with raised intracranial pressure, level of neuromuscular block needed to suppress diaphragmatic movement during; use of vecuronium and atracurium (Werba et al.), 301

Tracheal tube connectors, prevention of accidental facial injuries caused by (Cain & Howell), 361 (c)

Tracheal tube cuff, deflated, with inflated pilot balloon (Bhanumurthy, McCaughey & Graham), 1109 (c)

Tracheal tube tip design, influence on fibreoptic intubation (Jones, Pearce & Moore), 672

Tracheal tubes: estimation of correct length in adults (Patel, Mahajan & Ellis), 74 (f)

Tracheal tubes: estimation of correct length (Moyser), 832 (c)

Tracheal tubes, intubation guide marks on (Bloch, Ossey & Ginsberg), 171 (c)

Tracheal tubes, Kendal Curity 8.5 mm (Hazard Notice), 1023

Tracheal tubes, paediatric external diameters of (Bourne & Barker), 839 (c)

Tracheostomy, dilational, percutaneous (Cook: Denholm & Sanderson: McAuley & Lawler), 735 (c)

Tracheostomy, dilational, percutaneous; completing the anaesthetist's range of airway techniques (Bodenham), 101

Tracheostomy tube and catheter mount; problems (Spittal & Monk: Le Poidevin: Padua), 354 (c)

Training, a comparison of the laryngeal mask airway and Guedel airway, bag and facemask for manual ventilation following (Alexander et al.), 231

Training anaesthetists - the use of 'floaters' (Brook), 343 (c)

Training, basic life support (Lawler), 444 (c)

Training in chronic pain management (Collins & Taylor), 269 (c)

Training in fibreoptic nasotracheal intubation, intermittent thiopentone for (Yentis, Jankowski & Gregory), 340 (f)

Training in fibreoptic nasotracheal intubation, intermittent thiopentone for (Erratum) (Yentis, Jankowski & Gregory), 557 (f)

Training in fibreoptic tracheal intubation: the split laryngeal mask compared with the Berman II intubating airway (Darling, Keohane & Murray), 1079

Training in nasotracheal intubation; the laryngeal mask airway (Alexander & Moore), 350 (c)

Training in pain management (Stott & Michels), 1118 (c)

Training nursing staff in airway management for resuscitation. A clinical comparison of the facemask and laryngeal mask (Martin et al.), 33

Training: procedures undertaken by medical students (Wilson), 344 (c)

Training: use of log books (Strang), 69 (f)

Train-of-four; second thoughts (Feldman), 1

Tramadol, epidural, for postoperative pain relief (Delilkan & Vijayan), 328 (f)

Transdermal hyoscine–timing of patch (Kumar, Lawler & Knott), 176 (c)

Transplant, cardiac, acceleration of ventricular tachycardia following propofol in a patient with (Jayamaha & Dowdle), 889

Transplantation, liver, creatinine and 51Cr-EDTA clearance after (Burns et al.), 763

Trans-septal left atrial catheterisation (Fukutome et al.), 407

Transurethral resection of the prostate, pacemaker failure during (Kellow), 136

Trauma see Advanced Trauma Life Support

Trimeprazine, delayed profound respiratory depression after premedication with (Wilson: Chambers: Zsigmoid & Hirota), 169 (c)

Tube, nasogastric, hypertensive response to passage of (Bremner), 353 (c)

Tube, nasogastric, knotted (Wilson), 1119 (c)

Tube, RAE, prevention of bronchial intubation with, during adenotonsillectomy (Sun), 645 (c)

Tube, tracheal, connectors, prevention of accidental facial injuries caused by (Cain & Howell), 361 (c)

Tubes, nasogastric, and cricoid pressure (Vanner & Pryle), 1112 (c)

Tubes, nasogastric, fine-bore, position of (Bremner), 928 (c)

Tubes, Robertshaw, red rubber (Smith), 94 (c)

Tubes, small, prevent hoarseness and sore throat after tracheal intubation (Thomas), 255 (c)

Tubes see also Tracheal tubes

Tubocurarine, influence of terfenadine and ranitidine on hypotensive and gastric pH effects of (Treuren et al.), 758

Tubocurarine, low dose, reversal of atracurium after (Nott & Tanner), 644 (c)

Tuohy needle, unusual defect in (Bamber: Clegg), 743 (c)

Tympanic thermometer, Genius; evaluation for clinical use (Edge & Morgan), 604

Ultrasound machine, 'SiteRite', an aid to internal jugular vein cannulation (Armstrong, Cullen & Scott), 319

Uptake of isoflurane during anaesthesia (Lockwood, Chakrabarti & Whitwam), 748

Vagal bradycardias, bupivacaine protects against, during tracheal suction (Park & Slapak), 455 (c)

Vagotomy, laparoscopic, complicated by subcutaneous emphysema, pneumomediastinum and pneumothorax (Chui, Gin & Chung), 978

Valve, sticking (Johnson: Green), 89 (c)

Valve, tracheal cuff pressure control, Miller (Payne & Miller), 324

Valves, antireflux, in intravenous opioid analgesia (Tolhurst-Cleaver), 93 (c)

Vaporizer fault, delivery of excess volatile agent due to (Dingley: Sedwards), 349 (c)

Vaporizer filling modes, keyed and non-keyed, and volatile agent wastage (Uncles), 795

Vapour concentration, influence of methane on infrared measurement of (Moens & Gootjes), 270 (c)

Vascular resistance changes in the arm and leg during spinal anaesthesia and vasopressor therapy with methoxamine (Fogarty & Howe), 387

Vasodilatation: effect on oxygen saturations measured by pulse oximetry and venous blood gas analysis (Broome et al.), 415

Vecuronium and rocuronium; pharmacodynamics (van den Broek, Wierda & Hennis: Bryden), 349 (c)

Vecuronium block, effect of voluntary tetanus on recovery of, in the isolated forearm (Gopinath et al.), 870

Vecuronium block in the myasthenic patient. Influence of anticholinesterase therapy (Baraka et al.), 588

Vecuronium increments in extending a pipecuronium neuromuscular block (Roberts et al.), 196

Vecuronium recovery index, comparison with pancuronium, in the isolated forearm (Fawcett, Fauvel & Feldman), 200

Vecuronium, repeated, the effect of residual receptor occupancy on sensitivity to (Campkin et al.), 572

Vecuronium, resistance to (Norman), 1068

Vecuronium: the level of neuromuscular block needed to suppress diaphragmatic movement during tracheal suction in patients with raised intracranial pressure (Werba et al.), 301

Venous blood gas analysis, effect of vasodilatation on oxygen saturations measured by (Broome et al.), 415

Venous cannulation and local anaesthesia (Hall: Deacock), 350 (c)

Venous cannulation in children, evaluation of a new self-adhesive patch preparation of amethocaine for topical anaesthesia prior to (Doyle et al.), 1050

Venous cannulation and ethyl chloride (Scott), 839 (c)

Venous cannulation, painless; a childish approach (McEwan), 1021 (c)

Venovenous haemofiltration, continuous, and cardiac output measurement (Thompson & Barker), 1105 (c)

Veno-venous haemofiltration to treat profound fluid retention in severe peripartum cardiomyopathy (Beards, Freebairn & Lipman), 1065

Ventilation, controlled, with the Bain co-axial system (Savva), 1072

Ventilation, high frequency, combined, in management of respiratory failure in late pregnancy (Raphael & Bexton), 596

Ventilation, high frequency, combined (Ip-Yam & George), 1115 (c)

Ventilation, high frequency jet; anaesthesia for procedures on the larynx and pharynx (Mendel & Bristow), 263 (f)

Ventilation, high frequency jet, intratracheal, prevention of barotrauma during (Baer), 544 (c)

Ventilation, intermittent positive pressure, in tetanus; avoidance with dantrolene therapy (Checketts & White), 969

Ventilation, manual, following formal training; comparison of the laryngeal mask airway and Guedel airway, bag and facemask (Alexander et al.), 231

Ventilation, nasal intermittent positive pressure, in patients with chronic obstructive airways disease, inspiratory muscle effort during (Elliott et al.), 8

Ventilation of the lungs, metal insufflation catheter used for, in laser surgery of the larynx (Mallios et al.), 359 (c)

Ventilation: rebreathing and semiclosed anaesthetic breathing systems (Barrie & Beatty), 86 (c)

Ventilation, spontaneous; suitability of minilink breathing system (O'Meara et al.), 235

Ventilation: the Bicore pulmonary monitor (Petros, Lamond & Bennett), 985

Ventilation: the Miller tracheal cuff pressure control valve (Payne & Miller), 324

Ventilator, faulty, and functionally crossed pipelines (Branson), 270 (c)

Ventilator, Ohmeda OAV 7700 (Safety Action Bulletin 93 26), 934

Ventilator pressure alarm line adaptor for the Penlon 200 fitted with a Newton valve (Kumar, Leech & Wood), 90 (c)

Ventilator, Servo 900C; use for nasal positive pressure ventilation (Hollywood, Jooste & Higgins), 1106 (c)

Ventilator, Servo, and inhalational agents (Fletcher & Nordström), 268 (c)

Ventilators, Manley, and fuel cell oxygen analysers (Moore & Carter), 634 (c)

Ventilatory effects of pneumoperitoneum monitored with continuous spirometry (Bardoczky et al.), 309

Ventilatory response to hypoxaemia, effect of extradural anaesthesia on (Sakura, Saito & Kosaka), 205

Ventricular function, good and impaired, a comparison; propofol-fentanyl anaesthesia in cardiac surgery (Phillips et al.), 661 Ventricular pacemaker, inadvertent suppression of, using a peripheral nerve stimulator (O'Flaherty, Wardill & Adams), 687

Ventricular tachycardia acceleration following propofol in a patient with heterotopic cardiac transplant (Jayamaha & Dowdle), 889

Venturi products (Hazard Notice 93 21), 934 Visiting, pre-operative, and nurses (Clark), 539 (c)

Visits, pre-operative; the 'printy' approach (Allan, Cundy & Dasey), 744 (c)

Visual aids or checklists in the checking of anaesthetic machines? (Adams & Morgan), 183

Vocal cords, the distance between the grille of the laryngeal mask airway and; safety of conventional intubation through the mask (Asai, Latto & Vaughan), 667

'Vocalaid' and surgical emphysema (Akhtar & Bell), 272 (c)

Volatile agent wastage; comparison of keyed and non-keyed vaporizer filling modes (Uncles), 795

Volatile agents: a graphical method for administration (Pollock), 450 (c)

Volatile agents: to sniff or not to sniff (McDonald), 928 (c)

Vola

Vom Vom Vom

Wate Whis Who Willia Wolf

Xeno X-ray Zingi

Zingi

Ke

Age f

Airwa

Airwa

Anaes

Anaes

Anaes

Anaes

Anaes Anaes Anaes Anaes Anaes Anaes Anaes Anaes Anaes Anaes Anaes

Anaes

Anaes

Anaes

Anaes

Anaes

Anaes

Anaes Anaes Anaes Anaes Anaes Anaes Anaes Anaes

Anaest Anaesi Anaest Anaest Anaesi Anaest 10

Anaest Anaest Anaest Anaest Anaest

Anaest Anaest Anaest

Anaest Anaest Volatile anaesthetics, elimination kinetics of; effects of management; implications for malignant hyperthermia treatment (Reber, Schumacher & Urwyler), 862

Vomiting and nausea: effect of the addition of droperidol to patient-controlled analgesia (Williams et al.), 881

Vomiting, postoperative, ondansetron in prevention of (Dupeyron et al.), 214

Vomiting, postoperative, ondansetron in prevention of (Hindle: Dupeyron), 919 (c)

Waters' canister, support for (Nott & Baylis), 275 (c)

Whisperflow adjustable flow generator (Ali & Fisher), 646 (c)

'Whoosh' test, origin of (Mantha), 94 (c)

William Woolf Mushin, CBE, DSc, FRCS, FRCA, FANZCA, FFA(SA), DA: editorial (Lunn), 461

Wolff-Parkinson-White syndrome, concealed, detected during spinal anaesthesia (Nishikawa et al.), 1061

Xenon anaesthesia, left ventricular performance and cerebral haemodynamics during (Luttropp et al.), 1045 X-ray department, safety of laryngeal mask airway in (Alexander, Arrowsmith & Frossard), 734 (c)

Zingiber officinale does not affect gastric emptying rate. A randomised, placebo-controlled, crossover trial (Phillips, Hutchinson & Ruggier), 393

Zingiber officinale (Ginger) - an antiemetic for day case surgery (Phillips, Ruggier & Hutchinson), 715 (f)

# Key word Index, Volume 48 (1993)

Age factors, elderly, 568

Airway, 630 (f)

Airway, resistance, 235

Anaesthesia, 810, 989

Anaesthesia, audit, 3, 69 (f), 885

Anaesthesia, cardiopulmonary bypass, 293

Anaesthesia, cardiovascular, 496, 972

Anaesthesia, costs, equipment, consumables, drugs, 906 (f)

Anaesthesia, dental, 435 (f), 961

Anaesthesia, dental (Erratum), 654

Anaesthesia, dental, paediatric, 260 (f) Anaesthesia, developing world, 67 (f)

Anaesthesia, emergency, 876

Anaesthesia, fentanyl, 103

Anaesthesia, gases, xenon, 1045

Anaesthesia, general, 144, 422 (f), 527 (f), 657, 672, 896

Anaesthesia, gynaecological, 951

Anaesthesia, halothane, 103

Anaesthesia, induction, 876

Anaesthesia, laryngoscopy, intubation, 516

Anaesthesia, local, 422 (f), 910 (f)

Anaesthesia, local, bupivacaine, 50

Anaesthesia, neurosurgical, carbon dioxide, 955

Anaesthesia, obstetric, 53 (f), 63 (f), 304, 593, 684, 788, 856, 946, 998 (f)

Anaesthesia, ophthalmological, 428 (f)

Anaesthesia, outpatient, 476, 715 (f), 773, 1005 (f) Anaesthesia, paediatric, 38, 128, 132, 192, 338 (f), 503, 718 (f), 958, 1083

Anaesthesia, paediatric, dental, 260 (f)

Anaesthesia, records, 69 (f)

Anaesthesia, regional, 331 (f)

Anaesthesia, regional, lumbar plexus block, 675

Anaesthetic drugs, cost, 906 (f)

Anaesthetic equipment, cost, 906 (f)

Anaesthetic techniques, general, 44 Anaesthetic techniques, intraosseous, 982

Anaesthetic techniques, regional, caudal, 128

Anaesthetic techniques, regional, coeliac plexus, 162 (f)

Anaesthetic techniques, regional, epidural, 20, 46, 50, 63 (f), 128, 247, 317, 328 (f), 402, 514, 628 (f), 684, 773, 788, 803, 856, 898, 946, 1002 (f), 1086 (f)

Anaesthetic techniques, regional, extradural, 205, 718 (f)

Anaesthetic techniques, regional, facial block, 428 (f)

Anaesthetic techniques, regional, infiltration, 65 (f)

Anaesthetic techniques, regional, interpleural, 724 (f)

Anaesthetic techniques, regional, intravenous, 382

Anaesthetic techniques, regional, intrapleural, 724 (f)

Anaesthetic techniques, regional, intra-arterial, 769

Anaesthetic techniques, regional, intravenous, 769, 1091 (f)

Anaesthetic techniques, regional, paravertebral block, 958 Anaesthetic techniques, regional, peri-ocular, 336 (f)